QT OPTOELECTRONICS

PACKAGE DIMENSIONS

0.195 (4.95)

REFERENCE SURFACE

0.305 (7.75)

0.040 (1.02) NOM

0.800 (20.3) MIN

0.050 (1.25)

CATHODE

0.100 (2.54) NOM

0.240 (6.10) / 0.215 (5.45)

0.020 (0.51) SQ. (2X)

NOTES:

1. Dimensions for all drawings are in inches (mm).
2. Tolerance of ± .010 (.25) on all non-nominal dimensions unless otherwise specified.

FEATURES

- λ = 880 nm
- Chip material = AlGaAs
- Package type: T-1 3/4 (5mm lens diameter)
- Matched Photosensor: QSD122/123/124
- Narrow Emission Angle, 18°
- High Output Power
- Package material and color: Clear, peach tinted, plastic

1. Derate power dissipation linearly 2.67 mW/°C above 25°C.
2. RMA flux is recommended.
3. Methanol or isopropyl alcohols are recommended as cleaning agents.
4. Soldering iron 1/16" (1.6mm) minimum from housing.

SCHEMATIC

ANODE

CATHODE

ABSOLUTE MAXIMUM RATINGS (T_A = 25°C unless otherwise specified)

Parameter	Symbol	Rating	Unit
Operating Temperature	T_{OPR}	-40 to +100	°C
Storage Temperature	T_{STG}	-40 to +100	°C
Soldering Temperature (Iron)[2,3,4]	T_{SOL-I}	240 for 5 sec	°C
Soldering Temperature (Flow)[2,3]	T_{SOL-F}	260 for 10 sec	°C
Continuous Forward Current	I_F	50	mA
Reverse Voltage	V_R	5	V
Power Dissipation[1]	P_D	200	mW

ELECTRICAL / OPTICAL CHARACTERISTICS (T_A =25°C)

PARAMETER	TEST CONDITIONS	SYMBOL	MIN	TYP	MAX	UNITS
Peak Emission Wavelength	I_F = 100 mA	λ_{PE}	—	880	—	nm
Emission Angle	I_F = 100 mA	Θ	—	±9	—	Deg.
Forward Voltage	I_F = 100 mA, tp = 20 ms	V_F	—	—	1.7	V
Reverse Current	V_R = 5 V	I_R	—	—	10	µA
Radiant Intensity QED121	I_F = 100 mA, tp = 20 ms	I_E	20	—	40	mW/sr
Radiant Intensity QED122	I_F = 100 mA, tp = 20 ms	I_E	50	—	100	mW/sr
Radiant Intensity QED123	I_F = 100 mA, tp = 20 ms	I_E	80	—	—	mW/sr
Rise Time	I_F = 100 mA	t_r	—	800	—	ns
Fall Time		t_f	—	800	—	ns

100021B

QT OPTOELECTRONICS

## TYPICAL PERFORMANCE CURVES

Fig. 1 Normalized Radiant Intensity vs. Input Current

Fig. 2 Coupling Characteristics of QED12X and QSD12X

Fig. 3 Forward Voltage vs. Temperature

Fig. 4 Normalized Radiant Intensity vs. Wavelength

Fig. 5 Radiation Pattern