


**Product type** 

### 2-Pole Filter for W-LAN

B69812N2457D501

#### **Datasheet**



#### **Features**

- SMD filter consisting of coupled resonators with stepped impedances
- (NdBa)TiO<sub>3</sub> ( $\varepsilon_r = 88 / TC_f = 0 \pm 10 \text{ ppm/K}$ ) with a coating of copper (10µm) and tin (>5µm)
- Excellent reflow solderability, no migration effect due to copper/tin metallization

### Index

- Page 2 Component drawing
  - Recommended footprint
- Page 3 Characteristics
  - Maximum ratings
  - Typical passband characteristic
- Page 4 Processing information
  - Soldering requirements
  - Delivery mode

ISSUE DATE	27.08.03	ISSUE	Α	PUBLISHER	SAW MWC PD F	PAGE	1/4




Product type

# 2-Pole Filter for W-LAN

B69812N2457D501


**Datasheet** 

## **Component drawing**



View from below onto the solder terminals and view from beside

## **Recommended footprint**



FPS3I211.DOC

#### **Characteristics**

ISSUE DATE 27.08.03 ISSUE	А	PUBLISHER	SAW MWC PD F	PAGE	2/4	
---------------------------	---	-----------	--------------	------	-----	--



Product type

### 2-Pole Filter for W-LAN

B69812N2457D501


#### **Datasheet**

			min.	typ.	max.	
Center frequency		$f_{C}$	-	2.4415	-	GHz
Insertion loss		$\alpha_{IL}$		0.6	1.3	dB
Passband		В	83			MHz
Amplitude ripple (peak - peak)		$\Delta \alpha$		0.4	0.8	dB
Standing wave ratio		SWR		1.5	2.0	
Impedance		Z		50		Ω
Attenuation	at 2150 MHz	α	35	40		dB

# **Maximum ratings**

IEC climatic category (IEC 68-1)		- 40/+ 90/56	
Operating temperature	$T_{\sf op}$	- 20 / + 85	°C

# Typical passband characteristic



S2I211.DOC

ZNr.: 368 (FILT95\_2)

# **Processing information**

ISSUE DATE 27.08.03	ISSUE	Α	PUBLISHER	SAW MWC PD F	PAGE	3/4
---------------------	-------	---	-----------	--------------	------	-----



**Product type** 

### 2-Pole Filter for W-LAN

B69812N2457D501


**Datasheet** 

Wettability to IEC 68-2-58: ≥ 75% (after aging)

### Soldering requirements

Soldering type	reflow	
Maximum soldering temperature (measuring point on top surface of the component)	235 (max. 2 sec.) 225 (max. 10 sec.)	°C

### Recommended soldering conditions (infrared):




LOETPROF.DOC

#### **Delivery mode**

Blister tape to IEC 286-3, polyester, grey

• Pieces/tape: 3000



TAPS3I21.DOC

© EPCOS AG 2001. All Rights Reserved. Reproduction, publication and dissemination of this data sheet, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

The information contained in this data sheet describes the type of component and shall not be considered as guaranteed characteristics. Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

ISSUE DATE 27.08.03 ISSUE	А	PUBLISHER	SAW MWC PD F	PAGE	4/4	
---------------------------	---	-----------	--------------	------	-----	--