Data Sheet



Description

ASDL-4561 Infrared emitter is a 0603 ChipLED SMT package that is designed for applications with low space requirements and high radiant intensity coupled with high speed. It is optimized for efficiency at emission wavelength of 870nm and encapsulated with a flat lens for wide viewing angle applications.

Applications

- High-Speed Machine Automated System
- Remote Control
- Smoke Detector
- Medical Applications
- Non-Contact Position Sensing
- Optical Encoders


Features

- 870nm wavelength
- Industry Standard Footprint: 0603 ChipLED SMT Package
- Top Emitting
- Low Forward Voltage
- High Pulse Rate
- High Speed
- Wide Viewing Angle
- Lead Free and ROHS Compliant
- Tape & Reel for automation placement

Ordering Information


Part Number	Packaging	Shipping Option
ASDL-4651-C22	Tape & Reel	12Kpcs

Package Outline



All Dimensions are in Millimeters

Tape and Reel Dimension



All Dimensions are in Millimeters (Inches)

Absolute Maximum Ratings at 25°C


Parameter	Symbol	Min.	Мах	Unit	Reference
Peak Forward Current	I _{FPK}		300	mA	T _p =500ns T _w =100ns Duty Cycle=20%
Continuous Forward Current	I _{FDC}		60	mA	
Power Dissipation	P _{DISS}		120	mW	
Reverse Voltage	Vr	11		٧	I _r =100uA
Operating Temperature	T ₀	-40	85	°C	
LED Junction Temperature	Tj		110	°C	
Lead Soldering Temperature			260 for 5 sec	°C	

Electrical Characteristics at 25°C

Parameter	Symbol	Min.	Тур.	Max.	Unit	Condition
Forward Voltage	V _F		1.3	1.75	V	I _F =20mA
			1.35	1.85	V	I _F =50mA
Reverse Voltage	Vr	11			V	I _R =100uA
Thermal Resistance			400		°C/W	
Diode Capacitance	C ₀		50		pF	V _r =0V, f=1MHz
•	•				•	• •

Optical Characteristics at 25°C

Parameter	Symbol	Min.	Тур.	Max.	Unit	Condition
Radiant On-Axis Intensity	IE	1.64	2.2		mW/Sr	I _F =50mA
Viewing Angle	2θ _{1/2}		150		deg	
Peak wavelength	λ _{PK}		870		nm	$I_F = 50 \text{mA}$
Spectral Width	Δλ		45		nm	$I_F = 50 \text{mA}$
Optical Rise Time	tr		20		ns	I _{FPK} =500mA Duty Factor=20% Pulse Width=100ns
Optical Fall Time	t _f		17		ns	I _{FPK} =500mA Duty Factor=20% Pulse Width=100ns



Typical Electrical / Optical Characteristics Curve ($T_A = 25^{\circ}$ C Unless Otherwise Stated)

Figure 1. Peak Wavelength Vs Relative Radiant Intensity




Figure 3. Forward Current Vs Radiant Intensity




Figure 5. Forward Current versus Ambient Temperature derated based on Tj - 110 $^\circ$ C and thermal resistance at 400 $^\circ$ C/W




Figure 2. Forward Current Vs Forward Voltage





Figure 4.Angular Displacement Vs Relative Radiant Intensity

Recommended Reflow Profile



Process Zone	Symbol	ΔΤ	Maximum $\Delta T / \Delta time$ or Duration
Heat Up	P1, R1	25°C to 150°C	3°C/s
Solder Paste Dry	P2, R2	150°C to 200°C	100s to 180s
Solder Reflow	P3, R3 P3, R4	200°C to 260°C 260°C to 200°C	3°C/s -6°C/s
Cool Down	P4, R5	200°C to 25°C	-6°C/s
Time maintained above liquidus point , 217°C	> 217°C	60s to 90s	
Peak Temperature		260°C	-
Time within 5°C of actual Peak Temperature		-	20s to 40s
Time 25°C to Peak Temperature		25°C to 260°C	8mins

The reflow profile is a straight-line representation of a nominal temperature profile for a convective reflow solder process. The temperature profile is divided into four process zones, each with different $\Delta T/\Delta$ time temperature change rates or duration. The $\Delta T/\Delta$ time rates or duration are detailed in the above table. The temperatures are measured at the component to printed circuit board connections.

In process zone P1, the PC board and component pins are heated to a temperature of 150°C to activate the flux in the solder paste. The temperature ramp up rate, R1, is limited to 3°C per second to allow for even heating of both the PC board and component pins.


Process zone P2 should be of sufficient time duration (100 to 180 seconds) to dry the solder paste. The temperature is raised to a level just below the liquidus point of the solder.

Process zone P3 is the solder reflow zone. In zone P3, the temperature is quickly raised above the liquidus point of solder to 260°C (500°F) for optimum results. The dwell time above the liquidus point of solder should be between 60 and 90 seconds. This is to assure proper coalescing of the solder paste into liquid solder and the formation of good solder connections. Beyond the recommended dwell time the intermetallic growth within the solder connections becomes excessive, resulting in the formation of weak and unreliable connections. The temperature is then rapidly reduced to a point below the solidus temperature of the solder to allow the solder within the connections to freeze solid.

Process zone P4 is the cool down after solder freeze. The cool down rate, R5, from the liquidus point of the solder to 25°C (77°F) should not exceed 6°C per second maximum. This limitation is necessary to allow the PC board and component pins to change dimensions evenly, putting minimal stresses on the component.

It is recommended to perform reflow soldering no more than twice.

Recommended Land Pattern



All Dimensions are in Millimeters (Inches)

For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies, Limited in the United States and other countries. Data subject to change. Copyright © 2007 Avago Technologies Limited. All rights reserved. AV02-0276EN - April 27, 2007