


Analog 5-wire PET-On-Glass Touch Screen Specification

1. Mechanical Dimensions and Construction

- 1.1 General: Analog Resistive touch screen is laminated by ITO PET to ITO glass.
- 1.2 Construction:

Item	Description	Material	Remarks
	ITO PET	0.188mm ITO PET	Antiglare coating
1	(Top layer)	Film	Surface hardness: 3H
	New designed printing		Resistance:300~600Ω/□
	ITO Patterned Glass (Bottom layer)	2.8 mm ITO Glass	Resistance:300~900Ω/□
2	New designed printing		
3	Tail Base	Kapton	Separated Tail
4	Tail cover lay	Kapton	
5	Connector	AMP compatible	2,54mm
6	Top layer circuit	Silver ink	
7	Bottom layer circuit	Silver ink	
8	Layer to layer contacted	Silver ink	
9	Dot spacer	UV Cure ink	
10	Isolation Layer	Isolation Adhesive	
11	Glue	UV Glue	_
12	Preserve pet	PET Film	

Touch screen side view:



						Char	nges that contribute to	to techni	ical imp	rovement are	e subject to alternations		
				2006	Datum	Name							
				Bearb.	18.08.	Maurer	Т	TOUCH SCREEN 15,0", 5-Wire AMT-02513-A1 SPECIFICATIONS OF ANALOG RESISTIVE					
				Gepr.	18.08	Maurer							
				Vert.									
				ED\	/-Datas	sheet	SPECIFICA						
							PET-ON-GLASS TOUCH SCREEN Manufactured by Apex Material Technology Corp.						
				don't	change m	anually							
						HURT		Н	10	70.047	7 5		
Zu	Änd.	Datum	Name		D 793	46 Ending	en	pag	je 1	of 4	Index: -		



1.3 Input Method and Activation Force

Input Method	Average Activation Force
16mm dia. Silicon "finger"	Less than 1.00 N

2. Typical Optical Characteristics

2.1 Visible Light Transmission: > 80% 2.2 Haze: < 13%

3. Electrical Specifications

3.1 Operating Voltage:
3.2 Contact current:
3.3 Circuit close resistance:
5.5V or less
20mA (maximum)
20~300Ω

3.4 Circuit open resistance: $> 10M\Omega$ at 25VDC


3.5 Contact bounce: < 15ms

3.6 Linearity Specifications: The linearity specifications are based on Hampshire or

PenMount touch screen controllers and drivers to define.

3.6.1 Inner Active Area: 10 mm inside of X and Y active area dimensions.

Perimeter of Active Area: The area 10 mm inside of X and Y active area dimensions.




Zu	Änd.	Datum	Name			46 Ending	0.0 T - 0.0 T	page 2 of 4 Index: -					
					11 7 11 11 11 11 11	HUR1	JRTER H 1070.0475						
				don't	change m	anually	Manufactured by Apex Material Technology Corp.						
				ED\	/-Datas	sheet		ATIONS OF ANALOG RESISTIVE DN-GLASS TOUCH SCREEN					
				Vert.]	AMT-02513-A1					
				Gepr.	18.08	Maurer		15,0", 5-Wire					
				Bearb.	18.08.	Maurer	Т	OUCH SCREEN					
				2006	Datum	Name							
	r						nges that contribute t	o technical improvement are subject to alternations					



3.6.2 Calculate Linearity

%Linearity =
$$\frac{\sqrt{\Delta X^2 + \Delta Y^2}}{Active Area Diagonal}*100$$



3.6.3 Linearity: Inner Active Area : <1.0%
Perimeter of Active Area : <1,5%

3.7 Electrostatic Discharge Protection: (per EN 61000-4-2) The touch screen withstands of 15KV air discharge

and 8KV contact discharge.

4. Environment Specification

4.1 Operating Temperature $-10^{\circ} \text{ C} \sim +60^{\circ} \text{ C}$ Humidity less than 90% RH, no dew condensation

4.2 Storage Temperature $-40^{\circ} \text{ C} \sim +80^{\circ} \text{ C}$, at Ambient Humidity

5. Reliability Test

5.1 Exposure to high temperature

Touch panel is put into a test machine at the condition of 80°C for 504 hours.

Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

5.2 Exposure to low temperature

Touch panel is put into a test machine at the condition of -40°C for 504 hours.

Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

Circuit close resistance: as Sec. 3.3

Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

Linearity test: as Sec. 3.6

						Chai	nges that contribute to	o techni	cal imp	orovement ar	e subject to alternations		
				2006	Datum	Name							
				Bearb.	18.08.	Maurer	TOUCH SCREEN						
				Gepr.	18.08	Maurer							
				Vert.									
				ED\	/-Datas	sheet							
				1			PET-C	N-GI	LASS	TOUCH	SCREEN		
				don't	change m	anually	Manufactured by Apex Material Technology Corp.						
						HURT	ED						
					10 TAKE - 1000 - 1000	HUK I	10.000	Н	10	70.047	75		
					LLLOTHON	TO COMPO	HENTO				-		
Zu	Änd.	Datum	Name	1	D 793	46 Ending	en	pag	e 3	of 4	Index: -		



5.3 Exposure to constant temperature and humidity

Touch panel is put into a test machine at the condition of 60°C, 90%RH for 504 hours. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

5.4 Thermal Shock

Touch panel is put into a test machine at the condition of –40°C for 30 minutes, and then 80°C for 30 minutes. The process is repeated by 10 cycles. Then it is left at the room temperature for 24 hours or more. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

6. Durability test:

6.1 Finger touches

Touch panel is hit 36 millions times with a silicone rubber of R8 finger, hitting rate is by 250g at 2 times per second. The measurement must satisfy the following:

- Circuit close resistance: as Sec. 3.3

- Circuit open resistance: as Sec. 3.4

- Contact bounce: as Sec. 3.5

- Linearity test: as Sec. 3.6

7. Optical Performance:

- 7.1 Optical inspection method and optical defect standards refer to document. A001-2 Touch Screen Optical Quality Standard.
- 7.2 Outside to Active Area: any optical defected in this area need to be ignored if no effected to touch screen function.

8. Others

8.1 Always store the touch screen in its original shipping container under normal conditions (20~25°C, 65% RH)

						Chai	nges that contribute to	o techni	cal imp	oroveme	nt are	subject to alternation	
				2006	Datum	Name							
				Bearb.	18.08.	Maurer	Т	TOUCH SCREEN 15,0", 5-Wire					
				Gepr.	18.08	Maurer							
				Vert.			AMT-02513-A1 SPECIFICATIONS OF ANALOG RESISTIVE PET-ON-GLASS TOUCH SCREEN						
				ED\	/-Datas	sheet							
				don't	change m	Manufactur	Manufactured by Apex Material Technology Corp.						
					12 Table - Apple - 12	HURT	10.000	Н	10	70.0	47	5	
Zu	Änd.	Datum	Name	1	D 793	46 Ending	en	pag	e 4	of 4	4	Index: -	