

Data Sheet

April 2003

Radiation Hardened High Frequency Half Bridge Driver

intercil

The Radiation Hardened IS-2100ARH is a high frequency, 130V Half Bridge N-Channel MOSFET Driver IC, which is functionally similar to industry standard 2110 types. The lowside and high-side gate drivers are independently controlled. This gives the user maximum flexibility in dead-time selection and driver protocol.

In addition, the device has on-chip error detection and correction circuitry, which monitors the state of the high-side latch and compares it to the HIN signal. If they disagree, a set or reset pulse is generated to correct the high-side latch. This feature protects the high-side latch from single event upsets (SEUs).

Specifications for Rad Hard QML devices are controlled by the Defense Supply Center in Columbus (DSCC). The SMD numbers listed here must be used when ordering.

Detailed Electrical Specifications for the IS-2100ARH are contained in SMD 5962-99536. A "hotlink" is provided on our website for downloading.

Ordering Information

ORDERING NUMBER	INTERSIL MKT. NUMBER	TEMP. RANGE (^o C)
5962F9953602VXC	IS9-2100ARH-Q	-55 to 125
5962F9953602QXC	IS9-2100ARH-8	-55 to 125
IS9-2100ARH/Proto	IS9-2100ARH/Proto	-55 to 125

Features


- Electrically Screened to DSCC SMD # 5962-99536
- QML Qualified per MIL-PRF-38535 Requirements
- Radiation Environment
 - Maximum Total Dose 300krad(SI)
 - DI RSG Process Provides Latch-up Immunity
 - SEU Rating..... 82MeV/mg/cm²
 - Vertical Device Architecture Reduces Sensitivity to Low Dose Rates
- Bootstrap Supply Max Voltage to 150V
- Drives 1000pF Load at 1MHz with Rise and Fall Times of 30ns (Typ)
- 1.5A (Typ) Peak Output Current
- · Independent Inputs for Non-Half Bridge Topologies
- Low DC Power Consumption 60mW (Typ)
- Operates with V_{DD} = V_{CC} Over 12V to 20V Range
- Low-side Supply Undervoltage Protection

Applications

- High Frequency Switch-Mode Power Supplies
- Drivers for Inductive Loads
- DC Motor Drivers

Pinout





Die Characteristics

DIE DIMENSIONS:

 $4820\mu m$ x $3300\mu m$ (190 mils x 130 mils) Thickness: $483\mu m$ $\pm 25.4\mu m$ (19 mils ± 1 mil)

INTERFACE MATERIALS:

Glassivation:

Type: PSG (Phosphorous Silicon Glass) Thickness: $8.0k {\mbox{\AA} \pm 1.0k \mbox{\AA}}$

Top Metallization:

Type: ALSiCu Thickness: 16.0kÅ ±2kÅ

Substrate:

Radiation Hardened Silicon Gate, Dielectric Isolation

Metallization Mask Layout

Backside Finish:

Silicon

ASSEMBLY RELATED INFORMATION:

Substrate Potential:

Unbiased (DI)


ADDITIONAL INFORMATION:

Worst Case Current Density: $<2.0 \times 10^5 \text{ A/cm}^2$

Transistor Count:

542

IS-2100ARH



All Intersil products are manufactured, assembled and tested utilizing ISO9000 quality systems. Intersil Corporation's quality certifications can be viewed at www.intersil.com/design/quality

Intersil products are sold by description only. Intersil Corporation reserves the right to make changes in circuit design and/or specifications at any time without notice. Accordingly, the reader is cautioned to verify that data sheets are current before placing orders. Information furnished by Intersil is believed to be accurate and reliable. However, no responsibility is assumed by Intersil or its subsidiaries for its use; nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Intersil or its subsidiaries.

For information regarding Intersil Corporation and its products, see www.intersil.com

