Chip resistor networks

MNR14 (1608×4 size)

Features

1) Convex electrodes

Easy to check the fillet after soldering is finished.

2) Small, light, rectangular 4-chip network

Area ratio is 65% smaller than that of MNR34, while weight ratio has been cut 75%.

3) High-density mounting

Can be mounted even more densely than four 1608 chips (MCR03), and mounting costs are lower.

4) Compatible with a wide range of mounting equipment.

Squared corners make it excellent for mounting using image recognition machines.

5) ROHM resistors have approved ISO-9001 certification.

Design and specifications are subject to change without notice. Carefully check the specification sheet supplied with the product before using or ordering it.

●Ratings

Item	Conditions	Specifications
Rated power	Power must be derated according to the power derating curve in Figure 1 when ambient temperature exceeds 70°C. 100	0.063W (1 / 16W) at 70°C
Rated voltage	The voltage rating is calculated by the following equation. If the value obtained exceeds the limiting element voltage, the voltage rating is equal to the maximum operating voltage. $E{:} \ \ \text{Rated voltage (V)} \\ E{=} \sqrt{P{\times}R} \qquad \qquad P{:} \ \text{Rated power (W)} \\ R{:} \ \text{Nominal resistance } (\Omega)$	Limiting element voltage 50V
Nominal resistance	See <u>Table 1</u> .	
Operating temperature		−55°C ~ +125°C



Jumper type				
Resistance	Max. 50mΩ			
Rated current	1A			
Operating temperature	−55°C ~ +125°C			

Table 1						
Resistance tolerance	Resistance range (Ω)		Resistance temperature coefficient (ppm / °C)			
J (±5%)	2.2≤R≤10	(E6)	±500			
	10≤R≤1M	(E24)	±200			


•Before using components in circuits where they will be exposed to transients such as pulse loads (short-duration, high-level loads), be certain to evaluate the component in the mounted state. In addition, the reliability and performance of this component cannot be guaranteed if it is used with a steady state voltage that is greater than its rated voltage.

Characteristics


lto mo	Guaranteed value		Test conditions (US C 5201.1)	
Item	Resistor type	Jumper type	Test conditions (JIS C 5201-1)	
Resistance	J: ±5%	Max. 50mΩ	JIS C 5201-1 4.5	
Variation of resistance with temperature	See	Table.1	JIS C 5201-1 4.8 Measurement : -55 / +25 / +125°C	
Overload	± (2.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.13 Rated voltage (current) ×2.5, 2s. Limiting Element Voltage×2 : 100V	
Solderability		coating of minimum of ace being immersed g damage.	JIS C 5201-1 4.17 Rosin·Ethanol (25%WT) Soldering condition: 235±5°C Duration of immersion: 2.0±0.5s.	
Resistance to soldering heat	± (1.0%+0.05Ω) No remarkable abnor	Max. 50mΩ mality on the appearance.	JIS C 5201-1 4.18 Soldering condition: 260±5°C Duration of immersion: 10±1s.	
Rapid change of temperature	± (1.0%+0.05Ω)	Max. 50mΩ	JIS C 5201-1 4.19 Test temp. : -55°C~+125°C 5cyc	
Damp heat, steady state	± (3.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.24 40°C, 93%RH Test time : 1,000h~1,048h	
Endurance at 70°C	± (3.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.25.1 Rated voltage (current), 70°C 1.5h: ON – 0.5h: OFF Test time: 1,000h~1,048h	
Endurance	± (3.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.25.3 125°C Test time : 1,000h~1,048h	
Resistance to solvent	± (1.0%+0.05Ω)	Max. 50mΩ	JIS C 5201-1 4.29 23±5°C, Immersion cleaning, 5±0.5min. Solvent : 2-propanol	
Bend strength of the end face plating	$\begin{array}{c c} \pm \mbox{(1.0\%+0.05$\Omega)} & \mbox{Max. 50m}\Omega \\ & \mbox{Without mechanical damage such as breaks.} \end{array}$		JIS C 5201-1 4.33	




●External dimensions (Units : mm)




Equivalent circuit



Packaging



Product designation



Electrical characteristics




Fig.2 Resistance




Fig.3 Variation resistance with temperature




Fig.4 Overload




Fig.5 Resistance to soldering heat




Fig.6 Rapid change of temperature





Fig.7 Damp heat, steady state






Fig.8 Endurance at 70°C

Fig.9 Endurance

Fig.10 Resistance to solvents