


# Chip tantalum capacitors (Bottom surface electrode type)

### **TCT Series U Case**


#### ●Features (U)

- Ultra-compact package 60% smaller footprint and 70% smaller volume than our conventional 1608(0603)-sized TCM series capacitors.
- 2) High capacitance :  $1.0\mu F$  to  $4.7\mu F$  (  $15\mu F$  Under development ) Ideal for coupling and noise reduction in audio circuits
- 3) High productivity, high reliability
  Featuring the popular underside electrode configuration
- 4) Environmentally friendly halogen-free package

#### ●Dimensions (Unit: mm)



#### ●Part No. Explanation



- 1 Series name
- 2 Case style
- 3 Rated voltage

	2.5				
CODE	0E	0G	0J	1A	1C

(4) Nominal capacitance

Nominal capacitance in pF in 3 digits: 2 significant figures followed by the figure representing the number of 0's.

(5) Capacitance tolerance

M: ±20%

- 6 Taping
  - 8 : Reel width : 8mm
  - R : Positive electrode on the side opposite to sprocket hole

## Rated table

(F)	Rated voltage (V,DC)									
(μF)	2.5	4	6.3	10	16					
1.0 (105)			U		*U					
1.5 (155)				*U						
2.2 (225)			U	*U						
3.3 (335)				*U						
4.7 (475)		U	*U	*U						
6.8 (685)		*U	*U							
10 (106)		*U								
15 (156)	*U									
22 (226)										

Remark) Case size codes (U) in the above show products line-up. \* Under development **TCT Series U Case Data Sheet** 

#### Marking

The indications listed below should be given on the surface of a capacitor.

- (1) Polarity : The polarity should be shown by □ bar. (on the anode side)
  (2) Rated DC voltage : Due to the small size of U case, a voltage code is used as shown below.
  (3) Visual typical example (1) voltage code (2) capacitance code

Voltage Code	Rated DC Voltage (V)
е	2.5
g	4
j	6.3
Α	10
С	16

Capacitance Code	Nominal Capacitance (μF)			
Α	1.0			
E	1.5			
J	2.2			
N	3.3			
S	4.7			
W	6.8			
а	10			
е	15			

[U case] note 1)





manufacture code note 2) voltage code and capacitance code are variable with parts number

# Characteristics

Item	Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-3)			
Operating Temperature	−55°C to +125°C	Voltage reduction when temperature exceeds +85°C			
Maximum operating temperature with no voltage derating	+85°C				
Rated voltage (VDC)	2.5 4 6.3 10 16	at 85°C			
Category voltage (VDC)	1.6 2.5 4 6.3 10	at 125°C			
Surge voltage (VDC)	3.2 5.0 8 13 20	at 85°C			
DC Leakage current	Shall be satisfied the voltage on " Standard list "	As per 4.9 JIS C 5101-1 As per 4.5.1 JIS C 5101-3 Voltage: Rated voltage for 5min			
Capacitance tolerance	Shall be satisfied allowance range. ±20%	As per 4.7 JIS C 5101-1 As per 4.5.2 JIS C 5101-3 Measuring frequency: 120±12Hz Measuring voltage: 0.5Vrms +1.5 to 2V.DC Measuring circuit: DC Equivalent series circuit			
Tangent of loss angle (Df, tan $\delta$ )	Shall be satisfied the voltage on " Standard list "	As per 4.8 JIS C 5101-1 As per 4.5.3 JIS C 5101-3 Measuring frequency: 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit			
Impedance	Shall be satisfied the voltage on " Standard list "	As per 4.10 JIS C 5101-1 As per 4.5.4 JIS C 5101-3 Measuring frequency: 100±10kHz Measuring voltage: 0.5Vrms or less Measuring circuit: DC Equivalent series circuit			

TCT Series U Case Data Sheet

Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )	There should be no significant abnormality. The indications should be clear.  Less than 200% of initial limit  Within +20/-30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 200% of initial limit  Within ±30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 200% of initial limit  Within ±20% of initial limit  Within ±20% of initial value  Less than 300% of initial limit	As per 4.14 JIS C 5101-1 As per 4.6 JIS C 5101-3 Dip in the solder bath Solder temp : 260±5°C Duration : 5±0.5s Repetition : 1 After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.16 JIS C 5101-1 As per 4.10 JIS C 5101-3 Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation.  Temp. Time 1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3 After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h leave it at room				
$\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )	Within +20/-30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 200% of initial limit  Within ±30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	Solder temp : 260±5°C Duration : 5±0.5s Repetition : 1 After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.16 JIS C 5101-1 As per 4.10 JIS C 5101-3 Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation.  Temp. Time 1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3 After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )	Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 200% of initial limit  Within ±30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	Repetition : 1  After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.16 JIS C 5101-1  As per 4.10 JIS C 5101-3  Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation.  Temp. Time 1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1  As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )	There should be no significant abnormality. The indications should be clear.  Less than 200% of initial limit  Within ±30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.16 JIS C 5101-1 As per 4.10 JIS C 5101-3 Repetition: 5 cycles (1 cycle: steps 1 to 4) without discontinuation.  Temp. Time 1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3 After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
L.C. $\Delta C / C$ Df $(\tan \delta)$ Appearance L.C. $\Delta C / C$ Df $(\tan \delta)$	The indications should be clear.  Less than 200% of initial limit  Within ±30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	As per 4.10 JIS C 5101-3 Repetition: 5 cycles (1 cycle: steps 1 to 4) without discontinuation.  Temp. Time 1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3 After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
$\Delta C / C$ Df (tan $\delta$ )  Appearance L.C. $\Delta C / C$ Df (tan $\delta$ )	Within ±30% of initial value  Less than 200% of initial limit  There should be no significant abnormality. The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	(1 cycle: steps 1 to 4) without discontinuation.  Temp. Time  1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less  After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )	There should be no significant abnormality. The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	1 -55±3°C 30±3min. 2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less  After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
Appearance L.C. ΔC / C Df (tan δ)	There should be no significant abnormality. The indications should be clear. Less than 1000% of initial limit Within ±20% of initial value	2 Room temp. 3min. or less 3 125±2°C 30±3min. 4 Room temp. 3min. or less  After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
L.C. ΔC / C Df (tan δ)	The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	3 125±2°C 30±3min. 4 Room temp. 3min. or less  After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
L.C. ΔC / C Df (tan δ)	The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	4 Room temp. 3min. or less  After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
L.C. ΔC / C Df (tan δ)	The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	After the specimens, leave it at room temperature for over 24h and then measure the sample.  As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3 After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
L.C. ΔC / C Df (tan δ)	The indications should be clear.  Less than 1000% of initial limit  Within ±20% of initial value	As per 4.12 JIS C 5101-3  After leaving the sample under such atmospheric condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
ΔC / C  Df (tan δ)	Within ±20% of initial value	condition that the temperature and humidity are 60±2°C and 90 to 95% RH, respectively, for 500±12h				
Df (tan δ)		60±2°C and 90 to 95% RH, respectively, for 500±12h				
, ,	Less than 300% of initial limit	Leave it at room				
		temperature for over 24h and then measure the sample.				
Temp.	−55°C	As per 4.29 JIS C 5101-1				
ΔC / C	Within 0/-30% of initial value	As per 4.13 JIS C 5101-3				
Df (tan δ)	Shall be satisfied the voltage on " Standard list "					
L.C.						
Temp.	+85°C					
` '						
	+125°C					
	Within +20/0% of initial value					
		As per 4.26JIS C 5101-1				
L.C.	Less than 200% of initial value	As per 4.14JIS C 5101-3  Apply the specified surge voltage via the serial resistance of				
ΔC/C	Within ±20% of initial value	1kΩ every 5±0.5 min.				
Df (tan δ)	Less than 200% of initial limit	for 30±5 s. each time in the atmospheric condition of 85±2' Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample.				
Appearance	There should be no significant abnormality.	As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3				
L.C.	Less than 200% of initial limit	After applying the rated voltage for 1000+36/0 h without				
ΔC/C	Within +20/-30% of initial value	discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave the sample at room				
Df (tan δ)	Less than 300% of initial limit	temperature / humidity for over 24h and measure the value				
Capacitance	The measured value should be stable.	As per 4.35 JIS C 5101-1				
Appearance	There should be no significant abnormality.	As per 4.9 JIS C 5101-3 A force is applied to the terminal until it bends to 1mm and by a prescribed tool maintain the condition for 5s.  (See the figure below)  (Unit: mm)  F (Apply force)  thickness=1.6mm				
	$\Delta C / C$ Df (tan $\delta$ )  L.C.  Temp. $\Delta C / C$ Df (tan $\delta$ )  L.C.  Temp. $\Delta C / C$ Df (tan $\delta$ )  L.C.  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Appearance  L.C. $\Delta C / C$ Df (tan $\delta$ )  Capacitance	$ \Delta C \ / \ C $ Within 0/-30% of initial value $ Df \ (tan \ \delta) $ Shall be satisfied the voltage on " Standard list " L.C. $ - $ Temp. $ +85^{\circ}C $ $ \Delta C \ / \ C $ Within +15/0% of initial value $ Df \ (tan \ \delta) $ Shall be satisfied the voltage on " Standard list " L.C. Less than 1000% of initial limit $ - $ Temp. $ +125^{\circ}C $ $ \Delta C \ / \ C $ Within +20/0% of initial value $ Df \ (tan \ \delta) $ Shall be satisfied the voltage on " Standard list " L.C. Less than 1250% of initial limit $ - $ Appearance There should be no significant abnormality. $ - $ L.C. Less than 200% of initial value $ - $ $ - $ Within ±20% of initial value $ - $ Df \ (tan \ \delta) Less than 200% of initial limit $ - $ Appearance There should be no significant abnormality. $ - $ Less than 200% of initial limit $ - $ Appearance There should be no significant abnormality. $ - $ Less than 200% of initial limit $ - $ Less than 200% of initial limit $ - $ Less than 300% of initial limit $ - $ C Within +20/-30% of initial limit $ - $ Capacitance The measured value should be stable. $ - $				

TCT Series U Case Data Sheet

It	em	Performance	Test conditions (JIS C 5101-1 and JIS C 5101-3)	
Adhesiveness		The terminal should not come off.	As per 4.34 JIS C 5101-1 As per 4.8 JIS C 5101-3 Apply force of 5N in the two directions shown in the figure below for 10±1s after mounting the terminal on a circuit board.	
		Refer to "External dimensions"	Apply force a circuit board  Measure using a caliper of JIS B 7507 Class 2	
			or higher grade.	
Resistance to solvents		The indication should be clear	As per 4.32 JIS C 5101-1 As per 4.18 JIS C 5101-3 Dip in the isopropyl alcohol for 30±5s, at room temperature.	
Solderability		3/4 or more surface area of the solder coated terminal dipped in the soldering bath should be covered with the new solder.	As per 4.15.2 JIS C 5101-1 As per 4.7 JIS C 5101-3 Dip speed=25±2.5mm / s Pre-treatment (accelerated aging): Leave the sample on the boiling distilled water for 1 h. Solder temp.: 245±5°C Duration: 3±0.5s Solder: M705 Flux: Rosin 25% IPA 75%	
Vibration Capacitance Appearance		Measure value should not fluctuate during the measurement.	As per 4.17 JIS C 5101-1 Frequency: 10 to 55 to 10Hz/min. Amplitude: 1.5mm	
		There should be no significant abnormality.	Time: 2h each in X and Y directions  Mounting: The terminal is soldered on a print circuit boar	

# • Standard products list, TCT series UCase


Part No.	Rated voltage 85°C	Category voltage 125°C	Surge voltage 85°C	Cap. 120Hz	Tolerance	Leakage current 25°C		Df 20Hz (%)		IMP 100kHz
	(V)	(V)	(V)	(μF)	(%)	1WV.5min (μA)	-55°C	25°C 85°C	125°C	$(\Omega)$
* TCT U 0E 156 M8R	2.5	1.6	3.2	15	±20	7.5	90	50	60	25
TCT U 0G 475 M8R	4	2.5	5	4.7	±20	1.9	35	20	25	20
* TCT U 0G 685 M8R	4	2.5	5	6.8	±20	2.8	90	50	60	25
* TCT U 0G 106 M8R	4	2.5	5	10	±20	8	90	50	60	25
TCT U 0J 105 M8R	6.3	4	8	1	±20	0.7	35	20	25	20
TCT U 0J 225 M8R	6.3	4	8	2.2	±20	1.4	35	20	25	20
* TCT U 0J 475 M8R	6.3	4	8	4.7	±20	3	90	50	60	25
* TCT U 0J 685 M8R	6.3	4	8	6.8	±20	8.6	90	50	60	25
* TCT U 1A 155 M8R	10	6.3	13	1.5	±20	1.6	90	50	60	25
* TCT U 1A 225 M8R	10	6.3	13	2.2	±20	2.2	90	50	60	25
* TCT U 1A 335 M8R	10	6.3	13	3.3	±20	3.3	90	50	60	25
* TCT U 1A 475 M8R	10	6.3	13	4.7	±20	9.4	90	50	60	25
* TCT U 1C 105 M8R	16	10	20	1.0	±20	1.6	90	50	60	25

<sup>\*=</sup>Under development

TCT Series U Case Data Sheet


Packaging specifications

Case code	A±0.1	B±0.1	W±0.2	E±0.1	F±0.05	P1±0.1	P2±0.1	Po±0.1	D <sub>0</sub>	t1±0.05	t2±0.1
U	0.75	1.25	8.0	1.75	3.5	2.0	2.0	4.0	φ1.55	0.20	0.60



Packaging style

Case code	Packaging	Packag	ging style	Symbol	Basic ordering units
U case	Taping	plastic taping	φ180mm Reel	R	10,000pcs



#### Notes

No copying or reproduction of this document, in part or in whole, is permitted without the consent of ROHM Co.,Ltd.

The content specified herein is subject to change for improvement without notice.

The content specified herein is for the purpose of introducing ROHM's products (hereinafter "Products"). If you wish to use any such Product, please be sure to refer to the specifications, which can be obtained from ROHM upon request.

Examples of application circuits, circuit constants and any other information contained herein illustrate the standard usage and operations of the Products. The peripheral conditions must be taken into account when designing circuits for mass production.

Great care was taken in ensuring the accuracy of the information specified in this document. However, should you incur any damage arising from any inaccuracy or misprint of such information, ROHM shall bear no responsibility for such damage.

The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly, any license to use or exercise intellectual property or other rights held by ROHM and other parties. ROHM shall bear no responsibility whatsoever for any dispute arising from the use of such technical information.

The Products specified in this document are intended to be used with general-use electronic equipment or devices (such as audio visual equipment, office-automation equipment, communication devices, electronic appliances and amusement devices).

The Products specified in this document are not designed to be radiation tolerant.

While ROHM always makes efforts to enhance the quality and reliability of its Products, a Product may fail or malfunction for a variety of reasons.

Please be sure to implement in your equipment using the Products safety measures to guard against the possibility of physical injury, fire or any other damage caused in the event of the failure of any Product, such as derating, redundancy, fire control and fail-safe designs. ROHM shall bear no responsibility whatsoever for your use of any Product outside of the prescribed scope or not in accordance with the instruction manual.

The Products are not designed or manufactured to be used with any equipment, device or system which requires an extremely high level of reliability the failure or malfunction of which may result in a direct threat to human life or create a risk of human injury (such as a medical instrument, transportation equipment, aerospace machinery, nuclear-reactor controller, fuel-controller or other safety device). ROHM shall bear no responsibility in any way for use of any of the Products for the above special purposes. If a Product is intended to be used for any such special purpose, please contact a ROHM sales representative before purchasing.

If you intend to export or ship overseas any Product or technology specified herein that may be controlled under the Foreign Exchange and the Foreign Trade Law, you will be required to obtain a license or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

# ROHM Customer Support System

http://www.rohm.com/contact/