MAAVSS0005



M/A-COM Products

Rev. V2

Voltage Variable Absorptive Attenuator DC - 2.0 GHz

Features

- 12-dB Attenuation at 1 GHz
- Low Intermodulation Products
- Low DC Power Consumption
- Single Voltage Control: 0 to -4 Volts
- Nanosecond Switching Speed
- Temperature Range: -40°C to + 85°C
- Lead-Free SOT-143 Package
- 100% Matte Tin Plating over Copper
- Halogen-Free "Green" Mold Compound
- 260°C Reflow Compatible
- RoHS* Compliant Version of AT-259

Description

M/A-COM's MAAVSS0005 is a GaAs MMIC voltage variable absorptive attenuator in a lead-free SOT-143 4-lead surface mount plastic package. The MAAVSS0005 is ideally suited for use where attenuation fine tuning, fast switching and very low power consumption are required.

Typical applications include radio, cellular, GPS equipment and other automatic gain/level control circuits.

The MAAVSS0005 is fabricated with a monolithic GaAs MMIC using a mature 1 micron process. The process features full chip passivation for increased performance and reliability.


Ordering Information^{1,2}

Part Number	Package		
MAAVSS0005	Bulk Packaging		
MAAVSS0005TR-3000	3000 piece reel		
MAAVSS0005SMB	Sample Board		

1. Reference Application Note M513 for reel size information.

2. All sample boards include 5 loose parts.

Functional Schematic



Pin Configuration

Pin No.	Function	Pin No.	Function
1	Ground	3	RF2
2	Vc	4	RF1

Absolute Maximum Ratings ^{3,4}

Parameter	Absolute Maximum		
Input Power	+21 dBm		
Control Voltage	-8.5 V <u><</u> V _C <u>≤</u> +5 V		
Operating Temperature	-40°C to +85°C		
Storage Temperature	-65°C to +150°C		

3. Exceeding any one or combination of these limits may cause permanent damage to this device.

 M/A-COM does not recommend sustained operation near these survivability limits.

* Restrictions on Hazardous Substances, European Union Directive 2002/95/EC.

ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under develop-

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macom.com for additional data sheets and product information.

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

¹

MAAVSS0005



Voltage Variable Absorptive Attenuator DC - 2.0 GHz


M/A-COM Products Rev. V2

Electrical Specifications: $T_A = 25^{\circ}C$, $Z_0 = 50 \Omega$

Parameter	Test Conditions ⁵	Frequency	Units	Min.	Тур.	Max.
Insertion Loss	_	DC - 0.1 GHz DC - 0.5 GHz DC - 1.0 GHz DC - 2.0 GHz	dB dB dB dB		2.9 3.0 3.2 3.4	3.1 3.2 3.5 3.8
Flatness (Peak to Peak)	5 dB Attenuation 10 dB Attenuation 15 dB Attenuation	DC - 2.0 GHz DC - 2.0 GHz DC - 2.0 GHz	dB dB dB		<u>+</u> 0.2 <u>+</u> 2.3 <u>+</u> 7.0	
Output Impedance	—	—	Ohms		50	
VSWR	_	DC - 2.0 GHz	Ratio		2.1:1	
Trise, Tfall	10% to 90% RF, 90% to 10% RF	—	nS	_	3	—
Ton, Toff	50% Control to 90% RF,50% Control to 10% RF	—	nS	—	5	—
Transients	In Band	—	mV	_	10	—
IP ₂	Measured Relative to Input Power (For two-tone Input Power Up to +5 dBm)	0.05 GHz 0.5 - 2.0 GHz	dBm dBm	_	34 47	_
IP ₃	Measured Relative to Input Power (For two-tone Input Power Up to +5 dBm)	0.05 GHz 0.5 - 2.0 GHz	dBm dBm		31 36	_

5. Control voltage: 0 to -4 volts @ 20 µA typical.

Lead-Free SOT-143[†]



[†] Reference Application Note M538 for lead-free solder reflow recommendations. Meets JEDEC moisture sensitivity level 1 requirements.

2

ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under develop-

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298 Visit www.macom.com for additional data sheets and product information.

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

MAAVSS0005




Voltage Variable Absorptive Attenuator DC - 2.0 GHz


M/A-COM Products Rev. V2

Typical Performance Curves

Insertion Loss vs. Frequency




VSWR vs. Frequency



Attenuation vs. Frequency

Attenuation vs. Control Voltage, F = 950 MHz



Handling Procedures

Please observe the following precautions to avoid damage:

Static Sensitivity

Gallium Arsenide Integrated Circuits are sensitive to electrostatic discharge (ESD) and can be damaged by static electricity. Proper ESD control techniques should be used when handling these devices.

3

ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under develop-

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed. • Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

[•] North America Tel: 800.366.2266 / Fax: 978.366.2266

Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macom.com for additional data sheets and product information.