

SGP.25c

Specification

Part No.	SGP.1575.25.4.C.02
Product Name	GPS SMT Patch Antenna
Features	<p>25mm*25mm*4.5mm 1575MHz Centre Frequency Patent pending RoHS Compliant</p>

1. Introduction

This ceramic GPS patch antenna is based on smart **XtremeGain™** technology. It is mounted via SMT process and has been selected as optimal solution for the 45x45mm ground plane.

2. Specification


Original Patch Specification tested on 45mm ground plane

Parameter	Specification	Notes
Range of Receiving Frequency	1575.42 ± 1.023MHz	
Center Frequency	1575.42 ± 3MHz	With 45*45mm ground plane
Bandwidth	8MHz min	
Return Loss	≤-10 dB	
VSWR	1.5 max	Center Frequency
Gain at Zenith	+2.0 dBic typ.	Center Frequency
Gain at 10°elevation	-1.0 dBic typ.	Center Frequency
Axial Ratio	3.0 dB max	Center Frequency
Polarization	RHCP	Center Frequency
Impedance	50 Ohms	Center Frequency
Frequency Temperature Coefficient (τf)	0 ± 20ppm / °C	-40°C to +85°C
Operating Temperature	-40°C to +85°C	

****Changes in user groundplane and environment will offset centre frequency**

3. Electrical Specifications


3.1 Return Loss, SWR, Impedance, measured on the test fixture




4.2 Antenna footprint (view from underneath)

Please Note:

Solder mask has been added to all areas except gold solder areas (green highlighted areas), this will prevent feed points connecting to ground of main PCB.




4.3 Test Jig and Dimension




NOTE:

- 1. Solder Mask (Black) 
- 2. Solder Area 



4.4 Test Fixture set up and measurements




5. Antenna Recommended Soldering Conditions

5.1 Flux, Solder

- Use rosin-based flux. Don't use highly acidic flux with halide content exceeding 0.2wt%(chlorine conversion value).
- Use Sn solder.

5.2 Reflow Soldering Conditions

- Pre-heating should be in such a way that the temperature difference between solder and product surface is limited to 150°C max. Cooling into solvent after soldering also should be in such a way that temperature difference is limited to 100°C max. Unwrought pre-heating may cause cracks on the product, resulting in the deterioration of products quality.



5.3 Reworking with Soldering Iron



- The following conditions must be strictly followed when using a soldering iron.

Pre-heating	150°, 1 min
Tip temperature	290° max
Soldering iron output	30w max
Soldering time	3 second max

5. Packaging

200 pcs / reel / inner carton

4 reels in an outer carton (800)



Unit: mm