

SECG1D0EC–S

- External Shape Type : 3.0 × 1.4 Flat View LED
- Color : Green
- Lens color : Clear
- Material of a chip : InGaN
- Application : Automotive, Consumer Electronics, Office Automation, Indicator
- Feature : High Luminous Intensity, RoHS compliant,
Compatible with heat-resistance of lead-free solder.

● Rating

| Description | Symbol | Ratings | Unit | Remark |
|---------------------------|-------------|-----------|-------|-----------------------|
| Power dissipation | PD | 120 | mW | |
| Forward current | IF | 30 | mA | |
| Forward current reduction | Δ IF | -0.45 | mA/°C | Above 25°C |
| Pulse forward current | IFP | 70 | mA | f=1kHz tw ≤ 100 μs |
| Reverse voltage | VR | 5 | V | |
| Operating temperature | Topr | -30 ~ 85 | °C | |
| Storage temperature | Tstg | -30 ~ 100 | °C | |

● Photoelectric characteristic (Ta=25°C)

| Description | Symbol | Conditions | Min | Typ | Max | Unit |
|---------------------|-----------------|------------|-----|-----|-----|------|
| Forward voltage | VF | IF = 20mA | | 3.2 | 3.8 | V |
| Reverse current | IR | VR = 5V | | | 10 | μA |
| Luminous intensity | IV | IF = 20mA | 378 | 750 | | mcd |
| Dominant wavelength | λ_d | IF = 20mA | | 525 | | nm |
| Spectral bandwidth | $\Delta\lambda$ | IF = 20mA | | 35 | | nm |
| Directional angle | $2\theta_{1/2}$ | IF = 20mA | | 120 | | deg. |





● Luminous intensity rank (Ta=25°C)




| rank | Luminous intensity range(mcd) | | |
|------|-------------------------------|---|------|
| C | 378 | ~ | 572 |
| D | 468 | ~ | 822 |
| E | 672 | ~ | 1096 |
| F | 896 | ~ | |

● Dominant wavelength rank (Ta=25°C) Tolerance: ±2nm

| rank | Dominant Wavelength range(nm) | | |
|------|-------------------------------|---|-----|
| G | 516 | ~ | 525 |
| Y | 525 | ~ | 534 |

● Characteristic data







● Outline

SEC*100E Series Outline dimensions

Part in bulk (10/1)



Embossed taping (5/1)



Material & Finish of leads

Material of resin

Tolerance ± 0.2

| | |
|----------|------------|
| Material | Copper |
| Finish | Ag plating |

| | |
|----------|------------------------------|
| Material | Silicone containing phosphor |
|----------|------------------------------|

● Soldering conditions


Following soldering conditions are recommended.

① Reflow conditions (at the surface of LED resin)

Pre-heat : 150 ~ 180 °C、60 ~ 120 sec

Soldering temperature: Soldering time more than 220°C is less than 40 sec.


Peak temperature is should be is less than 260°C.



② Manual soldering

Temperature of soldering iron tip should be $350 \pm 10^\circ\text{C}$ for 3 seconds, which shall apply to only one soldered point and once for the each soldered point.

③ Recommendable soldering pattern



Unit: mm

● Attention after opened

The LED is in SMD package. When the LED is mounted by means of soldering and the resin is unusually damp, soldering may cause interfacial defoliation.

This occurs when a drastic temperature change causes moisture in the resin to evaporate and to swell. Therefore, attention to the below must be paid.

① Atmosphere when using the LEDs after package is opened

After opened and mounted, soldering should be carried out quickly.

Following atmosphere is recommended when using (and mounting) the LEDs.

Temperature : 5~30°C Humidity : less than 70%

② Baking

In case 168 hours have passed after package is opened, LEDs must be dried as follows.

60±5 °C for more than 24 hours (taping reel)

③ Storage after package is opened

Following storage conditions are recommended after package is opened.

In case indicator color (blue) of desiccant (ex. silica gel) has disappeared, LEDs must be dried under the same conditions as ② above.

● Other

① After soldering any mechanical force or excessive vibration should not be applied to LEDs during cooling process until the LEDs cool down to normal temperature.

② Quick cooling must be avoided.

③ The LEDs should not be mounted on warped direction of PCB.

④ This product series emits high light power. Do not look directly into the light emitting area. Direct exposure to the light over an extended time period may harm eyes.

⑤ Extra attention should be paid to the sealing resin of the product, which is silicone resin.

▪ The emitting area of the LEDs contains fine gold wires. Touching this area without care may add excess stress on the internal gold wires and may result in

▪ The silver plating of the leadframe may discolor if the product comes into contact with material containing sulfides or if it is exposed to an atmosphere containing sulfide gas.



● For static electricity

The products are sensitive to the static electricity and care shall be fully taken when handling the products. Particularly in case that an over-voltage which exceeds the Absolute Maximum Rating of the products shall be applied, the overflowed energy may cause damages to, or possibly result in destruction of the products. Buyer shall take absolutely secured countermeasures against static electricity and surge when handling the products.

• The circuit of anti-static and anti-surge

The anti-static and anti-surge reference circuits are shown below. Since the circuit below is a reference, a buyer should make a sufficient check on static and surge level when employing products.

Exp : Circuit is a Static



● Reliability test

| | Test Items | EIAJ ED-4701 | Test Conditions |
|----------------------|-----------------------------|--------------|--|
| Life Tests | Steady state operating life | - | Ta=RT、Ifmax t=1000h |
| Environ-mental Tests | High temperature storage | 201 | Ta=Tstgmax t=1000h |
| | Low temperature storage | 202 | Ta=Tstgmin t=1000h |
| | Moisture Resistance | 103 | Ta=60±5°C、RH=90±5% t=1000h |
| | Temperature cycle | 105 | Tstgmin(30min)~Tstgmax(30min) 100cycles |
| | Soldering heat | 301 | T=260±5°C、t=10s、1time |
| | Solderability | 402 | T=245±5°C、t=5±1s、1time、Using flux for Pb free solder |
| | Drop | - | H=1m、Drop on maple board、10times |

Measurement Item and Criterion Judge Failure

| No | Measurement Item | Mark | Criterion Judge Failure |
|----|--------------------|------|------------------------------------|
| 1 | Forward Voltage | VF | OK \leq V.F.S. $\times \pm 20\%$ |
| 2 | Reverse Current | IR | OK \leq U.S.L. $\times 2.0$ |
| 3 | Luminous Intensity | Iv | OK \geq I.V.S. $\times 0.5$ |

*Solderability ... The Lead shall be covered by solder at least 95%.

Measurement conditions is based on specifications.

Tstgmax and Tstgmin is absolute maximum ratings.

Ifmax and IFPmax is absolute maximum ratings.

U.S.L. is upper limit of standard.

V.F.S. is Initial data of VF.


I.V.S. is Initial data of Luminous Intensity.

● Packing

Packing Material : Aluminum laminated moisture-proof packing

Quantity : 3000 pcs (Minimum order quantity)

Label : See below.



1) Part Number : SEC*****

2) Lot No. : * * * *
 ↑ ↑ ↑
 ① ② ③

① Last digit of year、

② Month

(January~September→Arabic Numeral

October →O、November→N、December→D)

③ Day


3) quantity : 2000pcs

4) Rank : * - *
 ↑ ↑
 ① ②

① Luminous intensity rank

② Dominant wavelength rank

● Taping reel dimensions



Tolerance ± 0.2

①Quantity

The quantity per reel shall be 3000 pcs.

②Accumulative pitch tolerance

Accumulative tolerance per 10 pitches shall be ± 0.2 mm.

③Adhesion strength of cover tape

Adhesion strength shall be 0.1–0.7N when the cover tape and the carrier tape are torn off at the angle of 10 degrees.

④Packaging

P/N, manufacturing date code number and quantity shall be indicated on a moist-proof package.

● Tips

- The contents written in this data sheet may be changed without a preliminary announcement by improvement etc. When you use it, please check that information is the newest and conclude specifications.
- Application and operation examples described in this publication are quoted for the sole purpose of reference for the use of the products herein and SanKen can assume no responsibility for any infringement of industrial property rights, intellectual property rights or any other rights of SanKen or any third party which may result from its use.
- When using the products specified herein by either combining other products or materials therewith or physically, chemically or otherwise processing or treating the products, please duly consider all possible risks that may result from all such uses in advance and proceed therewith at your own responsibility.
- Although SanKen undertakes to enhance the quality and reliability of its products, the occurrence of failure and defect of semiconductor products at a certain rate is inevitable.
Users of SanKen products are requested to take, at their own risk, preventative measures including safety design of the equipment or systems against any possible injury, death, fires or damages to the society due to device failure or malfunction.
- SanKen products listed in this catalog are designed and intended for the use as components in general purpose electronic equipment or apparatus (home appliances, office equipment, telecommunication equipment measuring equipment, etc.). Before placing an order, the user's written consent to the specifications is requested.
When considering the use of SanKen products in the applications where higher reliability is required (transportation equipment and its control systems, traffic signal control systems or equipment, fire/crime alarm systems, various safety devices, etc.), please contact your nearest SanKen sales representative to discuss and obtain written confirmation of your specifications.
The use of SanKen products without the written consent of SanKen in the applications where extremely high reliability is required (aerospace equipment, nuclear power control systems, life support systems, etc.) is strictly prohibited.
- Anti radioactive ray design is not considered for the products listed herein.
- Gallium arsenic is used in some of the products listed in this document.
These products are dangerous if they are burned or smashed in the process of disposal.
It is also dangerous to drink the liquid or inhale the gas generated by such products when chemically disposed
- SanKen assumes no responsibility for any troubles, such as dropping products caused during transportation out of SanKen's distribution network.
- If there is any discrepancy between English and Japanese, the Japanese version should take precedence over the English one.