Multilayer Ceramic Chip Capacitors

CGA5L2X7R2A474M160AE










TDK item description CGA5L2X7R2A474MT***S

Applications	Automotive Grade	
Feature	Mid Mid Voltage (100 to 630V) Soft Soft Termination AEC-Q200 AEC-Q200	
Series	CGA5(3216) [EIA 1206]	
Status	Production	



	Size
Length(L)	3.20mm +0.40,-0.20mm
Width(W)	1.60mm +0.30,-0.20mm
Thickness(T)	1.60mm +0.30,-0.20mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	1.00mm Min.
Recommended Land Pattern (PA)	2.10mm to 2.50mm(Flow Soldering)
	2.00mm to 2.40mm(Reflow Soldering)
Recommended Land Pattern (PB)	1.10mm to 1.30mm(Flow Soldering)
recommended Land Fattern (FB)	1.00mm to 1.20mm(Reflow Soldering)
Recommended Land Pattern (PC)	1.00mm to 1.30mm(Flow Soldering)
Neconinenced Land Fattern (FC)	1.10mm to 1.60mm(Reflow Soldering)

Electrical Characteristics			
Capacitance	470nF ±20%		
Rated Voltage	100VDC		
Temperature Characteristic	X7R(±15%)		
Dissipation Factor (Max.)	3%		
Insulation Resistance (Min.)	1063ΜΩ		

Other		
Coldoring Mothod	Wave (Flow)	
Soldering Method	Reflow	
AEC-Q200	Yes	
Packing	Blister (Plastic)Taping [180mm Reel]	
Package Quantity	2000pcs	

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

CGA5L2X7R2A474M160AE













Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

CGA5L2X7R2A474M160AE










Associated Images



[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.