
Radial Ceramic Case Resistors Wirewound / Metal Oxide



SQM Series

- 2 to 10 watts
- Resistance 0R1 to 200K
- High overload capability
- Flameproof case
- Small PCB footprint
- RoHS compliant




Electrical Data

		SQM2	SQM3	SQM5	SQM7	SQM10	
Power rating at 70°C	watts	2	3 5		7	10	
Resistance range ohms	Wirewound	0R1 - 27R	0R1 - 39R	0R1 - 47R	0R1 - 680R	0R1 - 910R	
Tresistance range onins	Metal Oxide	30R – 33K	43R – 56K	51R – 100K	750R - 200K	1K0 - 200K	
Limiting element voltage	volts dc or ac rms	150	300	350	500	750	
Thermal impedance	°C/watt	50	45	30	28	23	
Isolation voltage volts		1000					
TCR	ppm/°C	<20R: ± 400, 20R: ± 350					
Resistance Tolerance	%	±5					
Standard Values		E24					
Ambient temperature range	-55 to +155°C						

Physical Data (all dimensions in mm, weights in g)

Туре	L	W	D	Р	d	Weight
. , , , ,	± 1.0	± 1.0	± 1.0	± 1.0	±0.05	Nom.
SQM2	20	11.5	7.5	5	0.7	4.3
SQM3	25	12.5	8.5	5	0.7	5.6
SQM5	25	12.5	9	5	0.8	6.3
SQM7	38	12.5	9	5	0.8	10.7
SQM10	50	12.5	9	5	0.8	13.4



Leads centered on SQM2, SQM3, SQM5 Leads offset as shown on SQM7, SQM10

Construction

A high purity ceramic rod, with force fit end caps onto which is wound a wire element: or a deposited metal oxide film (depending on value). The element is fitted into a ceramic case with fireproof insulation cement.



Radial Ceramic Case Resistors Wirewound / Metal Oxide

SQM Series



Termination Details:

Material The 100% Sn finish copper lead wires are internally welded to the resistance element end caps.

Solderability The terminations meet the requirements of IEC 115-1 Clause 4.17.3.2

Strength The terminations meet the requirements of IEC 86.2.21

Marking: Type reference, resistance value and tolerance are legend marked onto the upper surface.

Flammability: The resistor will not burn under any condition of applied temperature or overload.


Solvent resistance: The body protection and marking are resistant to all normal industrial solvents suitable for printed circuits.

Performance Data

		Maximum		
Load at rated power (1000hrs at 70°C)		<100K, 5%; 100K, 10%		
Derating from rated power at 70°C		See Graph		
Short term overload *		5% +0.05		
Damp heat steady state (56 days, 40°C, ≥90% RH)		5% +0.05		
Temperature rapid change (5 cycles -55°C to +155°C)		2% +0.05		
Resistance to solder heat		1% +0.05		
Voltage Proof (1kV for 60s)		No evidence of flashover, mechanical damage, arcing or insulation breakdown		
Solderability		Min. 95% coverage		

^{*} Wirewound: the lower of 5x rated power, or 2.5x LEV for 5s Metal Oxide: the lower of 6.25x rated power, or 2.5x LEV for 5s

Derating Curve



Ordering Procedure

Example: SQM3 at 1.2 kilohms and 5% tolerance bulk packed in a box of 3000 pieces -

