Timer Control for Triac and Relay

Description

The timer control circuit U2100B uses bipolar technology. It has different mode selections (zero voltage switch, phase control, relay control). The output stage is triggered

Features

- Adjustable and retriggerable tracking time
- Window monitoring for sensor input
- Enable input for triggering
- Internal noise suppression (40 ms) and retrigger blocking (640 ms)
- Two- or three-wire applications

Block Diagram

according to input conditions. It can be used in triac application for two- or three-wire system as a power switch.

Applications

- Motion detectors
- Touch sensors
- Timer





Figure 1. Block diagram with external circuit

Ordering Information

Extended Type Number	Package	Remarks
U2100B-x	DIP8	Tube
U2100B-xFP	SO8	Tube
U2100B-xFPG3	SO8	Taped and reeled

Pin Description



	Pin	Symbol	Function
	1	GND	Reference point
	2	$-V_S$	Supply voltage
ſ	3	Output	Driver output
ſ	4	Sync	Synchronisation and mode selection
	5	EN	Enable
ſ	6	TRIG	Input trigger signal
	7	Osc	RC Oscillator
	8	V _{Ref}	Reference voltage

General Description

The monostable integrated power-control circuit U2100B can be used according to the mode selection in relay or triac applications. Beyond that, it can be used in triac applications for two-wire system as power switch (the load in series to the switch), where the supply voltage for the control unit is gained from phase rest angle (α_{min} -operation).




Figure 3. Two-wire circuit




Figure 4. Three-wire circuit

For three-wire switch systems, two operation modes are possible:

- Zero voltage switch operation for triac control
- Static operation for relay control

Mode Selection Pin 4 and Supply Voltage Pin 2

Operation modes can be selected by the external voltage at the sync. input Pin 4 (clamping). Mode selection determines the current requirement of the relay's or triac's driver stage and hence the selection of supply voltage.

Zero Voltage Switch Operation (Figure 5)

Selection condition:

 V_4 = internal sync. limitation, without external clamping

$$\mathbf{R}_{1} \approx 0.85 \frac{\mathbf{V}_{\mathrm{M}} - \mathbf{V}_{\mathrm{S}}}{2 \ \mathbf{I}_{\mathrm{tot}}}$$

$$I_{tot} = I_S + I_p + I_X \label{eq:Itot}$$

where:

- I_S = Supply current of IC without load
- I_P = Average trigger current I_G
- I_X = External circuit current requirement

Required firing pulse width tp

$$t_{p} = \frac{2}{\omega} \arcsin\!\left(\frac{I_{L} \times V_{M}}{P \times \sqrt{2}}\right)$$

where:

 I_L = Triac latching current

P = Power at load Z

$$R_{sync}[k\Omega] \approx \frac{V_{M}[V] \times \sqrt{2} \sin \left(\omega \times t_{p}[s]\right) - 0.7}{1.8 \times 10^{-2}} - 176$$






Figure 5. Zero voltage switch operation

DC Operation (Figure 6)

Selection condition:

 $+V_4 = 6.1 V -V_4 = int.$ limitation whereas:

 $R_0 \approx 1/10 X_c$ $X_c = 0.85 \frac{V_M - V_S}{I_{tot}}$

$$\mathbf{I}_{\text{tot}} = \mathbf{I}_{\text{S}} + \mathbf{I}_{\text{Rel}} + \mathbf{I}_{\text{X}}$$

$$C_0 = \frac{1}{\omega \times X_C}$$




Figure 6. DC operation

α_{min} -Operation (Figure 7)

Selection condition:

 $-V_4 = 6.5$ to 7.8 V $+V_4 = int.$ limitation

$$R_{\alpha max} = R_{sync} \frac{3.6 \text{ V}}{\text{V}_{\text{R(peak)}} - 3.6 \text{ V}}$$

$$R_{\alpha min} = R_{sync} \frac{10 \text{ V}}{\text{V}_{M} \times \sqrt{2} - 10 \text{ V}}$$

 $V_{R(peak)}$ is the peak voltage of the rest phase angle, which should be high enough to generate the supply voltage, V_S .




Figure 7. α_{min} operation (two wire operation)

C_1	=	100 μF/35 V
Co	=	$0.33~\mu\text{F}/250~\text{V}{\sim}$
Ro	=	390 Ω
R _{sync}	=	$220 \text{ k}\Omega$
R_{α}	=	$10 \text{ k}\Omega$
R _G	=	390 Ω
D_1	=	IN 4007

Tracking Time Pin 7

An internal RC oscillator with following divider stage $1:2^{10}$ allows a very long and reproducible tracking time.

RC-values for required final time, t_t, can be calculated as follows:

$$R_{t}[\Omega] = \frac{t_{t}[s] \times 10^{6}}{1.6 \times 1024 \times C_{t}[\mu F]}$$

$$C_{t}[\mu F] = \frac{t_{t}[s] \times 10^{6}}{1.6 \times 1024 \times R_{t}[\Omega]}$$

$$t_{t}[s] = \frac{C_{t}[\mu F] \times R_{t}[\Omega] \times 1.6 \times 1024}{10^{6}}$$

Trigger Inputs Pins 5 and 6 (Figures 8, 9)

Two AND-connected, identical inputs determine the trigger conditions of the monostable time stages, i.e., both inputs must be in position "ON" so that the output is switched ON. The tracking time starts after the trigger conditions has elapsed. The output ON state is given until the tracking time is over.

Input Pin 5 is a simple comparator whereas input Pin 6 is built up as a window discriminator.

The noise suppression for $t_{ON} = 40$ ms guarantees that there are no peak noise signals at the inputs which could trigger the circuit.

At the same time, the retrigger is delayed for a duration of 640 ms (t_{OFF}), to avoid noise signal to trigger the relay.

Absolute Maximum Ratings

Reference point Pin 1, unless otherwise specified




Figure 8. Trigger condition, Pin 5




Figure 9. Trigger condition, Pin 6

Parameters	Symbol	Value	Unit	
Supply	Pin 2			•
Supply current Peak current t ≤ 10 μs		$-I_S$ $-i_S$	10 60	mA mA
Supply voltage		-V _S	32	V
Reference voltage source Output current	Pin 8	IO	3	mA
Synchronization Input current t ≤ 10 μs	Pin 4	±I _{Sync.} i _{Sync.}	5 20	mA mA
Window monitoring		· · ·		
Input voltage	Pin 6	-V ₁	V _{Ref} to 0	V
Enable Schmitt trigger	Pin 5			
Input voltage		-V ₁	V _{Ref} to 0	V
Driver output	Pin 3			
Collector voltage		-V _o	V _S to 2	V
Storage temperature range		T _{stg}	-40 to +125	°C
Junction temperature		Tj	125	°C
Ambient temperature range		T _{amb}	0 to 100	°C

Thermal Resistance

Parameters		Symbol	Value	Unit
Junction ambient	DIP8	R _{thJA}	110	K/W
	SO8 on PC board	R _{thJA}	220	K/W
	SO8 on ceramic	R _{thJA}	140	K/W

Electrical Characteristics

 $V_S = -18$ V, $T_{amb} = 25^{\circ}C$, reference point Pin 1, unless otherwise specified

Parameters	Test Conditions / Pins	Symbol	Min	Тур	Max	Unit		
Supply-voltage limitation	$I_S = 800 \ \mu A$ Pin 2	-V _S	21		23	V		
	$I_S = 2 \text{ mA}$	$-V_S$	21.3		24	V		
Current consumption	$I_3 = 0$	$-I_S$			750	μΑ		
Supply-voltage monitoring	Supply-voltage monitoring Pin 2							
ON-Threshold		$-V_S$		15		V		
OFF-Threshold		$-V_S$		6.5		V		
Reference voltage	$I_8 = 0.1 \text{ mA}$ Pin 8	-V _{Ref}	4.75		5.25	V		
	$I_8 = 1.5 \text{ mA}$	-V _{Ref}	4.55		5.25	V		
Synchronization	Pin 4	1		1				
Input current		± i _{sync}	0.1		1.1	mA		
Voltage limitation	$I_4 = \pm 1 \text{ mA}$	±V _{sync}	8.8	9.4	10	V		
Rest phase angle	ON	$\pm V_T$	3.6	4	4.4	V		
α_{\min} -threshold	Off	$\pm V_T$	1.8	2	2.2	V		
Zero-identification	Pin 4			1				
Zero-identification	ON	±V _T		1.5		V		
	OFF	$\pm I_T$		8.5		μΑ		
	OFF	$\begin{array}{c} \pm V_{T} \\ \pm I_{T} \end{array}$		4 20		V µA		
Operation selection	Pin 4			20		μΑ		
Zero voltage switch		±V _{sync}		V ₄ limit				
$\alpha_{\rm min}$ -operation		+V _{sync}		V ₄ limit		V		
		-V _{sync}		6.5 to 7.8		V		
DC mode		-V _{sync}		V ₄ limit		V		
		+V _{sync}		6.5 to 7.8		V		
Window monitoring figure	9 Pin 6							
Threshold 1		$-V_I/V_{Ref}$	0.52	0.49	0.46			
Threshold 2		$-V_I/V_{Ref}$	0.67	0.65	0.63			
Enable Schmitt trigger, fig	ure 8	Pin 5						
Threshold 1	OFF	$-V_I/V_{Ref}$	0.33	0.3	0.27			
Threshold 2	ON	$-V_I/V_{Ref}$	0.62	0.6	0.58			
Oscillator $f = \frac{1}{1.6 \times R_t \times C_t}$								
Threshold 1	Pin 7 – 1	V _I /V _{Ref}	0.25	0.20	0.15			
Threshold 2	Pin 7 – 8	VI		100	200	mV		
Input current	Pin 7	II		100	500	nA		
Output stage limiter diod	e Pin 3							
Saturation voltage	$I_3 = 100 \text{ mA}$	V ₃₋₂			2	V		
Output current		I ₃	100			mA		

U2100B

Applications




Figure 10. Lamp time control 18 sec. to 23 min. for two-wire systems





Figure 11. Fan tracking time control 18 sec. to 23 min.




Package Information

Package DIP8

Dimensions in mm



Package SO8 Dimensions in mm



Ozone Depleting Substances Policy Statement

It is the policy of **TEMIC Semiconductor GmbH** to

- 1. Meet all present and future national and international statutory requirements.
- 2. Regularly and continuously improve the performance of our products, processes, distribution and operating systems with respect to their impact on the health and safety of our employees and the public, as well as their impact on the environment.

It is particular concern to control or eliminate releases of those substances into the atmosphere which are known as ozone depleting substances (ODSs).

The Montreal Protocol (1987) and its London Amendments (1990) intend to severely restrict the use of ODSs and forbid their use within the next ten years. Various national and international initiatives are pressing for an earlier ban on these substances.

TEMIC Semiconductor GmbH has been able to use its policy of continuous improvements to eliminate the use of ODSs listed in the following documents.

- 1. Annex A, B and list of transitional substances of the Montreal Protocol and the London Amendments respectively
- 2. Class I and II ozone depleting substances in the Clean Air Act Amendments of 1990 by the Environmental Protection Agency (EPA) in the USA
- 3. Council Decision 88/540/EEC and 91/690/EEC Annex A, B and C (transitional substances) respectively.

TEMIC Semiconductor GmbH can certify that our semiconductors are not manufactured with ozone depleting substances and do not contain such substances.

We reserve the right to make changes to improve technical design and may do so without further notice. Parameters can vary in different applications. All operating parameters must be validated for each customer application by the customer. Should the buyer use TEMIC Semiconductors products for any unintended or unauthorized application, the buyer shall indemnify TEMIC Semiconductors against all claims, costs, damages, and expenses, arising out of, directly or indirectly, any claim of personal damage, injury or death associated with such unintended or unauthorized use.

> TEMIC Semiconductor GmbH, P.O.B. 3535, D-74025 Heilbronn, Germany Telephone: 49 (0)7131 67 2594, Fax number: 49 (0)7131 67 2423