



VICOR CONFIDENTIAL

THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT PERMISSION OF VICOR CORP.

REV.	DESCRIPTION	DATE	APPROVED
#1	DRN FOR DEVELOPMENT	RCM 8/20/98	KGD
#2	ADDED ARTWORK	AK 2/1/99	KGD
#3	ADDED NOTE 5	PEI 7/20/99	JMR



SEE NOTE 4



DETAIL :
 A. SPLIT RELEASE LINER.
 B. ADHESIVE STRIP, .0025 THICK .188 WIDE.
 C. ALUMINUM ALLOY 1145-0; .002 THICK.
 D. ROLL CARRIER WITH ADHESIVE STRIP BONDING.
 E. PHASE CHANGE THERMAL COMPOUND.
 F. ADHESIVE STRIPS ON ROLL CARRIER.

SEE DETAIL

SECTION A-A

(VERTICAL THICKNESS IS NOT SHOWN TO SCALE)

NOTES:

- 1. MATERIAL: MAKE FROM POWER DEVICES AL-2-45H-232.
- 2. THICKNESS: .007±.001.
- 3. SEE DETAIL FOR ASSY ORDER.
- 4. FOR ARTWORK SHOWN HERE SEE DWG# 20200.
- 5. O DENOTE CRITICAL CHARACTERISTIC FOR LOT INSPECTION.

DRAWN BY RCM		DATE 8/20/98			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES-TOLERANCES ARE: FRACTIONS DECIMALS ANGLES *1/64 XX* .01 *1° .XXX* .005					
THIRD ANGLE PROJECTION 		SIZE B	FSCM NO. 67131	DWG NO. 19459	REV # 3
DO NOT SCALE DRAWING		SCALE FULL	SHEET 1 OF 1		