

E-Series Surface Mount Mixer
925 – 960 MHz & 1805 – 1880

MAMXES0118
V4


Features

- LO Power +7 dBm
- Up to +7 dBm RF
- Surface Mount
- RoHS* Compliant version of the EMRS-6X1
- Tape and reel packaging available

Description

M/A-COM's MAMXES0118 is a RoHS compliant device that is equivalent to the EMRS-6X1 mixer. This device is a Low Cost, Low Drive, surface mount Mixer designed for use in high volume wireless applications. The MAMXES0118 mixer is offered in an SM-1 surface mount package and is designed to be utilized in both standard reflow and high temperature soldering reflow profiles.

SM-1 Package



Electrical Specifications: @ -55°C — +100°C, Z₀ = 50 Ohms, LO = +7dBm

Parameter	Test Conditions	Frequency	Units	Min	Typ	Max
RF Frequency (1)	—	1805 - 1880	MHz	—	—	—
LO Frequency (1)	—	95	MHz	—	—	—
IF Frequency (1)	—	1710 - 1785	MHz	—	—	—
RF Frequency (2)	—	925 - 960	MHz	—	—	—
LO Frequency (2)	—	45	MHz	—	—	—
IF Frequency (2)	—	820 - 915	MHz	—	—	—
Conversion Loss	—	1805 - 1880 925 - 960	dB dB	8.5 6.5	9.5 7.0	11.0 9.0

Ordering Information

Part Number	Package
MAMXES00118	Tape and Reel (900 pieces/ Reel)

* Restrictions on Hazardous Substances, European Union Directive 2002/95/EC.

E-Series Surface Mount Mixer
925 – 960 MHz & 1805 – 1880

MAMXES0118
V4

Electrical Specifications: @ -55°C — +100°C, Z₀ = 50 Ohms, LO = +7dBm

Parameter	Test Conditions	Frequency	Units	Min	Typ	Max
Isolation	LO to RF	95 & 45	dB	25	35	55
Isolation	LO to IF	95 & 45	dB	25	30	40
Input 1 dB Compression	—	5 - 2500	dBm	—	—	7
RF VSWR	—	—	Ratio	1.3:1	2.4:1	3.0:1
LO VSWR	—	—	Ratio	1.4:1	1.6:1	1.8:1
IF VSWR	—	—	Ratio	1.1:1	1.4:1	1.8:1

Pin Configuration

Pin No.	Function
1	LO I/P
2	Ground
3	Ground
4	RF O/P
5	IF I/P
6	Ground

Absolute Maximum Ratings ¹

Parameter	Absolute Maximum
Max RF Power	50 mW
Peak IF Current	40 mA
Pin Temperature (10 seconds)	260° C
Operating Temperature	-55°C to +100°C
Storage Temperature	-55°C to +125°C

1. Operation of this device above any one of these parameters may cause permanent damage.