


**Features**

- Compact type
- Radiation size 1.3mm × 2.9mm
- Radiation color (Amber, Green)
- Surface mount lead configuration

**Outline Dimensions**

**unit : mm**



**Absolute maximum ratings**

Characteristic	Symbol	Ratings	Unit
Power Dissipation	$P_D$	55	mW
Forward Current	$I_F$	30	mA
*1Peak Forward Current	$I_{FP}$	50	mA
Reverse Voltage	$V_R$	4	V
Operating Temperature	$T_{opr}$	-25 ~ 85	°C
Storage Temperature	$T_{stg}$	-30 ~ 100	°C
*2Soldering Temperature	$T_{sol}$	240°C for 5 seconds	

\*1.Duty ratio = 1/16, Pulse width = 0.1ms

\*2.Recommended soldering condition ⇒ Attached

**Electrical Characteristics**

Characteristic	Symbol	Test Condition	Min.	Typ.	Max.	Unit	
Forward Voltage	$V_F$	$I_F= 20mA$	Amber	-	2.0	2.7	V
			Y-Green	-	2.1	2.8	
Luminous Intensity	$I_V$	$I_F= 20mA$	Amber	-	15	-	mcd
			Y-Green	-	16	-	
Peak Wavelength	$\lambda_P$	$I_F= 20mA$	Amber	-	630	-	nm
			Y-Green	-	570	-	
Spectrum Bandwidth	$\Delta \lambda$	$I_F= 20mA$	Amber	-	35	-	nm
			Y-Green	-	30	-	
Reverse Current	$I_R$	$V_R=4V$	-	-	10	uA	
*3Half angle	$\theta_{1/2}$	$I_F= 20mA$	-	±60	-	deg	

\*3.  $\theta_{1/2}$  is the off-axis angle where the luminous intensity is 1/2 the peak intensity

Characteristic Diagrams

Fig. 1  $I_F - V_F$




Fig. 2  $I_V - I_F$




Fig. 3  $I_F - T_a$




Fig.4 Spectrum Distribution





Fig. 5-1 Radiation Diagram



**These AUK products are intended for usage in general electronic equipments(Office and communication equipment, measuring equipment, domestic electrification, etc.).**

**Please make sure that you consult with us before you use these AUK products in equipments which require high quality and/or reliability, and in equipments which could have major impact to the welfare of human life(atomic energy control, airplane, spaceship, traffic signal, combustion central, all types of safety device, etc.).**

**AUK cannot accept liability to any damage which may occur in case these AUK products were used in the mentioned equipments without prior consultation with AUK.**