



TAI-SAW TECHNOLOGY CO., LTD.

No. 3, Industrial 2nd Rd., Ping-Chen Industrial District,
Taoyuan, 324, Taiwan, R.O.C.

TEL: 886-3-4690038 FAX: 886-3-4697532

E-mail: tstsales@mail.taisaw.com Web: www.taisaw.com

Approval Sheet For Product Specification

Issued Date:

Product Name: SAW Filter 1575.42 MHz SMD 3X3 mm

TST Parts No.:TA0440A

Customer Parts No.:_____

Company:_____
Division:_____
Approved by :_____
Date:_____

Checked by:_____ Elvis Chiu

Approval by:_____ Francis Chen

Date:_____ 2005/9/28



TAI-SAW TECHNOLOGY CO., LTD.

No. 3, Industrial 2nd Rd., Ping-Chen Industrial District,
Taoyuan, 324, Taiwan, R.O.C.

TEL: 886-3-4690038 FAX: 886-3-4697532

E-mail: tstsales@mail.taisaw.com Web: www.taisaw.com

SAW Filter 1575.42 MHz

MODEL NO.: TA0440A

REV. NO.:3

A. MAXIMUM RATING:

1. Input Power Level: 10 dB_m
2. DC voltage: 5 V
3. Operating Temperature: -40°C to +85°C
4. Storage Temperature: -50°C to +100°C


RoHS Compliant
Lead free
Lead-free soldering

B. ELECTRICAL CHARACTERISTICS:



Item	Min.	Typ.	Max.
Center frequency F_c (dB)	-	1575.42	-
Insertion loss (1574.42~1576.42 MHz) IL (dB)	-	2.9	4.0
Amplitude ripple (1574.42~1576.42 MHz) (dB)	-	0.1	1.5
Attenuation (Reference level from 0 dB)			
1 ~ 890 MHz (dB)	40	60	-
890 ~ 1475 MHz (dB)	36	55	-
1475.42 MHz (dB)	36	50	-
1535.42 MHz (dB)	29	50	-
1615.42 MHz (dB)	25	42	-
1675.42 MHz (dB)	40	55	-
1700 ~ 3000 MHz (dB)	25	38	-
Input/Output VSWR (1574.42~1576.42 MHz)	-	1.55	2.5
Source impedance Z_s (Ω)	-	50	-
Load impedance Z_L (Ω)	-	50	-

Note1. The standard definitions is in JIS C 6703

C. MEASUREMENT CIRCUIT:




D. OUTLINE DRAWING:





- B: Input
- E: Output
- A,C,D,F: Ground
- △ : Year Code
- : Date Code

E. PCB FOOTPRINT:





F. FREQUENCY CHARACTERISTICS: Transfer function





Reflection Functions :

S11




S22



G. PACKING:

1. REEL DIMENSION



2. TAPE DIMENSION

