

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0190990013](#)
Status: **Active**
Description: InsulKrimp™ Snap Spade Terminal for 18-22 AWG Wire

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-19902-009 \(PDF\)](#)

Agency Certification

CSA LR18689
 UL E32244

General

Product Family Ring and Spade Terminals
 Series [19099](#)
 Crimp Quality Equipment Yes
 Mil-Spec N/A
 Product Name InsulKrimp™
 Type Spade Snap

Physical


Barrel Type Closed
 Color - Resin Natural
 Flammability 94V-2
 Insulation PVC
 Material - Plating Mating Tin
 Packaging Type Bag
 Stud Size 8 (M4)
 Wire Insulation Diameter 4.40mm (.175") max.
 Wire Size AWG 18, 20, 22
 Wire Size mm² 0.38 – 0.96

Material Info

Old Part Number AA-2714-08X

Reference - Drawing Numbers

Product Specification PS-19902-009
 Sales Drawing AACD20503



*Series
 image - Reference only*

EU RoHS

**ELV and RoHS
 Compliant**
REACH SVHC
 Not Reviewed
**Halogen-Free
 Status**
Not Reviewed

China RoHS



**Need more information on product
 environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of
 Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
 non-product compliance questions.

Search Parts in this Series

[19099Series](#)

Application Tooling | [FAQ](#)

*Tooling specifications and manuals are
 found by selecting the products below.
 Crimp Height Specifications are then
 contained in the Application Tooling
 Specification document.*

Global

Description	Product #
Hand Crimp Tool	0640010100
Hand Crimp Tool	0640010300
Hand Crimp Tool	0640011200
Crimp Head for the AT-200™ Pneumatic Hand Tool	0640050100
Crimp Head for the AT-200™ Pneumatic Hand Tool	0640050300
Crimp Head for the AT-200™ Pneumatic Hand Tool	0640051200


This document was generated on 03/18/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

FILE NO. AA-CD-205-03

NOTES:

- ① MAT'L: COPPER, STOCK TKN .028 ⁺⁰⁰¹ _{-.000}
- PLATING: ELECTRO-TIN (.0003 MIN)
- ② INSULATION: MOLDED PVC (RED)
- ③ "UL" LISTING #E32244
"CSA" LISTING 18689



MWID=MAX. WIRE INSULATION DIA.

WIRE SIZE: 22-18 AWG.
25-15 MM²

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	"D" ±005	AVAILABLE STUD SIZES	DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED		TITLE	DWG. NO.	CUSTOMER
						FRAC.	DEC.			
AA-2714-	.310	.261	.871	.139	08X(.173 ^{±005})	SCALE: NTS	DATE	INSULKRIMP SERIES	A	
AA-2715-	.330	.261	.919	.156	10X(.198 ^{±.005})	DRWN. BY: <i>GJ</i>	4-5-85	SNAP SPADE SHORT TONGUE TERMINAL.	A	
						CHKD. BY:				
						APPRD. BY:				

