

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0560868000**
Status: **Active**
Description: 2.00mm (.079") Pitch Crimp Terminal 56086, Male, 22-28 AWG, Reel, for 51227 Housing

Documents:

[3D Model](#) [Product Specification PS-51216-006 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family Crimp Terminals
 Series 56086
 Crimp Quality Equipment Yes
 Product Name N/A


Physical

Gender Male
 Material - Metal Phosphor Bronze
 Material - Plating Mating Tin
 Material - Plating Termination Tin
 Packaging Type Reel
 Plating min: Mating (µin) 36
 Plating min: Mating (µm) 0.90
 Plating min: Termination (µin) 36
 Plating min: Termination (µm) 0.90
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 1.50mm (.059") max.
 Wire Size AWG 22, 24, 26, 28
 Wire Size mm² N/A

Material Info

Reference - Drawing Numbers

Product Specification PS-51216-006, RPS-51216-006, RPS-51216-012, RPS-51216-014
 Sales Drawing SD-56086-002



EU RoHS

ELV and RoHS Compliant
REACH SVHC Contains SVHC: No
Halogen-Free Status

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

56086Series

Use With

51227

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Extraction Tool	0638132700
Hand Crimp Tool for 2.00mm (.079") Crimp Terminals, 26-28 AWG	0638192500
FineAdjust™ Applicator for 2.00mm (.079:) Crimp Terminal, AWG 22-28	0639007600

T2 Terminator 0639107600
Tooling Die for
2.00mm (.079")
Crimp Terminal,
22-28 AWG

This document was generated on 04/19/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

