HP Designjet 1000 Plus series printers

Technical printers for CAD and GIS departments

hp

The HP Designjet 1000 Plus series printing system is a complete large-format productivity solution for CAD and GIS departments. These printers deliver outstanding line and image quality at fast speeds with minimal user intervention.

Production printing

- **HP Jetexpress printing technology.** HP combines smart printing with wide printheads for fast, high-quality, unattended printing.
- Line drawings in under one minute. HP Designjet 1000 Plus series printers deliver top performance for quick turnaround and high-volume capacity.
- Efficient, unattended printing. Long-life, self-cleaning printheads and high-capacity ink cartridges, plus job management capabilities such as queuing, nesting and multiple copies minimize user intervention.
- Advanced media handling. The 300-foot input rolls and integrated multi-roll feeder option provide maximum media flexibility and support for longer print runs.

Top quality

- Outstanding line quality. The HP Designjet 1000 Plus series has up to 1200 dpi resolution for precise, crisp lines.
- **600 dpi images.** Get impressive 3D rendering, maps and illustrations for clear, powerful communication and presentations.
- A wide array of printing materials. Choose from a variety of HP premium products for uncompromising quality or HP basic materials for quality results at a lower price.



Seamless integration

- **Compatible with virtually any system.** Built-in HP Jetdirect Print Server plus HP-GL/2, HP-GL, HP RTL, CALS and Adobe[®] PostScript[®] 3[™] languages with custom, HP-developed drivers ensure easy integration into existing systems.
- ZEHraster software for HP. Utility allows UNIX® and Windows NT® users to send TIFF and JPEG files directly to the printer.



HP Designjet 1050C Plus and 1055CM Plus

- 1.350 ml ink cartridges for longer time between replacement
- 2. Modular 4-color CMYK ink delivery system featuring HP Jetexpress technology
- 3. Network ready with fast HP Jetdirect Print Server
- 4. Easy to follow LCD control panel
- 5. Dual path for sheet and roll-fed media
- 6. Optional multi-roll feeder for enhanced media flexibility and unattended operation

Highlights

- Production printing system that prints a D-size color line drawing as fast as 45 seconds
- Queuing and nesting for efficient, unattended printing
- Up to 1200 dpi for line drawings and 600 dpi for color images
- 300-foot input rolls support high-volume printing



HP Designjet 1050C Plus and optional HP Designjet Multi-Roll Feeder shown

Series at a glance

HP Designjet 1050C Plus (C6074B)

- 64 MB RAM, upgradeable to 256 MB
- Fast HP Jetdirect Print Server Card
- HP-GL/2, HP-GL, CALS G4 and HP RTL print languages (Adobe PostScript 3 optional)

Optional accessories

- Multi-roll feeder
- Adobe PostScript 3 upgrade kit
- 2 GB hard disk drive
- 128 MB memory module
- Take-up reel

HP Designjet 1055CM Plus (6075B)

- 64 MB RAM, upgradeable to 256 MB
- 7.5 GB hard disk drive
- Fast HP Jetdirect Print Server Card
- PANTONE^{®*} certification
- Adobe PostScript 3, HP-GL/2, HP-GL, CALS G4 and HP RTL print languages

Optional accessories

- Multi-roll feeder
- 128 MB memory module
- Take-up reel

*Pantone, Inc.'s check-standard trademark for color

Breakthrough speed with HP Jetexpress technology

HP Jetexpress technology sets a new standard for printing, delivering the fast, unattended printing you want and the outstanding line and text quality you demand. Built-in smart chips, printheads and ink cartridges automatically work with the printer to provide fast, no-guesswork printing that is always clear and sharp.

- Modular ink delivery system includes long-life printheads, high-capacity ink cartridges and printhead cleaners to minimize user intervention.
- One-inch printhead and 512 nozzles deliver high-speed printing for higher volumes and tight deadlines.

- Built-in smart chips monitor printhead wear and ink usage, and printhead cleaners maintain the life and performance of the printheads—all to ensure top quality, consistently.
- Modular ink delivery system lowers cost per copy since you replace ink supplies only as needed.

Performance backed by HP

HP Designjet printers are well-known for reliable printing, day in and day out—and HP stands behind these printers with a one-year onsite warranty and a wide array of service and support options designed to maintain the productivity of your printer operation.

Warranty and service

HP's onsite warranty covers free, next-day service for an entire year. You can extend your warranty or upgrade to same-day service with a wide variety of HP Care Pack options. Installation options are available for both the HP Designjet 1000 Plus series printers and the multi-roll feeder. And all work is done by HP-authorized technicians.

Online support

Round-the-clock online web support with troubleshooting tools helps you define, track and solve a problem quickly. Features include driver and software downloads, online diagnostics for interactive troubleshooting, user forums with HP users and technical experts, extensive technical documentation and e-mail options for user questions.

Phone support

HP also provides interactive phone support during regular business hours. Technical support professionals answer your questions and, when necessary, arrange for service.

HP Designjet Multi-Roll Feeder

The HP Designjet Multi-Roll Feeder adds additional media handling and flexibility to HP Designjet 1000 Plus series printers. Together the printer and multi-roll feeder offer a complete, unattended productivity solution for your technical printing needs.

- Flexibility—unattended use of three different media types and sizes with automatic media roll switching
- Larger unattended runs—the ability to print longer runs by loading up to three rolls of the same media size and type
- Integrated workflow—same interface for configuration for both the printer and multi-roll feeder—functionality available via the front panel (selection of default media) or the printer driver (roll selection)
- Compatibility—Option that works with the HP Designjet 1000 Plus series printers, as well as options for the original HP Designjet 1050C and 1055CM owners

HP Designjet 1000 Plus series printers

Technical specifications

HP Designjet 1050C Plus (Product number: C6074B)

HP Designjet 1055CM Plus (Product number: C6075B)

	64 MB RAM, upgradeable to 256 MB, HP Jetexpress technology, Adobe Postscript 3 options, PANTONE® certified (HP Designjet 1055CM Plus)				
Print performance		D-size: 24 in x 36 in			
Line drawings	45 seconds, draft mode				
Color images	200ft ² /hr, fast mode (approximate speed on HP Coated Paper)				
Print quality					
Maximum resolution	1200 dpi addressable (line drawings), 600 dpi (color images)				
Minimum line width	0.003 in				
Line accuracy	±0.2% of the specified page length				
Margins	Lateral 5 mm, leading and trailing edge 17 mm				
Media handling	Dual path for sheet and roll feed, automatic cutter				
optional	Multi-roll feeder; take-up reel				
Sheet	Width: 8.3 in to 36 in,				
Roll	Width: 24 in, 36 in; length: up to 300 ft				
Printing material	Supports HP basic printing material, technical papers and films, bonds and coated papers, plus selected photographic, durable and specialty printing materials HP Designjet multi-roll does not support canvas or vinyl media.				
HP 80 Ink System	Choice of 175 ml and 350 ml ink cartridges				
Memory	Pigment-based black ink; dye-based colors (CMY)				
· ·	64 MB standard; 256 MB, 2 GB HD maximum	64 MB, 7.5 GB HD standard; 256 MB, 7.5 GB HD maximum			
Connectivity					
Printer languages	HP-GL/2, HP-GL, HP RTL, CALS G4	Adobe PostScript 3, HP-GL/2, HP-GL, HP RTL, CALS G4			
Microsoft [®] Windows drivers	95, 98, NT 4.0, 2000, Me				
AutoCAD drivers	13 (Windows 95, NT 3.51, 4.0); 14 (Windows 95, 98, NT 4.0, Me); AutoCAD 2000 (Windows 98, Me)				
ZEHRaster Plus drivers	TIFF and JPEG files accepted from UNIX, Linux and Microsoft Windows NT				
PostScript drivers	(1055CM Plus only): Microsoft Windows 95, 98, NT 4.0, 2000; Macintosh v8.1-9.1				
	Windows (HP-GL/2) 95, 98, NT, 2000, Me, AutoCAD R13/14/2000, Windows (PostScript) NT, 2000				
Multi-roll feeder drivers	Windows (HP-GL/2) 95, 98, NT, 200	JU, Me, AutoCAD KI3/14/2000, Windows (PostScript) NI, 2000			

Dimensions (w x d x h)

Weight Shipping

Dimensions (w x d x h):

Weight:

Environmental ranges Operating temperature: Storage temperature: Operating humidity:

Acoustics Printing: Idle:

Power requirements Power consumption Standby mode:

Maximum: **Product certification** Safety certification:

Electromagnetic compatibility:

Environmental compliance:

Warranty and support service

1-year warranty includes free, next-business-day, onsite support and service

Printer: 61 x 27 x 51 in

Printer: 72 x 27 x 41 in Multi-roll feeder: 63 x 27 x 51 in

59 to 95° F (15 to 35° C)

Pressure: 62 dB (A)

<40 watts maximum

200 watts

-40 to 158° F (-40 to 70° C)

20 to 80% RH non-condensing

U.S. EPA Energy Star compliant

Printer: 346 lb, Multi-roll feeder: 410 lb

Pressure: <38 dB (A) Power: 5.3 Bels (A) 100 to 240 volts (± 10%); 50 to 60 Hz

Power: 6.8 Bels (A)

IEC 950 compliant; safety UL listed, NEMKO approved; certified by Canada CSA

Compliant with WU EMC directive, USA FCC Rules, Canada DoC requirements for

Printer: 154 lb

Multi-roll feeder accessory: 1-year warranty next-day onsite, independent of printer warranty status

What's in the box

HP Designjet 1050 and 1055: printer stand; 2-roll-feed spindles; cutter, knife and holder; hard disk (1055 only); Microsoft Windows AutoCAD drivers; Adobe PostScript 3 drivers (1055 only); power cord; HP 80 ink supplies; HP printing material sample; ZEHRaster for UNIX; HP install network wizard; user documentation. multi-roll feeder box: power cords; user documentation

Class B Products (Class A when connected to LANs)

Ord	oring	inf	orma	lior
Ura	ering	Int	orma	rior

J							
Product number C6074B	Description						
C6075B		HP Designjet 1050C Plus printer HP Designjet 1055CM Plus printer					
Service and support	Th Designer 100.	SCIVITIOS primer					
H7604/E	Installation						
H4518A/E	Installation and network configuration service						
H5655A/E		HP Care Pack, 3-year, next-day, onsite					
H2815A/E H2816E	HP Care Pack, 3-year, same-day, onsite, 8 a.m5 p.m.						
H4608PA/E	HP Care Pack, 3-year, same-day, onsite, 8 a.m9 p.m. HP Care Pack, 1-year, post warranty, next-day, onsite						
HP Care packs are al They should be purche	so available providing	a same-day onsit	e service (dependin	g on location). ws after purchase			
of the printer. For mor	e support services ple	ase visit: www.des	ignjet.hp.com				
Supplies and accessori	es						
C2394A			1000 Plus series p	printers)			
Q1281A	HP PostScript Ki						
C6078A	36-inch spindle						
HP ink cartridges							
C4871A	Black	350	ml	HP 80			
C4846A	Cyan	350		HP 80			
C4847A	Magenta	350		HP 80			
C4848A C4872A	Yellow Cyan	350 175		HP 80 HP 80			
C4874A	Magenta	175		HP 80			
C4873A	Yellow	175		HP 80			
HP printheads and p	rinthead cleaners						
C4820A	Black	HP 8	0				
C4821A	Cyan	HP 8					
C4822A	Magenta	HP 8 HP 8					
C4823A	Yellow	HP 8	0				
Value packs							
HP ink cartridges, pr	intheads and printhe	ead cleaners					
C4890A	Black	350 ml	HP 80				
C4891A C4892A	Cyan	350 ml 350 ml	HP 80 HP 80				
C4893A	Magenta Yellow	350 ml	HP 80				
Printing material							
24-inch	36-inch						
			10 350 6				
C7919A C8281A	C7921A C8282A		HP Basic Bond Paper, 150 ft roll HP Basic Coated Paper, 150 ft roll				
C7909A	C7911A		HP Basic Double-Matte Erasable Film, 125 ft roll				
C1860A	C1861A		HP Bright White Inkjet Bond Paper, 150 ft roll				
	C6810A		'hite Inkjet Bond Pa	per, 300 ft roll			
C6019B	C6020B C6980A		HP Coated Paper, 150 ft roll HP Coated Paper, 300 ft roll				
For additional compat				om/media			
Memory	1 3		5 T				
Q1282A	64 MB DIMM						
Q1283A	128 MB DIMM						
C2985B							



HP recommends Microsoft® Windows® XP Professional for mobile computing.

ENERGY STAR and the ENERGY STAR logo are U.S. registered marks of the United States Environmental Protection Agency. Microsoft, Windows and Windows NT are U.S. registered trademarks of Microsoft Corporation. UNIX is a registered trademark of The Open Group. Linux is a U.S. registered trademark of Linus Torvalds.

© 2005 Hewlett-Packard Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For more information visit our website at www.hp.com

4AA0-0597ENUC, 5/2/05, Rev. 1

