

Motorola Semiconductor Technical Data

Addendum to MC68HC908BD48 Technical Data

This addendum provides corrections to:

MC68HC908BD48 Technical Data (Motorola document number
MC68HC908BD48/D Rev. 1.0)


Page 274: Add VSYNC and HSYNC; and change LVI parameters in
21.6 DC Electrical Characteristics.

From:

Characteristic	Symbol	Min	Typ ⁽²⁾	Max	Unit
Input High Voltage All ports, $\overline{\text{IRQ}}$, $\overline{\text{RST}}$, OSC1	V_{IH}	$0.7 \times V_{\text{DD}}$	—	V_{DD}	V
Input Low Voltage All ports, $\overline{\text{IRQ}}$, $\overline{\text{RST}}$, OSC1	V_{IL}	V_{SS}	—	$0.2 \times V_{\text{DD}}$	V
Low-Voltage Inhibit, trip falling voltage	V_{TRIPF}	3.5	3.8	4.5	V
Low-Voltage Inhibit, trip rising voltage	V_{TRIPR}	3.5	4.0	4.5	V

To:

Characteristic	Symbol	Min	Typ ⁽²⁾	Max	Unit
Input High Voltage All ports, $\overline{\text{IRQ}}$, $\overline{\text{RST}}$, OSC1 VSYNC, HSYNC	V_{IH}	$0.7 \times V_{\text{DD}}$ 2.0	—	V_{DD} V_{DD}	V
Input Low Voltage All ports, $\overline{\text{IRQ}}$, $\overline{\text{RST}}$, OSC1 VSYNC, HSYNC	V_{IL}	V_{SS} V_{SS}	—	$0.2 \times V_{\text{DD}}$ 0.8	V
Low-Voltage Inhibit, trip falling voltage	V_{TRIPF}	3.4	3.6	3.8	V
Low-Voltage Inhibit, trip rising voltage	V_{TRIPR}	3.6	3.8	4.0	V

Motorola reserves the right to make changes without further notice to any products herein. Motorola makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Motorola assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters which may be provided in Motorola data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. Motorola does not convey any license under its patent rights nor the rights of others. Motorola products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the Motorola product could create a situation where personal injury or death may occur. Should Buyer purchase or use Motorola products for any such unintended or unauthorized application, Buyer shall indemnify and hold Motorola and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Motorola was negligent regarding the design or manufacture of the part. Motorola and  are registered trademarks of Motorola, Inc. Motorola, Inc. is an Equal Opportunity/Affirmative Action Employer.

How to reach us:

USA/EUROPE/Locations Not Listed: Motorola Literature Distribution; P.O. Box 5405, Denver, Colorado 80217. 1-800-441-2447 or 1-303-675-2140

JAPAN: Nippon Motorola Ltd. SPD, Strategic Planning Office 4-32-1, Nishi-Gotanda, Shinagawa-ku, Tokyo 141, Japan. 03-5487-8488

Mfax™, Motorola Fax Back System: RMFAX0@email.sps.mot.com; <http://sps.motorola.com/mfax/>; TOUCHTONE 1-602-244-6609;

US and Canada ONLY 1-800-774-1848

HOME PAGE: <http://motorola.com/sps/>

Mfax is a trademark of Motorola, Inc.

© Motorola, Inc., 2000



MOTOROLA
