

Part No.


AB-FL56HC30-K

Diff No.003

202.4x205.7mm

LED Flood Light

Type :

■ Product Photo:**■ Features:**

- LED power : 56W.
- Dimension : 202.4 × 205.7mm.
- Emitted color : White. (Cree)
- Over temperature protection.
- Long operation life.
- Optimized thermal management.
- UV and IR free.

Part No.	AB-FL56HC30-K	Diff No.003
202.4x205.7mm	LED Flood Light	Type :

■ Row Material:

Item	Description
Casing Material	Aluminum Casing 、 Tempered Glass
Casing Color	Black
Plug Type	Wire
IP Level	IP65
LED Light Source	2.2W x 24ea (Cree x Lamp)
Weight	3Kg

■ Specification:

Parameter	Symbol	Rating	Unit
Input Voltage	V_{IN}	AC 100 ~ 240V	V
Viewing degree (Reference value)	$2\theta_{1/2}$	30	Deg.
Color Temperature	CCT	6000	K
Luminous Flux	Φ_V	4800	Lm
LED Power Consumption	P_D	56	W
Total Power Consumption	P_D	60	W
Operating Temperature Range	Topr	-20 ~ 40	°C

Part No.

AB-FL56HC30-K


Diff No.003

202.4x205.7mm

LED Flood Light

Type :

■ **Optical Performance:**



Part No.

AB-FL56HC30-K

Diff No.003

202.4x205.7mm

LED Flood Light

Type :

■ Package:

