



APPROVALS

Acetate
BS 2092.2C

Polycarbonate
BS EN 166-2F3
BS EN 166-2B39

CE 0194



Special Features

- ◆ extremely lightweight
- ◆ fully adjustable head harness and brow guard made from a mix of fibreglass, nylon and PVC
- ◆ durable and flexible
- ◆ variety of replaceable wide vision visors available, including gas welding, all 230mm deep
- ◆ can be adapted to fit safety helmets

Visors

The visors are made from clear, high impact polycarbonate or clear acetate.

Weight : 352 grams

bollé
SAFETY

BOLLE (UK) LTDTECHNICAL FILE REF No: B-CE- 17MATERIAL DATA SHEET

PRODUCT CODE:	BF - 21	704-4082			
PRODUCT DESCRIPTION:	ECLIPSE FACESHIELD				
MANUFACTURED BY:	ETABLISSEMENT BOLLE				
MANUFACTURER'S CODE:	111300				
APPROVALS FROM:	BRITISH STANDARDS INSTITUTION				
STANDARD No:	BS 2092	GRADE:	2C		
REPORT No:	109570	DATE :	14.02.85		

MATERIALS

THE ABOVE PRODUCTS ARE MADE FROM THE FOLLOWING MATERIALS:

LENSES:	Material:	Acetate
	Thickness:	1.2 mm
	Surface Treatment:	None
	Spherical Refractive Power:-	-0.03
	Astigmatic Refractive Power:	0.01
	Prismatic Refractive Power:	<0.12
FRAME:	6.8 mm Polycarbonate	
HINGES:	Nylon	
HEADBAND:	Not Applicable	
SHELL:	Not Applicable	
HEADHARNESS:	Nylon PVC	
OTHERS:	NONE	
CLEANING INSTRUCTIONS:	See attached brochure	
MAINTENANCE INFORMATION:	See attached brochure	
PACKAGING:	Enclosed in plastic bag with Information brochure	
PACKAGING SIZE:	BOX of 32 (BLUR)	

Technical documentation
according to Annex III of Council Directive 89/686/EEC

This technical documentation contains the essential requirements according to Annex II of the Council Directive 89/686/EEC as well as the means which

ESTABLISSEMENT BOLLE
RUE TACON
BOITE POSTAL 139
01104 OYONNAX
FANCE

has used for the product listed below in order to attain the conformity of this product with the relevant essential requirements.

Product description:

Type of product	<u>EYE PROTECTOR</u>
Model	<u>ECLIPSE FACESHIELD</u>
Material	<u>POLYCARBONATE BROWGUARD ACETATE VISOR</u>
Thickness	<u>BROWGUARD 6.8 mm VISOR 1.2 mm</u>
Surface power	<u>0</u>
Colour	<u>CLEAR VISOR</u>
Shade number	<u>NOT APPLICABLE</u>
Surface treatment	<u>NONE</u>
Optical Class	<u>ONE</u>

INSPeC CERTIFICATION LTD
22 JUN 1993
No 1

ECLIPSE FACESHIELD ACETATE

