

457-176 to 457-243

STANLEY®

**THE
MAGNUM
SCREWDRIVER
RANGE**

STANLEY

**THE
SCREWDRIVER
REDEFINED**

MAGNUM

THE BEST SCREWDRIVER YOU CAN LAY HANDS ON

STANLEY®

Stanley, acknowledged innovators in screwdriver design and manufacture, have — **REDEFINED THE SCREWDRIVER.**


The **MAGNUM** series of screwdrivers now spearheads a comprehensive range of screwdrivers to meet the rigorous demands of all users in: *INDUSTRY, ENGINEERING, CONSTRUCTION, HOME.*

Never before has so much care and attention been given to a screwdriver to ensure that it performs better than any other:

1. Specially shaped handle is designed to fit the hand comfortably.
2. The handle is manufactured from two bonded materials: Injection moulded polypropylene to provide the basic shape and strength combined with soft-touch thermoplastic gripping panels. This means over 25% more torque can be applied with natural wrist rotation, even with wet or greasy hands.
3. The handle materials resist the effects of most common industrial or household solvents.
4. The heart of the screwdriver is the chrome vanadium steel bar, fully hardened and tempered throughout for maximum strength and long life.
5. The bar is highly polished (not plated), which eliminates the problem of flaking. A hard clear lacquer provides protection against corrosion.

All tips except Torx® and Hex, are manufactured to ISO standards*, and finished with a shot blast texturing to give an even better grip to the screw slot or recess.

The **MAGNUM** series comprises a comprehensive selection of tip designs (see below), and a wide range of tip sizes. Patterns include Instrument, Stubby, Square Bar and Hex Bolstered as well as the standard round bar; a range wide enough to suit the vast majority of home and industrial requirements.



* ISO 2380 — Slotted.

ISO 8764 — Crosspoint.

Supadriv/Pozidriv is the registered trade mark of European Industrial Services Ltd.


Torx is a registered trade mark of Textron.

ROUND BAR FLARED TIP




Product Number	mm/in	mm/in	mm	mm	Bar Dia. mm		List Price £	R.R.P. inc. VAT £
1-67-405	75/3	162/6 ³ / ₈	4.0	0.8	4.0	6	2.00	2.35
0-67-405	75/3	162/6 ³ / ₈	4.0	0.8	4.0	6	2.21	2.60
1-67-406	100/4	200/7 ⁷ / ₈	5.5	1.0	5.0	6	2.34	2.75
0-67-406	100/4	200/7 ⁷ / ₈	5.5	1.0	5.0	6	2.54	2.99
1-67-408	150/6	250/9 ⁷ / ₈	6.5	1.2	6.0	6	2.54	2.99
0-67-408	150/6	250/9 ⁷ / ₈	6.5	1.2	6.0	6	2.77	3.25
1-67-409	150/6	262/10 ³ / ₈	8.0	1.2	7.0	6	2.77	3.25
0-67-409	150/6	262/10 ³ / ₈	8.0	1.2	7.0	6	3.02	3.55
1-67-410	200/8	312/12 ³ / ₈	8.0	1.2	7.0	6	3.79	4.45
0-67-410	200/8	312/12 ³ / ₈	8.0	1.2	7.0	6	4.04	4.75
1-67-411	200/8	324/12 ³ / ₈	10.0	1.4	9.0	6	3.91	4.60
0-67-411	200/8	324/12 ³ / ₈	10.0	1.4	9.0	6	4.13	4.85
1-67-413	250/10	374/14 ³ / ₈	10.0	1.6	9.0	6	4.55	5.35
1-67-414	300/12	424/16 ³ / ₈	12.0	2.0	10.0	6	5.49	6.45

HEX BOLSTERED FLARED TIP




1-67-400	100/4	200/7 ⁷ / ₈	6.5	1.2	6.0	6	2.69	3.16
1-67-401	150/6	262/10 ³ / ₈	8.0	1.2	7.0	6	3.19	3.75
1-67-402	200/8	324/12 ³ / ₈	10.0	1.6	9.0	6	4.36	5.12
1-67-403	250/10	374/14 ³ / ₈	12.00	2.0	10.0	6	5.23	6.15

STUBBY FLARED TIP



1-67-435	40/1 ¹ / ₂	97/3 ¹ / ₈	4.0	0.8	4.0	6	1.62	1.90
1-67-436	40/1 ¹ / ₂	97/3 ¹ / ₈	5.5	1.0	5.0	6	1.69	1.99
1-67-437	40/1 ¹ / ₂	97/3 ¹ / ₈	6.5	1.2	6.0	6	1.79	2.10
0-67-437	40/1 ¹ / ₂	97/3 ¹ / ₈	6.5	1.2	6.0	6	1.96	2.30

SQUARE BAR FLARED TIP



1-67-430	75/3	162/6 ³ / ₈	4.0	0.8	4.0	6	2.49	2.93
1-67-431	100/4	200/7 ⁷ / ₈	6.5	1.2	6.0	6	2.68	3.15
0-67-431	100/4	200/7 ⁷ / ₈	6.5	1.2	6.0	6	2.89	3.40
1-67-432	150/6	274/10 ³ / ₈	8.0	1.2	7.0	6	3.02	3.55
0-67-432	150/6	274/10 ³ / ₈	8.0	1.2	7.0	6	3.26	3.83
1-67-433	200/8	324/12 ³ / ₈	10.0	1.6	9.0	6	4.04	4.75
1-67-434	250/10	374/14 ³ / ₈	10.0	1.6	9.0	6	4.81	5.65

NOTE: Product Number: 0 - prefix denotes carded product. 1 - prefix denotes loose product.

ROUND BAR PALETTE TIP



	Product Number					Bar Dia. mm		List Price £	R.R.P. inc. VAT £
		mm/in	mm/in	mm	mm				
INSTRUMENT	1-67-415	50/2	120/4 ³ / ₄	2.5	0.4	2.5	6	1.38	1.62
	0-67-415	50/2	120/4 ³ / ₄	2.5	0.4	2.5	6	1.49	1.75
	1-67-416	75/3	145/5 ³ / ₄	3.0	0.5	3.0	6	1.45	1.70
	0-67-416	75/3	145/5 ³ / ₄	3.0	0.5	3.0	6	1.57	1.85
	1-67-417	100/4	170/6 ³ / ₄	3.0	0.5	3.0	6	1.53	1.80
	0-67-417	100/4	170/6 ³ / ₄	3.0	0.5	3.0	6	1.69	1.99
	1-67-418	150/6	220/8 ³ / ₄	3.0	0.5	3.0	6	1.66	1.95
	0-67-418	150/6	220/8 ³ / ₄	3.0	0.5	3.0	6	1.79	2.10
STANDARD	1-67-419	75/3	162/6 ³ / ₈	3.5	0.5	3.5	6	1.66	1.95
	0-67-419	75/3	162/6 ³ / ₈	3.5	0.5	3.5	6	1.83	2.15
	1-67-420	100/4	187/7 ³ / ₈	3.5	0.5	3.5	6	1.67	1.97
	0-67-421	100/4	187/7 ³ / ₈	4.0	0.8	4.0	6	1.74	2.05
	0-67-421	100/4	187/7 ³ / ₈	4.0	0.8	4.0	6	1.91	2.25
	1-67-423	100/4	200/7 ³ / ₈	5.5	1.0	5.5	6	2.06	2.42
	1-67-422	150/6	235/9 ³ / ₄	4.0	0.8	4.0	6	1.99	2.34
	1-67-424	150/6	250/9 ³ / ₈	5.5	1.0	5.5	6	2.09	2.45
	0-67-424	150/6	250/9 ³ / ₈	5.5	1.0	5.5	6	2.30	2.70
	1-67-425	200/8	300/11 ³ / ₄	5.5	1.0	5.5	6	2.21	2.60
	0-67-425	200/8	300/11 ³ / ₄	5.5	1.0	5.5	6	2.43	2.86
	1-67-426	200/8	312/12 ¹ / ₄	6.5	1.2	6.5	6	2.43	2.86
	1-67-427	250/10	362/14 ¹ / ₄	6.5	1.2	6.5	6	2.51	2.95

SUPADRIV/POZIDRIV - STANDARD



SUPADRIV/POZIDRIV - HEX BOLSTERED



SUPADRIV/POZIDRIV - LONG REACH



SUPADRIV/POZIDRIV - STUBBY



Point Size

1-67-474	60/2 ³ / ₈	130/5 ¹ / ₈	No.0	3.2	6	2.04	2.40
0-67-474	60/2 ³ / ₈	130/5 ¹ / ₈	No.0	3.2	6	2.21	2.60
1-67-475	75/3	162/6 ³ / ₈	No.1	5.0	6	2.34	2.75
0-67-475	75/3	162/6 ³ / ₈	No.1	5.0	6	2.55	3.00
1-67-476	100/4	200/7 ¹ / ₈	No.2	6.0	6	2.54	2.99
0-67-476	100/4	200/7 ¹ / ₈	No.2	6.0	6	2.81	3.30
1-67-477	150/6	275/10 ³ / ₄	No.3	8.0	6	3.96	4.65
1-67-478	200/8	325/12 ³ / ₄	No.4	9.5	6	4.98	5.85


1-67-470	100/4	200/7 ¹ / ₈	No.2	6.0	6	2.92	3.43
1-67-471	150/6	265/10 ³ / ₈	No.3	8.0	6	4.55	5.35
1-67-472	200/8	325/12 ³ / ₄	No.4	9.5	6	5.73	6.73

1-67-479	250/10	337/13 ³ / ₄	No.1	5.0	6	3.70	4.35
1-67-480	250/10	350/13 ³ / ₄	No.2	6.0	6	4.13	4.85

1-67-481	30/1 ¹ / ₄	87/3 ¹ / ₂	No.1	5.0	6	2.30	2.70
0-67-481	30/1 ¹ / ₄	87/3 ¹ / ₂	No.1	5.0	6	2.51	2.95
1-67-482	30/1 ¹ / ₄	87/3 ¹ / ₂	No.2	6.0	6	2.54	2.99
0-67-482	30/1 ¹ / ₄	87/3 ¹ / ₂	No.2	6.0	6	2.81	3.30

NOTE: Product Number: 0 - prefix denotes carded product. 1 - prefix denotes loose product.


PHILLIPS - STANDARD



MAGNUM

Product Number	mm/in	mm/in	Point Size	Bar Dia. mm	List Price £	R.R.P. inc. VAT £
1-67-453	50/2	120/4 ³ / ₄	No.00	3.2	6	1.44 1.69
1-67-454	60/2 ³ / ₈	130/5 ¹ / ₈	No.0	3.2	6	1.74 2.05
0-67-454	60/2 ³ / ₈	130/5 ¹ / ₈	No.0	3.2	6	1.91 2.25
1-67-455	75/3	162/6 ¹ / ₈	No.1	5.0	6	1.96 2.30
0-67-455	75/3	162/6 ¹ / ₈	No.1	5.0	6	2.17 2.55
1-67-456	100/4	200/7 ¹ / ₈	No.2	6.0	6	2.34 2.75
0-67-456	100/4	200/7 ¹ / ₈	No.2	6.0	6	2.54 2.99
1-67-457	150/6	275/10 ³ / ₄	No.3	8.0	6	3.74 4.40
1-67-458	200/8	325/12 ¹ / ₄	No.4	9.5	6	4.64 5.45

PHILLIPS - HEX BOLSTERED




1-67-450	100/4	200/7 ¹ / ₈	No.2	6.0	6	2.69 3.16
1-67-451	150/6	265/10 ³ / ₄	No.3	8.0	6	4.30 5.05
1-67-452	200/8	325/12 ¹ / ₄	No.4	9.5	6	5.34 6.27

PHILLIPS - LONG REACH




1-67-459	250/10	337/13 ¹ / ₄	No.1	5.0	6	3.49 4.10
1-67-460	250/10	350/13 ¹ / ₄	No.2	6.0	6	4.00 4.70

PHILLIPS - STUBBY




1-67-461	30/1 ¹ / ₄	87/3 ¹ / ₂	No.1	5.0	6	2.17 2.55
0-67-461	30/1 ¹ / ₄	87/3 ¹ / ₂	No.1	5.0	6	2.38 2.80
1-67-462	30/1 ¹ / ₄	87/3 ¹ / ₂	No.2	6.0	6	2.34 2.75
0-67-462	30/1 ¹ / ₄	87/3 ¹ / ₂	No.2	6.0	6	2.54 2.99

TORX



1-67-490	50/2	120/4 ³ / ₄	T6	3.2	6	2.16 2.54
1-67-491	50/2	120/4 ³ / ₄	T7	3.2	6	2.23 2.62
1-67-492	60/2 ³ / ₈	130/5 ¹ / ₈	T8	3.2	6	2.32 2.73
1-67-493	60/2 ³ / ₈	130/5 ¹ / ₈	T9	4.0	6	2.45 2.88
1-67-494	80/3 ¹ / ₄	167/6 ¹ / ₂	T10	4.0	6	2.60 3.05
1-67-495	80/3 ¹ / ₄	167/6 ¹ / ₂	T15	4.0	6	2.94 3.45
1-67-496	100/4	187/7 ¹ / ₈	T20	4.0	6	3.15 3.70
1-67-497	100/4	200/7 ¹ / ₈	T25	5.0	6	3.53 4.15
1-67-498	125/5	225/8 ¹ / ₈	T27	5.5	6	3.74 4.40
1-67-499	125/5	225/8 ¹ / ₈	T30	5.5	6	3.91 4.60
1-67-500	125/5	237/9 ¹ / ₈	T40	6.0	6	4.81 5.65
1-67-501	150/6	275/10 ³ / ₄	T45	7.0	6	5.86 6.89

HEXAGONAL



1-67-520	75/3	145/5 ³ / ₄		2.0	6	0.89 1.05
1-67-521	75/3	145/5 ³ / ₄		2.5	6	0.99 1.16
1-67-522	75/3	145/5 ³ / ₄		3.0	6	1.07 1.26
1-67-523	75/3	165/6 ¹ / ₂		4.0	6	1.33 1.56
1-67-524	75/3	165/6 ¹ / ₂		5.0	6	1.42 1.67
1-67-525	75/3	165/6 ¹ / ₂		6.0	6	1.53 1.80
1-67-526	100/4	215/8 ¹ / ₂		8.0	6	1.90 2.23
1-67-527	100/4	215/8 ¹ / ₂		10.0	6	2.45 2.88

NOTE: Product Number: 0 - prefix denotes carded product. 1 - prefix denotes loose product.

A 10 PIECE WITH ZIPPER WALLET

Product Number	Type	Description	Box Qty.	List Price £	R.R.P. inc. VAT £
1-67-576	3 Flared tip 3 Parallel tip 4 Pozidriv	75x4.0mm, 150x8.0mm, 40x6.5 mm 100x3.0mm, 100x4.0mm, 150, 5.5mm Opt, 1pt, 2pt, 1pt Stubby	1	21.27	24.99

B 9 PIECE WITH STORAGE BOX

1-67-449	3 Parallel tip 3 Flared tip 3 Pozidriv	75 x 3.0, 100 x 4.0, 150 x 5.5 mm 75 x 4.0, 150 x 6.5, 40 x 6.5 mm Opt, 1pt, 2pt	1	18.29	21.49
----------	--	--	---	-------	-------

C 6 PIECE WITH RACK

0-67-438	2 Parallel tip 2 Flared tip 2 Pozidriv	75 x 3.0, 150 x 5.5mm 100 x 5.5, 150 x 8.0mm 1pt, 2pt	4	13.61	15.99
----------	--	---	---	-------	-------

D 5 PIECE

0-67-429	1 Parallel tip 2 Flared tip 2 Phillips	75 x 3.5mm 100 x 5.5, 150 x 8.0mm 1pt, 2pt	4	10.86	12.7
----------	--	--	---	-------	------

E 4 PIECE WITH RACK

0-67-404	2 Parallel tip 1 Flared tip 1 Pozidriv	75 x 3.0, 100 x 4.0mm 130 x 8.0mm 2pt	4	8.29	9.75
----------	--	---	---	------	------

F 3 PIECE PHILLIPS


0-67-448	3 Phillips	1pt, 2pt, 3pt	4	5.95	6.99
----------	------------	---------------	---	------	------

G 3 PIECE POZIDRIV

0-67-439	3 Pozidriv	Opt, 1pt, 2pt	4	6.80	7.99
----------	------------	---------------	---	------	------

H 4 PIECE TORX

0-67-428	4 Torx	No.T15 No.T20 No.T25 No.T30	4	13.61	15.99
----------	--------	--------------------------------------	---	-------	-------



SYSTEM 2000 LOOSE STOCK OFFERS

Select the Magnum Screwdriver Stock of your choice.



FREE TOOL BAR UNIT


The System 2000 Tool Bar unit will display up to 120 Magnum screwdrivers.

Offset from the toolbar to allow you to merchandise such products as Saws, Levels or Yankee Screwdrivers behind the tray.



FREE COUNTER TOP UNIT

The System 2000 Counter Top unit will display up to 100 Magnum screwdrivers. The unit includes a Magnum 'tell and sell' headercard.



FLOOR STANDING DISPLAY UNIT

The System 2000 Floor Standing unit will display up to 300 Magnum screwdrivers. The unit includes a Magnum 'tell and sell' headercard and two see through Magnum side panels.

**YOUR STANLEY
REPRESENTATIVE WILL
BE PLEASED TO ADVISE
YOU ON SYSTEM 2000
OFFERS.**



STANLEY[®]

The best tools you can lay hands on

ORDERS SUBJECT TO MINIMUM QUANTITIES

We reserve the right to amend specification without prior notice

Stanley Tools, The Stanley Works Ltd, Woodside, Sheffield S3 9PD
Tel No (0742) 768888 Telex 54150 Fax (0742) 739038

SALES OFFICE FAX. NO. (0709) 532465

LT201 JULY 1993