


457 760 * 457 825

THE MAKITA

Specification

BOOK



Makita

1st FEBRUARY 1993

CONTENTS

1	CORDLESS TOOLS	2, 3, 4, 5
2	ROTARY DEMOLITION HAMMERS	6, 7
3	ROTARY & PERCUSSION DRILLS	7, 8
4	FASTENING TOOLS	8, 9
5	METALWORKING TOOLS	9, 10, 11
6	MASONRY & CONCRETE TOOLS	12
7	WOODWORKING TOOLS	12, 13
8	SAWS	13, 14
9	SANDING TOOLS	14, 15
10	DUST EXTRACTION	15
11	GARDEN TOOLS & CHAIN SAWS	16
12	GENERATOR UNITS	16
THE PRO RANGE		17, 18

KEY TO SYMBOLS


Carrying Case Included	
Electronic Power Control	
Forward/Reverse Rotation	
Power Tool has Electric Brake	
Power Tool has 2 (mechanical) gears	
Power Tool is Double Insulated	
Variable Speed Trigger	
240v available and BSI approved	
110v available and BSI approved	
Machine is available as 240v	
Machine is available as 110v	

Makita (UK) Limited. have a policy of continuous development to ensure Makita Power Tools remain the best available

Accordingly we reserve the right to change Technical Specifications, Prices, or make improvements to our products without notice, without incurring any obligation and without being required to make any corresponding changes or improvements in products previously manufactured or sold

6072DWK £150

10mm chuck, Drill/Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	15mm (5/8")
Max size Wood Screw	No 10 x 1 1/2"
No Load, Variable Speeds	High 0 - 600rpm Low 0 - 250rpm
Dimensions (l x w x h)	238 x 53 x 215mm
Net Weight	1 2kg (2 6lbs)
Ni-Cad Battery Cartridge (7000)	7 2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1 hour Charger (DC7100) • Battery Cartridge (7000) • Drill Chuck • Chuck Key • Philips (+) Bit • Steel Carrying Case

6073DW £171

10mm chuck, Drill/Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	15mm (5/8")
Max size Wood Screw	No 10 x 1 1/2"
Max size Machine Screw	6mm (1/4")
Maximum size Nut	6mm (1/4")
No Load, Variable Speeds	High 0 - 850rpm Low 0 - 300rpm
Ni-Cad Battery Cartridge (7000)	7 2v (6-Cell)
Net Weight	1 45Kg (3 2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Fast 1 hr Charger (DC7100) • Battery Cartridge (7000) • Drill Chuck • Chuck Key • Philips (+) Bit • Steel Carrying Case

6075DW £181


10mm Keyless chuck, Drill / Screwdriver



- The 6075DW has the same Specification, Standard Equipment (excluding chuck key) and Performance as the 6073DW but with the added benefit of a Keyless Chuck

DA3000DW £181

10mm chuck, Angle Drill/Screwdriver




Maximum in Steel and Wood	10mm (3/8")
Max size Wood Screw	No 8 x 1"
No Load Speed	700rpm
Dimensions (l x w x h)	290 x 57 x 110mm
Net Weight	1 2kg (2 6lbs)
Ni-Cad Battery Cartridge (7000)	7 2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1 hr Charger (DC7100) • Battery Cartridge (7000) • Drill Chuck • Chuck Key • Steel Carrying Case

3700DW £145

Cordless Laminate Trimmer



Chuck Capacity	6mm
No Load Speed	8,000rpm
Dimensions (l x w x h)	200 x 175 x 85mm
Net Weight	1 0kg (2 2lbs)
Ni-Cad Battery Cartridge (7000)	7 2v (6-Cell)
Charging Time	1 hour


INCLUSIVE STANDARD EQUIPMENT

- Fast 1 hr Charger (DC7100) • Battery Cartridge (7000) • Guide Base Assembly • HSS Straight Bit • Wrench 10mm • Wrench 17mm



6912DW £166

▪ Cordless Ratchet Wrench




Maximum Bolt Size	12.7mm (1/2")
Maximum Socket Size	19mm (3/4")
Tightening Torque (manual)	43.02Nm (31.7 lbs/ft)
No Load Speed	400rpm
Dimensions (L x w x h)	320 x 70 x 35mm
Net Weight	0.85kg (1.87lbs)
Ni-Cad Battery Cartridge (7000)	7.2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT.

▪ Fast 1 hr Charger (DC7100) ▪ Battery Cartridge (7000) ▪ Socket Adapter (1/2" Square Drive)

9035DW £147

▪ Cordless Finishing Sander




Pad Size	93 x 185mm (3 5/8" x 7 1/4")
Abrasive Sheet Size	93 x 228mm (3 5/8" x 9")
Orbit Diameter	1.5mm (1/16")
No Load Speed	6,000 opm
Dimensions (L x w x h)	190 x 95 x 168mm
Net Weight	1.3kg (2.86lbs)
Ni-Cad Battery Cartridge (7000)	7.2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC7000) ▪ Battery Cartridge (7000) ▪ Abrasive Sheets 1 pack

9500DW £132

▪ Cordless 4" Grinder




Wheel Diameter	100mm (4")
No Load Speed	5,500rpm
Dimensions (L x w x h)	245 x 120 x 120mm
Net Weight	1kg (2.2lbs)
Ni-Cad Battery Cartridge (7000)	7.2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC7100) ▪ Battery Cartridge (7000) ▪ Hex Wrench ▪ Depressed Centre Wheel ▪ Outer Flange (Lock Nut) ▪ Wheel Guard (fitted)

6094DW £192

▪ 9.6v Cordless Screwdriver




Max size Wood Screw	No 12 x 2"
Max size Machine Screw	M6
Max size Nut	M6
No Load, Variable Speeds	High 0-1,100rpm Low 0-400rpm
Dimensions (L x w x h)	243 x 58 x 262mm
Net Weight	1.6kg (3.5lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9100) ▪ Battery Cartridge (9000) ▪ Philips (+) Bit ▪ Conical Bit Piece ▪ Steel Carrying Case

6095DW £201

▪ 10mm Keyless chuck, Drill / Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (11/16")
Max size Wood Screw	No 12 x 2"
Max size Machine Screw	M6
Max size Nut	M6
No Load, Variable Speeds	High 0-1,100rpm Low 0-400rpm
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Net Weight	1.6kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9700) ▪ Battery Cartridge (9000) ▪ Philips (+) Bit ▪ Drill Chuck ▪ Chuck Key ▪ Steel Carrying Case

6200DW £192

▪ 10mm Keyless chuck, Drill / Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (11/16")
Max size Wood Screw	No 12 x 2"
Max size Machine Screw	M6
No Load, Variable Speeds	High 0-1,100rpm Low 0-400rpm
Dimensions (L x w x h)	240 x 60 x 245mm
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Net Weight	1.7kg (3.7lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9700) 7.2V & 9.6V Dual Voltage ▪ Battery Cartridge (9100) ▪ Keyless Chuck ▪ Philips (+) Bit ▪ Steel Carrying Case

6201DW £203

▪ 10mm Keyless chuck, Drill / Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (11/16")
Max size Wood Screw	No 12 x 2"
Max size Machine Screw	M6
No Load, Variable Speeds	High 0-1,100rpm Low 0-350rpm
Dimensions (L x w x h)	240 x 60 x 245mm
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Net Weight	1.73kg (3.8lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9700) 7.2V & 9.6V Dual Voltage ▪ Battery Cartridge (9100) ▪ Battery Cap ▪ Keyless Chuck ▪ Philips (+) Bit ▪ Carrying Case

6400DW £203

10mm Keyless chuck, Drill / Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (11/16")
Max size Wood Screw	No 12 x 2 1/8"
Max size Machine Screw / Nut	M6
No Load, Variable Speeds	High 0-1,200rpm Low 0-450rpm
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Net Weight	1.6kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9700) - 7.2V & 9.6V Dual Voltage ▪ Battery Cartridge (9100) ▪ Philips (+) Bit ▪ Keyless Chuck ▪ Plastic Carrying Case ▪ Battery Cap

6702DW † £289

▪ 9.5mm Square Drive Angle Screwdriver



Max size Bolt / Nut	3mm-6mm (1/8"-1/4")
Max size Machine Screw	3mm - 6mm
Square Drive	9.5mm (3/8")
No Load Speed	400rpm
Dimensions (L x w x h)	352 x 55 x 90mm
Net Weight	1.4kg (3.1lbs)
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT


▪ Fast 1 hr Charger (DC9700) 7.2v & 9.6v Dual Voltage ▪ Battery Cartridge (9100) ▪ Battery Cap ▪ Plastic Carrying Case

Available with 110v Charger to Special Order

† = Available as 6702D without Charger or Carrying Case £246.00

6791DW § £207

▪ Cordless Screwdriver



Machine Screws	M4 - M8
Nuts	M4 - M8
No Load Speed	400rpm
Torque	12 position (11.7Nm Maximum)
Dimensions (L x w x h)	183 x 58 x 225mm
Net Weight	1.4kg (3.1lbs)
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9100) ▪ Battery Cartridge (9100) ▪ 2 x Philips (+) Screwdriver Bits ▪ Steel Carrying Case

Available with 110v Charger to Special Order

§ = Available as 6791D without Charger or Carrying Case £160.00

6792D £160

▪ Cordless Screwdriver



Machine Screws	M4 - M6
Nuts	M4 - M6
No Load Speed	650rpm
Torque	8 position (7.8Nm Maximum)
Dimensions (l x w x h)	183 x 58 x 225mm
Net Weight	1.4kg (3.1lbs)
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Charging Time	1 hour


INCLUSIVE STANDARD EQUIPMENT.

- Battery Cartridge (9100) ▪ 2 x Philips (+) Screwdriver Bits



6891DW £186

▪ Cordless Drywall Screwdriver




Screwdriver Bit Shank	1/4" hex
Maximum Dry-Wall Screw	No. 4
No Load, Variable Speeds	0 - 1,400rpm
Dimensions (l x w x h)	230 x 55 x 260mm
Net Weight	1.3kg (2.9lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT.

- Fast 1hr Charger (DC9100) ▪ Battery Cartridge (9000) ▪ Philips (+) Insert Bit ▪ Magnetic Bit Holder ▪ Steel Carrying Case

6900DW £251

▪ Cordless Impact Wrench




Square Drive	12.7mm (1/2")
Bolts	M8 - M14
High Tensile Bolts	M8 - M10
No Load Speeds	High 1,500rpm Low 1,300rpm
Blows per Minute	High 2,000 bpm Low 1,500 bpm
Torque Values	in High 98Nm (72 lbs/ft) in Low 39.2Nm (29 lbs/ft)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Net Weight	1.7kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- 1 hr Charger (DC9100) ▪ Battery Cartridge (9000) ▪ 19mm Socket ▪ Carrying Case

6901VDW £197

▪ Cordless Impact Screwdriver



Screwdriver Bit Drive	1/4" hex
Maximum size Machine Screw	M4
Maximum size Bolt	M10
No Load, Variable Speeds	0 - 2,200 rpm
Impacts Per Minute	0 - 2,800 bpm
Maximum Torque	68.7Nm (50 lbs/ft)
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9100) ▪ Battery Cartridge (9100) ▪ Philips (+) Screwdriver Bit ▪ Conical Bit Piece ▪ Steel Carrying Case Available with 110v Charger to Special Order

6903VDW £199

▪ Cordless Impact Screwdriver



Screwdriver Bit Drive	1/4" hex
Machine Screw / Bolt Range	M4 - M10
No Load, Variable Speeds	0 - 2,200 rpm
Impacts Per Minute	0 - 2,800 bpm
Maximum Torque	700 kg/cm (50 lbs/ft)
Ni-Cad Battery Cartridge (9100)	9.6v (8-Cell)
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT.

- Fast 1hr Charger (DC9700) 7.2V & 9.6V Dual Voltage ▪ Battery Cartridge (9100) ▪ Philips (+) Screwdriver Bit 2-65, 3-65 ▪ Bit Piece ▪ Plastic Carrying Case

8400VDW £199

▪ 10mm chuck, Percussion Drill




Max in Steel & Masonry	10mm (3/8")
Max size Wood Screw	No. 7 x 1"
No Load, Variable Speeds	0 - 900rpm
Blows Per Minute	0 - 10,000 bpm
Dimensions (l x w x h)	260 x 55 x 260mm
Net Weight	1.7kg (3.7lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9700) 7.2V & 9.6V Dual Voltage ▪ Battery Cartridge (9000) ▪ Drill Chuck ▪ Chuck Key ▪ Plastic Carrying Case

DA390DW £186

▪ 10mm chuck, Angle Drill/Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	12mm (15/32")
Max size Wood Screw	No. 10 x 1"
Max Fastening Torque	4.9Nm (3.6 lbs/ft)
No Load Speed	800rpm
Dimensions (l x w x h)	335 x 59 x 115mm
Net Weight	1.3kg (2.9lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9700) 7.2v & 9.6v Dual Voltage ▪ Battery Cartridge (9000) ▪ Keyless Chuck ▪ Steel Carrying Case

DA391DW £192

▪ 10mm chuck, Angle Drill/Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	12mm (15/32")
Max size Wood Screw	No. 10 x 1"
Max Fastening Torque	4.9Nm (3.6 lbs/ft)
No Load Speed	0 - 800rpm
Dimensions (l x w x h)	335 x 59 x 115mm
Net Weight	1.3kg (2.9lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT.

- Fast 1hr Charger (DC9700) 7.2v & 9.6v Dual Voltage ▪ Battery Cartridge (9000) ▪ Keyless Chuck ▪ Plastic Carrying Case

4190DW £214

▪ Cordless Glass & Ceramic Tile Cutter




Wheel Diameter	80mm (3 1/8")
Max Cutting Depths	@ 90° 18mm (45/64") @ 45° 16mm (5/8")
No Load Speed	1,000rpm
Net Weight	1.9kg (4.2lbs)
Dimensions (l x w x h)	350 x 145 x 150mm
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9700) 7.2v & 9.6v Dual Voltage ▪ Battery Cartridge (9000) ▪ Diamond Wheel ▪ Hex Wrench ▪ Water Tap and Tube ▪ Water Tank

4300DW £179

▪ Cordless Jig Saw




Length of Stroke	15mm (9/16")
Maximum Cut in Soft Wood	24mm (15/16")
Maximum Cut in Hard Wood	12mm (1/2")
Maximum Cut in Mild Steel	1.2mm (1/32")
Strokes Per Minute	2,700 spm
Dimensions (l x w x h)	215 x 58 x 177mm
Net Weight	1.5kg (3.3lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9700) 7.2v & 9.6v Dual Voltage ▪ Battery Cartridge (9000) ▪ Jig Saw Blades Nos. 31 & 39 (1 each) ▪ Hex Wrench

4390DW £160

▪ Cordless 'Shark' Saw




Maximum Cut in Soft Wood	24mm (15/16")
Maximum Cut in Hard Wood	12mm (1/2")
Max Cut in Pipe (OD & thickness)	40 x 2mm
Length of Stroke	15mm (9/16")
Strokes Per Minute	2,700 spm
Dimensions (l x w x h)	343 x 61 x 149mm
Net Weight	1.4kg (3.1lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1hr Charger (DC9100) ▪ Battery Cartridge (9000) ▪ Reciprocating Saw Blades, 1 each of No 71, 78 ▪ Hex Wrench

5090DW £171

▪ Cordless Circular Saw




Blade Diameter	85mm (3 3/8")
Bore Size	15mm (5/8")
Max Cutting Depths @ 90°	22mm (7/8")
@ 45°	18mm (11/16")
No Load Speed	1,000rpm
Dimensions (l x w x h)	315 x 150 x 110mm
Net Weight	1.8kg (4lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC9700) 7.2v & 9.6v Dual Voltage ▪ Battery Cartridge (9000) ▪ Hex Wrench ▪ Saw Blade

5600DW £311

▪ Cordless 160mm Circular Saw




Blade Diameter	160mm (6 1/4")
Bore Size	20mm (3/4")
Max Cutting Depths @ 90°	55mm (2 1/8")
@ 45°	36mm (1 3/8")
No Load Speed	1,000rpm
Dimensions (l x w x h)	260 x 170 x 165mm
Ni-Cad Battery Cartridge (1000)	10.8v (9-Cell)
Net Weight	3.5kg (7.7lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1hr Charger (DC1000) ▪ Battery Cartridge (1000) ▪ Tungsten Carbide Tipped Saw Blade ▪ Socket Wrench ▪ Wrench ▪ Rip Fence (Guide Rule) ▪ Wooden Carrying Case

8015DW £334

▪ Cordless Rotary Hammer Drill



Maximum Masonry Drilling	15mm (5/8")
Maximum Metal Drilling	13mm (1/2")
Maximum Wood Drilling	15mm (5/8")
No Load, Variable Speeds	0 - 900rpm
Blows Per Minute	0-3,100bpm
Dimensions (l x w x h)	311 x 64 x 206mm
Ni-Cad Battery Cartridge (1000)	10.8v (9-Cell)
Net Weight	5.5kg (12.1lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1hr Charger (DC1000) ▪ Battery Cartridge (1000) ▪ Side Handle ▪ Depth Rod and Thumbscrew ▪ Dust Cap ▪ Bit Grease ▪ Steel Carrying Case

6211DW £259

▪ 10mm Keyless chuck, Drill / Screwdriver




Maximum in Steel	10mm (3/8")
Maximum in Wood	21mm (13/16")
Max size Wood Screw	6.4 x 55mm
Max size Machine Screw	6mm (1/4")
No Load, Variable Speeds	High 0-1,150rpm Low 0-370rpm
Overall Length	237mm (9 3/8")
Ni-Cad Battery Cartridge (1200)	12v (10-Cell)
Net Weight	1.8kg (3.7lbs)

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1 hr Charger (DC1200) ▪ Battery Cartridge (1200) ▪ Keyless Chuck ▪ Philips (+) Bit 2-65 ▪ Carrying Case

8411DW £253

▪ 10mm chuck, 2-Speed Percussion Drill




Max in Steel & Masonry	10mm (3/8")
Maximum in Wood	21mm (13/16")
Max size Wood Screw	6.4 x 55mm
No Load, Variable Speeds	High 0 - 1,150rpm Low 0 - 370rpm
Blows Per Minute	High 0 - 12,700 bpm Low 0 - 4,100 bpm
Net Weight	1.7kg (3.7lbs)
Ni-Cad Battery Cartridge (1200)	12v (10-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT:

▪ Fast 1hr Charger (DC1200) ▪ Battery Cartridge (1200) ▪ Keyless Chuck ▪ Plastic Carrying Case

6911DW £255

▪ Impact Driver




Screwdriver Bit Drive	1/4" hex
Maximum size Machine Screw	M4 - M8
Maximum size Bolt	M5 - M12
No Load, Variable Speeds	0 - 1,800 rpm
Impacts Per Minute	0 - 2,500 bpm
Maximum Torque	98Nm (72 lbs/ft)
Dimensions (l x w x h)	220 x 75 x 235mm
Net Weight	2kg (4.4lbs)
Ni-Cad Battery Cartridge (1200)	12v (10-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1hr Charger (DC1200) ▪ Battery Cartridge (1200) ▪ Steel Carrying Case

4602DW £377

▪ 25mm 14.4 volt Cordless Pruner



Maximum Cutting Capacity	25mm diameter
Strokes Per Minute	100 spm
Dimensions (l x w x h)	293 x 49 x 78mm
Net Weight	0.9kg (1.98lbs)
Ni-Cad Battery Pack (1401)	14.4v (12-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1hr Charger (DC1401) ▪ 14.4V Ni-Cad Battery Pack includes cord and harness ▪ 13mm Wrench ▪ File ▪ 100cc Oil ▪ 3mm Hex Wrench ▪ Blade Cover ▪ Steel Carrying Case

6811DW £350

▪ 14.4 volt Drywall Screwdriver




Maximum size Dry Wall Screws	4mm
Screwdriver Bit Shank	1/4" Hex
No Load Speed	2,500rpm
Dimensions (l x w x h)	223 x 56 x 140mm
Net Weight	0.9kg (2lbs)
Ni-Cad Battery Pack (1401)	14.4v (12-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT:

▪ Fast 1hr Charger (DC1401) ▪ 14.4V Ni-Cad Battery Pack includes cord and harness ▪ Magnetic Bit Holder ▪ Philips No 2 (+) Insert Bit ▪ Steel Carrying Case

6902DW £377


▪ 14.4 volt Impact Wrench



Standard Bolt	M12-M16
High Tensile Bolt	M8-M12
A/F Sizes	12mm-24mm
Square Drive	12.7mm (1/2")
Impacts Per Minute	2,300 ipm
No Load Speed	1,900rpm
Tightening Torque	147Nm (108lbs/ft) (HT Bolt M6 x 5 secs)
Ni-Cad Battery Pack (1401)	14.4v (12-Cell)
Net Weight	1.2kg (2.64lbs)


INCLUSIVE STANDARD EQUIPMENT

▪ Fast 1hr Charger (DC1401) ▪ 14.4V Ni-Cad Battery Pack and harness ▪ Carrying Case



HR1820 £362

• SDS Rotary Hammer




Maximum Bit Diameter	18mm (11/16")
No Load, Variable Speeds	0 - 1,000 rpm
Blows Per Minute	0 - 3 500 bpm
Input Wattage	505w
Dimensions (l x w x h)	320 x 98 x 195mm
Net Weight	3.1kg (6.81lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Bit • Blow-out Bulb • Steel Carrying Case • 5mm Hex Wrench • Grp (Side Handle)
- Depth Gauge • Dust Collector Assembly
- Bit Grease 100g

HR2000 £237

• SDS, Variable Speed Rotary Hammer




Maximum in Concrete	20mm (3/4")
Maximum in Steel	13mm (1/2")
Maximum in Wood	18mm (11/16")
No Load, Variable Speeds	0 - 1,200 rpm
Blows Per Minute	0 - 4 200 bpm
Input Wattage	750w
Dimensions (l x w x h)	335 x 70 x 210mm
Net Weight	2.7kg (6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Blow-out Bulb • Steel Carrying Case • Side Handle • Depth Gauge • Bit Grease 100g
- Dust Cap

HR2510 £430

• SDS, Variable Speed Rotary Hammer




Maximum Bit Diameter	25mm (1")
No Load, Variable Speeds	0 - 800 rpm
Blows Per Minute	0 - 3,000 bpm
Input Wattage	620w
Dimensions (l x w x h)	335 x 85 x 215mm
Net Weight	4.2kg (9.3lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Bit • Blow-out Bulb • Steel Carrying Case • Hex Wrench 5mm • Side Handle
- Dust Collector • Depth Gauge
- Bit Grease 100g

HR3520 £505

• Rotary Demolition Hammer




Maximum Bit Diameter	35mm (1 3/8")
Maximum Core Bit Diameter	79mm (3 1/8")
Minimum Core Bit Diameter	25mm (1")
Makita Tool Holder	13mm A/F Hex Shank
No Load Speed	440 rpm
Blows Per Minute	3 300 bpm
Input Wattage	840w
Dimensions (l x w x h)	380 x 100 x 290mm
Net Weight	6.4kg (14.1lbs)

INCLUSIVE STANDARD EQUIPMENT

- Blow-out Bulb • Steel Carrying Case
- Depth Gauge • Side Handle • 2 Hex Wrenches (4 & 5 mm)

HR3850K £639

• Rotary Demolition Hammer




Maximum Bit Diameter	38mm (1 1/2")
Maximum Core Bit Diameter	118mm (4 5/8")
Minimum Core Bit Diameter	25mm (1")
Makita Tool Holder	19mm A/F Hex Shank
No Load Speed	240 rpm
Blows Per Minute	2,900 bpm
Input Wattage	940w
Dimensions (l x w x h)	460 x 110 x 248mm
Net Weight	7.5kg (16.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Adjustable Depth Rod • Hex Wrenches (4mm & 5mm) • Grp Assembly (Side Handle)
- Steel Carrying Case • Blow-out Bulb

HR5000K £829

• Rotary Demolition Hammer




Maximum Bit Diameter	50mm (2")
Maximum Core Bit Diameter	150mm (5 7/8")
Minimum Core Bit Diameter	40mm (1 9/16")
Makita Tool Holder	19mm A/F Hex Shank
No Load Speed	260 rpm
Blows Per Minute	2,100 bpm
Input Wattage	1,200w
Dimensions (l x w x h)	485 x 110 x 265mm
Net Weight	9.6kg (21.3lbs)

INCLUSIVE STANDARD EQUIPMENT

- Hex Wrenches 4mm, 5mm & 6mm • Grp (Side Handle) • Grp Assembly (Side Handle Assembly) • Steel Carrying Case

HM0810 £402

Demolition Hammer




Makita Tool Holder	13mm A/F Hex Shank
Blows Per Minute	2,900 bpm
Input Wattage	900w
Dimensions (l x w x h)	415 x 100 x 245mm
Net Weight	5.3kg (11.7lbs)

INCLUSIVE STANDARD EQUIPMENT

- Bull Point • 2 Hex Wrenches (4 & 5 mm)
- Steel Carrying Case • Grp (Side Handle)

HM1200K £624

• Demolition Hammer




Makita Tool Holder	19mm A/F Hex Shank
Blows Per Minute	2,000 bpm
Input Wattage	940w
Dimensions (l x w x h)	450 x 165 x 270mm
Net Weight	9.1kg (20lbs)

INCLUSIVE STANDARD EQUIPMENT

- 2 Hex Wrenches (4 & 8 mm) • Grp Assembly (Side Handle) • Steel Carrying Case

HM1300 £734

• Demolition Hammer




Makita Tool Holder	29mm A/F Hex Shank
Blows Per Minute	1,200 bpm
Input Wattage	1,240w
Dimensions (l x w x h)	680 x 145 x 220mm
Net Weight	16kg (35.3lbs)

INCLUSIVE STANDARD EQUIPMENT

- Bull Point • 2 Hex Wrenches (5 & 6mm)
- Steel Carrying Case • Grp Assembly (Side Handle)

HM1400 £883

Demolition Hammer




Makita Tool Holder	29mm A/F Hex Shank
Blows Per Minute	1,200 bpm
Input Wattage	1,240w
Dimensions (l x w x h)	610 x 520 x 225mm
Net Weight	17kg (37 4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Bull Point
- 2 Hex Wrenches (5 & 6mm)

6510B-2 £121

10mm chuck, Rotary Drill 2 speed




Maximum in Steel	10mm (3/8")
Maximum in Wood	21mm (7/8")
No Load Speeds	in High 2,300 rpm in Low 950 rpm
Input Wattage	330w
Dimensions (l x w x h)	275 x 70 x 150mm
Net Weight	1 6kg (3 5 lbs)

INCLUSIVE STANDARD EQUIPMENT

- Male Thread Drill Chuck
- Chuck Key
- Side Handle

HK1800 £376

Power Scraper




Makita Tool Holder	19mm A/F Hex Collar
Blows per Minute	3,200 bpm
Input Wattage	505w
Dimensions (l x w x h)	323 x 93 x 193mm
Net Weight	3 2kg (7lbs)

INCLUSIVE STANDARD EQUIPMENT

- Scaling Chisels (2)
- Bull Point
- Hex Wrench (5mm)
- Dust Cover
- Steel Carrying Case

6510LVR £117

10mm Rotary Drill Variable Speed



Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (3/4")
No Load Variable Speeds	0 - 1,050 rpm
Input Wattage	330w
Dimensions (l x w x h)	220 x 65 x 190mm
Net Weight	1 48kg (3 3lbs)


INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key



6501 £73

6 5mm chuck, Rotary Drill




Maximum in Steel	6 5mm (1/4")
Maximum in Wood	9mm (11/32")
No Load Speed	4,500 rpm
Input Wattage	230w
Dimensions (l x w x h)	190 x 62 x 140mm
Net Weight	0 9kg (2 lbs)

INCLUSIVE STANDARD EQUIPMENT.

- Precision Drill Chuck
- Depth Gauge
- Chuck Key
- Chuck Key Holder

6510PB £95

10mm chuck, Rotary Drill




Maximum in Steel	10mm (3/8")
Maximum in Wood	15mm (5/8")
No Load Speed	2,200 rpm
Input Wattage	330w
Dimensions (l x w x h)	210 x 65 x 190mm
Net Weight	1 34kg (3lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key

6310 £134

13mm Rotary Drill, 2 speed, & Variable




Maximum in Steel	in High 8mm (5/16") in Low 13mm (1/2")
Maximum in Wood	in High 20mm (3/4") in Low 32mm (1 1/4")
No Load, Variable Speeds	in High 0 - 2,000rpm in Low 0 - 700 rpm
Input Wattage	550w
Dimensions (l x w x h)	280 x 70 x 175mm
Net Weight	2kg (4 4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Side Handle & Depth Stop
- Chuck Key
- Chuck Key Holder

DA3000 £153

10mm chuck, Angle Drill





Maximum in Steel	10mm (3/8")
Maximum in Wood	15mm (5/8")
No Load Speed	1,400 rpm
Input Wattage	300w
Dimensions (l x w x h)	250 x 75 x 75mm
Net Weight	1 6kg (3 5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key

6013B £147

13mm chuck, Rotary Drill




Maximum in Steel	13mm (1/2")
Maximum in Wood	36mm (1 3/8")
No Load Speed	550 rpm
Input Wattage	650w
Dimensions (l x w x h)	330 x 80 x 255mm
Net Weight	2 8kg (6 2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Side Handle (Grip)

6300-4 £171

- 13mm chuck, Rotary Drill, 4 Speeds




Maximum in Steel	13mm (1/2")
Maximum in Wood	30mm (1 1/4")
No Load Speeds	1 500 rpm 2 600 rpm 3 1,100 rpm 4 1,300 rpm
Input Wattage	650w
Dimensions (l x w x h)	370 x 90 x 140mm
Net Weight	3.2kg (7lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Drill Chuck
- Chuck Key
- Grp (Side Handle)

6300L £225

- 13mm chuck, Rotary Angle Drill




Maximum in Steel	13mm (1/2")
Maximum in Wood	30mm (1 1/8")
No Load Speeds	High (Low) 800 (350)rpm <i>(with right angle attachment)</i>
No Load Speed	550rpm <i>(without right angle attachment)</i>
Input Wattage	650w
Dimensions (l x w x h)	385 x 80 x 138mm
Dimension (Angle Head)	135mm
Net Weight	3.7kg (8.14lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Depth Gauge
- Side Grp
- Right Angle Attachment
- Wrench 17mm

DP4700 £145

- 13mm Rotary Drill, Variable Speed




Maximum in Steel	13mm (1/2")
Maximum in Wood	36mm (1 3/8")
No Load, Variable Speeds	0 - 550 rpm
Input Wattage	510w
Dimensions (l x w x h)	255 x 85 x 185mm
Net Weight	2kg (4.4lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Drill Chuck
- Chuck Key
- Side Handle (Grp)

8410BV £134

- 10mm chuck, Rotary Percussion Drill





Maximum in Steel	10mm (3/8")
Maximum in Masonry	10mm (3/8")
No Load Speeds (Variable)	0 - 2,500 rpm
Blows per Minute	0 - 22,500 bpm
Input Wattage	350w
Dimensions (l x w x h)	220 x 75 x 185mm
Net Weight	1.6kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Side Handle (Grp)
- 6.5mm TCT Bit
- Mounted Point Abrasive Wheel
- Blow-out Bulb
- Steel Carrying Case

8419B £186

- Rotary Percussion Drill




Maximum in Steel	13mm (1/2")
Maximum in Masonry	19mm (3/4")
Maximum in Wood	30mm (1 3/16")
No Load Speeds	1,300rpm/1,000rpm
Blows per Minute	High 14,300 bpm Low 11,000 bpm
Input Wattage	650w
Dimensions (l x w x h)	360 x 80 x 140mm
Net Weight	3kg (6.6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Side Handle (Grp)
- 360° adjustment
- Depth Gauge
- TCT Bit
- Mounted Point Abrasive Wheel
- Blow Out Bulb
- Steel Carrying Case

8419B-2 £186

- Rotary Percussion Drill, 2 speed




Maximum in Steel	High 6.5mm (1/4") Low 13mm (1/2")
Maximum in Masonry	High 14mm (9/16") Low 19mm (3/4")
Maximum in Wood	High 18mm (3/4") Low 30mm (1 3/16")
No Load Speeds	2,300 rpm/900 rpm
Blows per Minute	High 46,000 bpm Low 18,000 bpm
Input Wattage	600w
Net Weight	3kg (6.6lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Drill Chuck & Key
- Side Handle
- Depth Gauge
- TCT Bit
- Mounted Point Abrasive Wheel
- Blow Out Bulb
- Steel Carrying Case

HP2010N £197

- Rotary Percussion, 2 speed & Variable




Maximum in Steel	High 6.5mm (1/4") Low 13mm (1/2")
Maximum in Masonry	High 14mm (9/16") Low 20mm (3/4")
No Load, Variable Speeds	High 0 - 2,300 rpm Low 0 - 900 rpm
Blows per Minute	High 0 - 46,000 bpm Low 0 - 18,000 bpm
Input Wattage	750w
Dimensions (l x w x h)	325 x 73 x 225mm
Net Weight	3kg (6.6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Side Handle (Grp)
- Depth Gauge
- Steel Carrying Case

8406 £214


- Rotary Percussion & Diamond Core Drill



Maximum in Steel	13mm (1/2")
Maximum in Masonry	20mm (3/4")
Maximum Dry Diamond Core	152mm (6")
Maximum in Wood	30mm (1 1/8")
No Load, Variable Speeds	0 - 1,500rpm
Blows per Minute	0 - 22,500bpm
Input Wattage	850w
Dimensions (l x w x h)	380 x 90 x 149mm
Net Weight	3.5kg (7.7lbs)


INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Side Handle (Grp)
- Steel Carrying Case



8419B £186

- Rotary Percussion Drill




Maximum in Steel	13mm (1/2")
Maximum in Masonry	19mm (3/4")
Maximum in Wood	30mm (1 3/16")
No Load Speeds	1,300rpm/1,000rpm
Blows per Minute	High 14,300 bpm Low 11,000 bpm
Input Wattage	650w
Dimensions (l x w x h)	360 x 80 x 140mm
Net Weight	3kg (6.6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Drill Chuck
- Chuck Key
- Side Handle (Grp)
- 360° adjustment
- Depth Gauge
- TCT Bit
- Mounted Point Abrasive Wheel
- Blow Out Bulb
- Steel Carrying Case

6701B £177

- Torque Adjustable Driver




Maximum Wood Screw	No 12 x 1 1/2"
Maximum Machine Screw	8mm (5/16")
Maximum Nut	6mm (1/4")
Screwdriver Bit Shank Size	1/4" Hex
No Load Speed	500rpm
Input Wattage	230w
Dimensions (l x w x h)	280 x 73 x 165mm
Net Weight	1.8kg (4lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Philips (+) Screwdriver Bit
- Slotted (-) Screwdriver Bit
- Offset Wrench (17mm)
- Hex Wrench (1/4")

9505BH £125

• 125mm (5") Grinder




Wheel Size (DPC and Cut-Off)	125mm (5")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	90mm (3 1/2")
Coated Abrasive Fibre Disc	125mm (5")
No Load Speed	10,500rpm
Input Wattage	590w
Net Weight	2.2kg (4.8lbs)

INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Wheel (Metal Grinding)
- Lock Nut Wrench 35 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut
- Wheel Guard (fitted)

GA5000 £125

• 125mm (5") Grinder





Wheel Size (DPC and Cut-Off)	125mm (5")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	90mm (3 1/2")
Coated Abrasive Fibre Disc	125mm (5")
No Load Speed	10,000rpm
Input Wattage	850w
Net Weight	2.5kg (5.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Wheel (Metal Grinding)
- Lock Nut Wrench 35 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut
- Wheel Guard (fitted)

9005B £136

• 125mm (5") Grinder. AC/DC Switch




Wheel Size (DPC and Cut-Off)	125mm (5")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	90mm (3 1/2")
Coated Abrasive Fibre Disc	125mm (5")
No Load Speed	10,900rpm
Input Wattage	1,020w
Net Weight	3kg (6.6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Wheel (Metal Grinding)
- Lock Nut Wrench 35mm (Pin Spanner)
- Side Handle • Inner Flange and Lock Nut
- Wheel Guard (fitted)

9607B £190

• 180mm (7") Grinder




Wheel Size (DPC and Cut-Off)	180mm (7")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	110mm (4 3/8")
No Load Speed	8,400rpm
Input Wattage	2,000w
Dimensions (l x w x h)	445 x 110 x 175mm
Net Weight	6kg (13.2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Lock Nut Wrench 35 (Pin Spanner) • Open Ended 17mm Wrench • Side Handle • Inner Flange and Lock Nut • Inner and Outer Cut-Off Flanges 78mm • Wheel Guard

9027F £195

• 180mm (7") Grinder with 180° Rotating Handle




Wheel Size (DPC and Cut-Off)	180mm (7")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	110mm (4 3/8")
Coated Abrasive Fibre Disc	180mm (7")
No Load Speed	8,500rpm
Input Wattage	2,000w
Dimensions (l x w x h)	472 x 100 x 140mm
Net Weight	5kg (12.1lbs)

INCLUSIVE STANDARD EQUIPMENT

- Lock Nut Wrench 35 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut
- Wheel Guard

9029F £207

• 230mm (9") Grinder with 180° Rotating Handle




Wheel Size (DPC and Cut-Off)	230mm (9")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	110mm (4 3/8")
Coated Abrasive Fibre Disc	180mm (7")
No Load Speed	6,600rpm
Input Wattage	2,000w
Dimensions (l x w x h)	472 x 100 x 140mm
Net Weight	6kg (13.2lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Lock Nut Wrench 35 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut
- Wheel Guard

9609BK £192

• 230mm (9") Grinder




Wheel Size (DPC and Cut-Off)	230mm (9")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	110mm (4 3/8")
Coated Abrasive Fibre Disc	180mm (7")
No Load Speed	6,500rpm
Input Wattage	2,000w
Net Weight	6.3kg (13.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- Lock Nut Wrench 35 (Pin Spanner) • Open Ended 17mm Wrench • Side Handle • Inner Flange and Lock Nut • Inner and Outer Cut-Off Flanges 78mm • Wheel Guard

9609 HB £171

• 230mm (9") Grinder with Spindle Lock




Wheel Size (DPC and Cut-Off)	230mm (9")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	110mm (4 3/8")
Coated Abrasive Fibre Disc	180mm (7")
No Load Speed	6,200rpm
Input Wattage	2,000w
Dimensions (l x w x h)	410 x 115 x 175mm
Net Weight	5.3kg (11.6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Lock Nut Wrench 35 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut
- Wheel Guard

906 £117

• Die Grinder




Collet Capacity	6mm
No Load Speed	25,000rpm
Input Wattage	240w
Dimensions (l x w x h)	285 x 74 x 74mm
Net Weight	0.9kgs (2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Collet Nut • Collet Cone • 2 Wheel Points
- 2 Wrenches (10 & 17mm) • Dressing Stone

JS1600 £242

• 1.6mm (1/16") Shear




Max Cut in Mild Steel	1.6mm (1/16")
Max Cut in Stainless Steel	1.2mm (3/64")
Minimum Cutting Radius	30mm (1 3/16")
Strokes per Minute	4,000spm
Input Wattage	300w
Dimensions (l x w x h)	230 x 80 x 145mm
Net Weight	1.7kg (3.7lbs)

INCLUSIVE STANDARD EQUIPMENT

- 2 Blades • 3mm Hex Wrench
- Wrench Holder

6800DBV £168

• Drywall Screwdriver




Maximum Wood Screw	No 12 x 2"
Maximum Dry Wall Screw	No 6
Maximum Self Drilling Screw	M6
Screwdriver Bit Shank Size	1/4" Hex
No Load, Variable Speeds	0 - 2,500rpm
Input Wattage	540w
Dimensions (l x w x h)	253 x 70 x 180mm
Net Weight	1.3kg (2.86lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Philips Insert (+) Bit • Magnetic Screwdriver Bit Holder (05113)
- Available 110V Only

6802BV £177

• Construction Screwdriver




Maximum Wood Screw	No 12 x 2"
Maximum Size Self-Drilling Screw	M6
Screwdriver Bit Shank Size	1/4" Hex
No Load, Variable Speeds	0 - 2,500 rpm
Input Wattage	510w
Dimensions (l x w x h)	245 x 75 x 185mm
Net Weight	1.7kg (3.7lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Magnetic Socket Bit (3/8" A/F) • Steel Carrying Case

6805BV £192

• Torque Adjustable Screwdriver




Maximum Wood Screw	No 14 x 2"
Maximum Machine Screw	M8
Maximum Nut	M8
Maximum Self-Drilling Screw	M6
Screwdriver Bit Shank Size	1/4" Hex
No Load, Variable Speeds	0 - 2,500rpm
Input Wattage	510w
Dimensions (l x w x h)	260 x 75 x 190mm
Net Weight	1.9kg (4.2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Philips (+) Double Ended Screwdriver Bit
- Steel Carrying Case

6820V £171

• Drywall Screwdriver





Maximum Wood Screw	No 10 x 2"
Drywall Screw	M5
Maximum Self-Drilling Screw	M6
Screwdriver Bit Shank Size	1/4" Hex
No Load Speeds (Variable)	0 - 4,000rpm
Input Wattage	570w
Dimensions (l x w x h)	250 x 72 x 172mm
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- Philips No 2 (25mm) Insert Bit • Magnetic Screwdriver Bit Holder (06759)

6904VH £246

• Impact Wrench - 1/2" Square Drive




Bolt Range	M10 - M16
High Tensile	M10 - M12
Maximum Socket Size	32mm A/F
Impacts per Minute	High 0 - 3,200 ipm Low 0 - 2,500 ipm
No Load Speeds	High 0 - 2,400rpm Low 0 - 2,100rpm
Torque	High 196Nm (145 lbs/ft) Low 147Nm (109 lbs/ft)
Input Wattage	360w
Net Weight	1.8kg (4lbs)

INCLUSIVE STANDARD EQUIPMENT

- 3 Sockets (17 x 39, 21 x 24, 26 x 45) • Steel Carrying Case

6905B £311

• Impact Wrench




Bolt Range	M12 - M20
Maximum Socket Size	32mm A/F
Square Drive	12.7mm (1/2")
Impacts per Minute	2,000 ipm
No Load Speed	1,700rpm
Torque	294Nm (217 lbs/ft)
Input Wattage	440w
Dimensions (l x w x h)	270 x 75 x 215mm
Net Weight	2.7kg (6lbs)

INCLUSIVE STANDARD EQUIPMENT

- 3 Sockets (19 x 40, 22 x 42, 24 x 43.5) • Hex Wrench (4mm) • Steel Carrying Case

6906 £395

• Impact Wrench



Bolt Range	M16 - M22
Maximum Socket Size	36mm A/F
Square Drive	19mm (3/4")
Impacts per Minute	1,600 ipm
No Load Speed	1,700rpm
Torque	588Nm (433 lbs/ft)
Input Wattage	650w
Dimensions (l x w x h)	335 x 90 x 225mm
Net Weight	5kg (11lbs)


INCLUSIVE STANDARD EQUIPMENT:

- Socket (32 x 56) • Hex Wrench (4mm)
- Grp Assembly • Steel Carrying Case

Available 110V Only

9501B £95

• 100mm (4") Grinder





Wheel Size (DPC and Cut-Off)	100mm (4")
Bore Size	16mm (5/8")
Spindle Size	M10 x 1.25
Coated Abrasive Fibre Disc	100mm (4")
Wire Cup Brush	75mm (3")
No Load Speed	12,000rpm
Input Wattage	385w
Net Weight	1.8kg (4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Wheel (Metal Grinding)
- 14mm Open-ended Wrench • Lock Nut Wrench 20 (Pin Spanner) • Inner Flange and Lock Nut • Wheel Guard (fitted)

9503B £106

• 100mm (4") Grinder





Wheel Size (DPC and Cut-Off)	100mm (4")
Bore Size	16mm (5/8")
Spindle Size	M10 x 1.25
Coated Abrasive Fibre Disc	100mm (4")
Wire Cup Brush	75mm (3")
No Load Speed	11,000rpm
Input Wattage	590w
Net Weight	1.8kg (4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Wheel (Metal Grinding)
- Lock Nut Wrench 20 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut • Wheel Guard (fitted)

9503BH £112

• 115mm (4 1/2") Grinder




Wheel Size (DPC and Cut-Off)	115mm (4 1/2")
Bore Size	22mm (7/8")
Spindle Size	M14 x 2
Wire Cup Brush	75mm (3")
No Load Speed	11,000rpm
Input Wattage	590w
Dimensions (l x w x h)	260 x 75 x 98mm
Net Weight	2.2kg (4.8lbs)

INCLUSIVE STANDARD EQUIPMENT:

- Depressed Centre Wheel (Metal Grinding) • Lock Nut Wrench 35 (Pin Spanner) • Side Handle • Inner Flange and Lock Nut • Wheel Guard (fitted)

JS1660 £171

• 1.6mm (1/16") Straight Shear



110 240


Max Cut In Mild Steel	1.6mm (1/16")
Max Cut In Hard Steel	1.2mm (3/64")
Max Cut In Stainless Steel	1.2mm (3/64")
Max Cut In Aluminium	2.0mm (5/64")
Strokes per Minute	4,500spm
Input Wattage	260w
Dimensions (l x w x h)	305 x 72 x 75mm
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- 3mm Hex Wrench
- Thickness Gauge
- Wrench Holder

2414 £365

• 355mm (14") Portable Cut-off Saw



110 240


Wheel Diameter	355mm (14")
Hole Diameter	25.4mm (1")
Max Cutting Capacity	100mm (4")
No Load Speed	3,800rpm
Input Wattage	1,450w
Dimensions (l x w x h)	490 x 550 x 260mm
Net Weight	16.5kg (36.3lbs)

INCLUSIVE STANDARD EQUIPMENT

- Abrasive Cut-off Wheel (Steel Cutting)
- Socket Wrench
- Wheel Arbor (20mm ID x 25.4mm OD)
- Inner Flange
- Outer Flange Bolt and Washer

JS1670 £175

• 1mm (3/64") Straight Shear



110 240


Max Cut In Mild Steel	1.0mm (3/64")
Max Cut In Hard Steel	0.7mm (1/32")
Max Cut In Stainless Steel	0.7mm (1/32")
Max Cut In Aluminium	1.5mm (1/16")
Minimum Cutting Radius	30mm (1 1/16")
Strokes per Minute	4,500spm
Input Wattage	260w
Dimensions (l x w x h)	305 x 72 x 75mm
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- 3mm Hex Wrench
- Wrench Holder

2414K £376

• 355mm (14") Portable Cut-off Saw




110 240

• 2414K has the same Standard Equipment and Specification as the 2414 but with the added benefits of an upgraded, 1670 watt Makita motor and a new QUICK-ACTION vice.

Net Weight 17.5kg (38.5lbs)

JS3200 £369

• 3.2mm (1/8") Shear



110 240


Max Cut in Mild Steel	3.2mm (1/8")
Max Cut in Stainless Steel	2.5mm (3/32")
Minimum Cutting Radius	50mm (2")
Strokes per Minute	1,600spm
Input Wattage	660w
Dimensions (l x w x h)	200 x 85 x 238mm
Net Weight	3.5kg (7.7lbs)

INCLUSIVE STANDARD EQUIPMENT.

- 2 Shear Blades
- 4mm Hex Wrench
- Thickness Gauge
- Steel Carrying Case

9306 £192

• 150mm (6") Bench Grinder



240

Distance between Wheels	210mm
Wheel Size (dia x thickness)	150 x 16mm
Bore Size	12.7mm
Input Wattage	315w (Induction Motor)
No Load Speed	3,000rpm
Dimensions (l x w x h)	285 x 185 x 197mm
Net Weight	10kg (22lbs)


INCLUSIVE STANDARD EQUIPMENT

- 13 x 21mm Offset Wrench
- Eyeshield Assembly x 2

Available 240V Only

JN1600 £261

• 1.6mm (1/16") Nibbler



110 240


Max Cut in Mild Steel	1.6mm (1/16")
Max Cut in Stainless Steel	1.2mm (3/64")
Minimum Cutting Radius	
- Outside Edge	15mm (5/8")
- Inside Edge	7mm (5/16")
Strokes per Minute	2,200 spm
Input Wattage	300w
Dimensions (l x w x h)	242 x 75 x 132mm
Net Weight	1.5kg (3.3lbs)

INCLUSIVE STANDARD EQUIPMENT.

- 3mm Hex Wrench
- Punch and Die Set
- Wrench Holder

9308 £289

• 205mm (8") Bench Grinder



240

Distance between Wheels	220mm
Wheel Size (dia x thickness)	205 x 19mm
Bore Size	16mm
Input Wattage	530w (Induction Motor)
No Load Speed	3,000rpm
Dimensions (l x w x h)	310 x 240 x 300mm
Net Weight	16kg (35.2lbs)


INCLUSIVE STANDARD EQUIPMENT.

- 13 x 24mm Offset Wrench
- Eyeshield Assembly x 2

Available 240V Only

JN3200 £393

• 3.2mm (1/8") Nibbler



110 240


Max Cut in Mild Steel	3.2mm (1/8")
Max Cut in Stainless Steel	2.5mm (3/32")
Minimum Cutting Radius	
- Outside Edge	128mm (5 1/16")
- Inside Edge	120mm (4 3/4")
Strokes per Minute	1,300 spm
Input Wattage	660w
Dimensions (l x w x h)	210 x 90 x 255mm
Net Weight	3.5kg (7.7lbs)

INCLUSIVE STANDARD EQUIPMENT.

- Punch & Die Set
- 3mm Hex Wrench
- 2 Spacers
- Steel Carrying Case

MM32 £851

• Rotary Drill with Magnetic Stand



110

Maximum Cutter Size	32mm (1 1/4")
Minimum Cutter Size	13mm (1/2")
Clamping Force (min 1/4" material)	142.1Nm (1450 lbs/ft)
No Load Speed	550rpm
Input Wattage	710w
Net Weight	14kg (30.8lbs)

INCLUSIVE STANDARD EQUIPMENT

- 1 metre Safety Chain
- Carabina Hook (Snap Link)
- 2, 3, 4, 5 & 6mm Hex Wrenches
- 500ml Cutting Oil
- Perspex Safety Guard
- Steel Carrying Case

240v available to Special Order

4105KB**£289**

- 125mm (5") Dustless Cutter



Maximum Cutting @ 90°	40mm (1 5/8")
Blade Diameter	125mm (5")
Bore Diameter	20mm (3/4")
No Load Speed	7,500rpm
Input Wattage	1,050w

Dimensions (l x w x h)	230 x 210 x 159mm
Net Weight	3.2kg (7.04lbs)

INCLUSIVE STANDARD EQUIPMENT

- Dust Bag • 9mm Socket Wrench • 22mm Wrench • Diamond Wheel

Recommended to be fitted to Dust Extraction System (see Section 10)

PC1100**£495**

- 110mm (4 3/8") Concrete Planer



Maximum Stock Removal	2.5mm (1/10") (at one pass)
Wheel Diameter	110mm (4 3/8")
Hole Diameter	15mm (5/8")
No Load Speed	10,000rpm
Input Wattage	1,020w

Dimensions (l x w x h)	420 x 125 x 145mm
Net Weight	4.3kg (9.5lbs)


INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Diamond Wheel • Pin Spanner • 5mm Hex Wrench • Dust Bag Assembly • Screwdriver • Steel Carrying Case

Recommended to be fitted to Dust Extraction System (see Section 10)

1100**£233**

- 82mm Heavy Duty Planer



Planing Width	82mm (3 1/4")
Planing Depth (per Pass)	3mm (1/8")
Maximum Rebate Depth	20mm (3/4")
No Load Speed	16,000rpm
Cuts per Minute	32,000 cpm
Input Wattage	750w


Dimensions (l x w x h)	390 x 170 x 142mm
Net Weight	4.9kg (10.78lbs)

INCLUSIVE STANDARD EQUIPMENT

- Blade Gauge Assembly • Screwdriver • Socket Wrench • Rebate Fence (Guide Rule) • Carbide Mini Blades • Hex Head Flange Bolts • Steel Carrying Case • Set Plates for Mini Blades

1125**£231**

- 82mm Heavy Duty Planer




Planing Width	82mm (3 1/4")
Planing Depth (per Pass)	2mm (1/16")
Maximum Rebate Depth	25mm (1")
No Load Speed	12,000rpm
Cuts per Minute	24,000 cpm
Input Wattage	700w


Dimensions (l x w x h)	330 x 165 x 190mm
Net Weight	4.2kg (9.3lbs)

INCLUSIVE STANDARD EQUIPMENT

- Sharpening Holder Assembly • Blade Gauge Assembly • Screwdriver • Socket Wrench • 2 x HSS Planer Blades (82mm) • Rebate Fence (Guide Rule) • Hex Head Flange Bolts

1923BD**£188**

- 82mm General Duty Planer




Planing Width	82mm (3 1/4")
Planing Depth (per pass)	1mm (1/32")
Maximum Rebate Depth	23mm (7/8")
No Load Speed	15,000rpm
Cuts per Minute	30,000 cpm
Input Wattage	550w
Net Weight	2.9kg (6.4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Sharpening Holder Assembly • Blade Adjustment Assembly • Screwdriver • Socket Wrench • 2 x HSS planer blades (82mm) • Rebate Fence (Guide Rule) • Sharpening Stone • Hex Head Flange Bolts • Dust Bag

1911B**£203**

- 110mm Planer for Smoothing




Planing Width	110mm (4 3/8")
Planing Depth (per Pass)	2mm
No Load Speed	16,000rpm
Cuts per Minute	32,000 cpm
Input Wattage	840w
Dimensions (l x w x h)	356 x 174 x 180mm
Net Weight	4.2kg (9.24lbs)

INCLUSIVE STANDARD EQUIPMENT

- Sharpening Holder Assembly • Socket Wrench • Cutter Leveller • 2 x HSS Planer Blades (110mm) • Planing Fence

3600B**£268**

- 12mm (1/2") Plunge Router




Chuck Capacity	12mm or 1/2"
Collet Capacity	1/4" and 3/8"
No Load Speed	22,000rpm
Input Wattage	1,500w
Maximum Plunge Capacity	0-60mm (0-2 3/8")
Dimensions (h x w x d)	290 x 260 x 142mm
Net Weight	5.0kg (11lbs)
Height when Fully Plunged	226mm

INCLUSIVE STANDARD EQUIPMENT

- Trimmer Guide Assembly • Straight Guide Assembly • Guide Holder Assembly • 16mm Template Guide • Collets (1/4" + 3/8") • Wrenches (21mm + 23mm) • TCT Straight Cutter (2-flute 12E)

3612BR**£279**

- 12mm (1/2") Plunge Router




Chuck Capacity	12mm or 1/2"
Collet Sleeve Sizes	1/4" and 3/8"
No Load Speed	23,000rpm
Input Wattage	1,600w
Maximum Plunge Capacity	0-65mm (2.9 1/16")
Dimensions (h x w x d)	295 x 265 x 262mm
Net Weight	5.7kg (12.54lbs)

INCLUSIVE STANDARD EQUIPMENT

- Trimmer Guide Assembly • Straight Guide Assembly • Guide Holder Assembly • 16mm Template Guide • Collet sleeves (1/4" + 3/8") • Wrenches (8mm + 24mm) • TCT Straight Cutter (2-flute 12E) • 1/2" Collet Cone

3700B**£146**

- 6mm (1/4") Trimmer




Collet Capacity	6mm and 1/4"
No Load Speed	28,000rpm
Input Wattage	440w
Dimensions (h x w x d)	235 x 96 x 85mm
Base size	82 x 90mm (3 1/4" x 3 1/2")
Height when Fully Closed	196mm
Net Weight	1.6kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Trimmer Guide Assembly • Straight Guide Assembly • 10mm Template Guide • 6mm TCT Straight Bit • 2 Wrenches (10 & 17mm) • 6mm Collet Cone • 1/4" Collet Cone

3703**£158**

- 6mm (1/4") Trimmer




Collet Capacity	6mm and 1/4"
No Load Speed	30,000rpm
Input Wattage	350w
Dimensions (h x w x d)	247 x 150 x 90mm
Base size	80 x 90mm (3 1/4" x 3 1/2")
Height when Fully Closed	200mm
Net Weight	1.5kg (3.3lbs)

INCLUSIVE STANDARD EQUIPMENT

- Trimmer Guide Assembly • Straight Guide Assembly • 10mm Template Guide • 6mm Straight Bit • 2 Wrenches (10 + 17mm) • 1/4" Collet Cone • Chip Deflector

3705 **£148**

• Offset Laminate Trimmer




Collet Capacity	6mm and 1/4"
No Load Speed	23,000rpm
Input Wattage	420w
Dimensions (h x w x d)	220 x 100 x 120mm
Base size	100 x 119mm
Height when Fully Closed	200mm
Net Weight	1.8kg (4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Trimmer Guide Assembly
- Straight Guide Assembly
- 10mm Template Guide
- 6mm Straight Bit
- 2 Wrenches (10 + 17mm)
- 1/4" Collet Cone

SR1600 **£177**

• 165mm (6 1/2") Circular Saw




Cutting Range @ 90°	5 - 55mm (3/16" - 2 1/8")
Max Cut @ 45°	39mm (1 1/2")
Blade Diameter	165mm (6 1/2")
Hole Diameter	15.8mm (5/8")
No Load Speed	4,000rpm
Input Wattage	900w
Dimensions (l x w x h)	257 x 210 x 230mm
Net Weight	3.7kg (8 1/2 lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Saw Blade
- 9mm Socket Wrench
- Rip Fence
- Inner Flange
- Outer Flange

4300BA **£160**

• Single Speed Jig Saw




Maximum Cut in Wood @ 90°	55mm (2 1/8")
Maximum Cut in Wood @ 45°	35mm (1 3/8")
Maximum Cut in Steel @ 90°	6mm (1/4")
Length of Stroke	26mm (1")
Strokes per Minute	3,100 spm
Input Wattage	390w
Dimensions (l x w x h)	195 x 77 x 185mm
Net Weight	2.5kg (5.5 lbs)

INCLUSIVE STANDARD EQUIPMENT

- Jig Saw Blade Set (6 pieces)
- Rip Fence (Guide Rule)
- Circle Cutting Guide
- Universal Blade Clamp
- 3mm Hex Wrench and Holder

SR1800 **£192**

• 185mm (7 1/4") Circular Saw




Cutting Range @ 90°	13 - 65mm (1/2" - 2 5/8")
Maximum Cut @ 45°	45mm (1 3/4")
Blade Diameter	185mm (7 1/4")
Hole Diameter	15.8mm (5/8")
No Load Speed	4,500rpm
Input Wattage	1,150w
Dimensions (l x w x h)	289 x 230 x 230mm
Net Weight	4.1kg (9 lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Saw Blade
- 9mm Socket Wrench
- Rip Fence
- Inner Flange
- Outer Flange

4300BV **£181**


• Variable Speed Jig Saw



The 4300BV has the same Specification, Performance and Standard Equipment as the 4300BA but with the added benefits of Variable Speed and a Steel Carrying Case

5801B **£158**

• 185mm (7.1/4") Circular Saw




Cutting Range @ 90°	0 - 66mm (0 - 2 5/8")
Maximum Cut @ 45°	44mm (1 3/4")
Blade Diameter	185mm (7 1/4")
Hole Diameter	15.8mm (5/8")
No Load Speed	4,500rpm
Input Wattage	960w
Dimensions (l x w x h)	275 x 230 x 230mm
Net Weight	3.9kg (8 6/8 lbs)

INCLUSIVE STANDARD EQUIPMENT

- Combination Plate Blade
- 9mm Socket Wrench
- Rip Fence
- Inner Flange
- Outer Flange

4301BV **£189**

• Orbital Jig Saw




Maximum Cut in Wood @ 90°	50mm (2")
Maximum Cut in Wood @ 45°	32mm (1 1/4")
Maximum Cut in Steel @ 90°	6mm (1/4")
Length of Stroke	26mm (1")
Strokes per Minute (Variable)	0 - 3,100 spm
Input Wattage	450w
Dimensions (l x w x h)	200 x 80 x 194mm
Net Weight	2.7kg (6 lbs)

INCLUSIVE STANDARD EQUIPMENT

- Jig Saw Blade Set (6 pieces)
- Rip Fence (Guide Rule)
- Circle Cutting Guide
- 3mm Hex Wrench and Holder
- Steel Carrying Case

SR2100 **£220**

• 210mm (8 1/4") Circular Saw




Cutting Range @ 90°	16 - 75mm (5/8" - 3")
Maximum Cut @ 45°	55mm (2 1/8")
Blade Diameter	210mm (8 1/4")
Hole Diameter	25mm (1")
No Load Speed	5,200rpm
Input Wattage	1,400w
Dimensions (l x w x h)	320 x 230 x 250mm
Net Weight	6.2kg (13 6/8 lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Saw Blade
- 13mm Socket Wrench
- Rip Fence
- Inner Flange (Reversible to allow 30mm Hole Diameter Blades to be used)
- Outer Flange
- Side Handle

4302C **£200**

• ELECTRONIC Orbital Jig Saw





Maximum Cut in Wood @ 90°	60mm (2 3/8")
Maximum Cut in Wood @ 45°	40mm (1 5/8")
Maximum Cut in Steel @ 90°	10mm (3/8")
Length of Stroke	26mm (1")
Strokes per Minute	1,000 - 3,000 spm
Input Wattage	650w
Dimensions (l x w x h)	205 x 80 x 194mm
Net Weight	2.5kg (5 1/2 lbs)

INCLUSIVE STANDARD EQUIPMENT

- Jig Saw Blade Set (6 pieces)
- Saw Fence (Guide Rule) and Saw Fence Clamp
- Circle Cutting Guide
- 3mm Hex Wrench and Holder
- Steel Carrying Case

SR2300 **£240**

• 235mm (9 1/4") Circular Saw




Cutting Range @ 90°	26 - 84.5mm (1" - 3 3/8")
Maximum Cut @ 45°	61mm (2 3/8")
Blade Diameter	235mm (9 1/4")
Hole Diameter	25mm (1")
No Load Speed	4,400rpm
Input Wattage	1,400w
Dimensions (l x w x h)	360 x 240 x 270mm
Net Weight	7.2kg (15 8/8 lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Saw Blade
- 13mm Socket Wrench
- Rip Fence
- Inner Flange (reversible to allow 30mm Hole Diameter Blades to be used)
- Outer Flange
- Side Handle

5900BR £240

• 235mm (9 1/4") Circular Saw




Cutting Range @ 90°	0 - 84mm (0 - 3 1/4")
Maximum Cut @ 45°	58mm (2 1/4")
Blade Diameter	235mm (9 1/4")
Hole Diameter	25mm (1")
No Load Speed	4,100rpm
Input Wattage	1,380w
Dimensions (l x w x h)	390 x 278 x 270mm
Net Weight	8kg (17 6lbs)

INCLUSIVE STANDARD EQUIPMENT

• Combination Plate Blade • Rip Fence • Saw Arbor (25 ID x 35mm OD) • Inner Flange • Outer Flange • Side Handle • Double Open End Wrench (9 x 13mm)

SR2600 £279

• 266mm (10 1/2") Circular Saw




Cutting Range @ 90°	35 - 100mm (1 3/8" - 4")
Maximum Cut @ 45°	73mm (2 7/8")
Blade Diameter	266mm (10 1/2")
Hole Diameter	25mm (1")
No Load Speed	4,000rpm
Input Wattage	1,900w
Dimensions (l x w x h)	395 x 265 x 285mm
Net Weight	8.1kg (17.8lbs)

INCLUSIVE STANDARD EQUIPMENT

• TCT Saw Blade • 13mm Socket Wrench • Rip Fence • Inner Flange (reversible to allow 30mm Hole Diameter Blades to be used) • Outer Flange

JR3000 £203

• Recipro, "SHARK" Saw




Length of Stroke	30mm (1 3/16")
Strokes per Minute	High 2,500 spm Low 1,900 spm
Input Wattage	540w
Dimensions (l x w x h)	400 x 78 x 140mm
Net Weight	2.9kg (6.4lbs)

INCLUSIVE STANDARD EQUIPMENT

• 4mm Hex Wrench • Saw Blade Set (Nos 21, 22 and 23) • Steel Carrying Case

JR3000V £214

• Variable Speed Recipro, "SHARK" Saw




Length of Stroke	30mm (1 3/16")
No Load, Variable Speeds	0 - 2,300 spm
Input Wattage	590w
Dimensions (l x w x h)	400 x 78 x 140mm
Net Weight	2.9kg (6.4lbs)

INCLUSIVE STANDARD EQUIPMENT

• 4mm Hex Wrench • Saw Blade Set (Nos 21, 22 and 23)

2400B £473

• 255mm (10") Mitre Saw




Blade Diameter	255mm (10")
Max Cut @ 90°	72 x 122mm (2 7/8" x 4 3/4")
Max Cut @ 45°	72 x 90mm (2 7/8" x 3 1/2")
No Load Speed	4,100rpm
Input Wattage	1,380w
Dimensions (l x w x h)	520 x 480 x 460mm
Net Weight	25kg (55lbs)

INCLUSIVE STANDARD EQUIPMENT

• Workpiece Holder Set • 13mm Socket Wrench • Dust Bag • Set Plate • Vice • Inner Flange • Ring (16mm ID x 25mm OD) • Outer Flange and Bolt • Dust Extraction Joint
NB Supplied without Blade

2708 £376

• 203mm (8") Table Saw




Blade Diameter	203mm (8")
Maximum Cut @ 90°	61mm (2 3/8")
Maximum Cut @ 45°	40mm (1 5/8")
No Load Speed	4,500rpm
Input Wattage	1,350w
Dimensions (l x w x h)	660 x 460 x 375mm
Net Weight	17kg (37 5lbs)

INCLUSIVE STANDARD EQUIPMENT

• Combination Saw Blade • Rip Fence • Mitre Gauge • 3 Wrenches (19mm, 22mm, 10 x 13mm) • 5mm Hex Wrench

9924DB £203

• 76mm Belt Sander




Belt Sizes	76 x 610 - 620mm (3" x 24 - 24 3/8") or 100 x 610 - 620mm (4" x 24 - 24 3/8")
Belt Speed	400m/min (1,300ft/min)
Input Wattage	1,000w
Dimensions (l x w x h)	360 x 160 x 162mm
Net Weight	4.8kg (10.6lbs)

INCLUSIVE STANDARD EQUIPMENT

• Carbon Plate • Dust Bag
Available 240V Only

9401 £268

• 100mm Super Duty Belt Sander




Belt Size	100 x 610mm (4" x 24")
Belt Speed	350m/min (1150ft/min)
Input Wattage	1,040w
Dimensions (l x w x h)	365 x 170 x 180mm
Net Weight	7.3kg (16.1lbs)

INCLUSIVE STANDARD EQUIPMENT

• Carbon Plate • Dust Bag • Abrasive Belts Pack of 5 • Step (Bench Stand)
Recommended to be fitted to Dust Extraction System (see Section 10)

9030 £181

• 28mm Multi-purpose Sander




Belt Size	28 x 533mm (1 3/16" x 21")
Belt Speed	1,000m/min (3,280ft/min)
Input Wattage	490w
Dimensions (l x w x h)	385 x 165 x 85mm
Net Weight	1.8kg (4lbs)

INCLUSIVE STANDARD EQUIPMENT

• Abrasive Belts (pack of 10)
Available 240V Only

9035KB £175

1/3rd Sheet Orbital Sander with Dust Bag




Pad Size	93 x 185mm (3 5/8" x 7 1/4")
Abrasive Papers	93 x 228mm (3 5/8" x 9")
Orbit Diameter	5.0mm (7/32")
Orbits per minute	5,500 opm
Input Wattage	520w
Dimensions (l x w x h)	215 x 130 x 172mm
Net Weight	2.7kg (5.94lbs)

INCLUSIVE STANDARD EQUIPMENT

• Dust Bag • Abrasive Papers (pack of 6)

9035N £106

• 1/3rd Sheet Dual Action Sander



Pad Size	93 x 185mm (3 5/8" x 7 1/4")
Abrasive Papers	93 x 228mm (3 5/8" x 9")
Orbit Diameter	2.0mm (1/16")
Orbits per minute	7,000 opm
Input Wattage	130w
Dimensions (l x w x h)	235 x 93 x 150mm
Net Weight	1.45kg (3.19lbs)


INCLUSIVE STANDARD EQUIPMENT

- Abrasive Papers (pack of 6)

Available 240V Only

BO5000 £95

• Random Orbit Palm Sander



Pad Diameter	123mm (4 13/16")
Abrasive Disc Diameter	125mm (5")
Orbit Diameter	4mm (5/32")
Orbits per Minute	10,000 opm
Input Wattage	180w
Dimensions (l x w x h)	127 x 123 x 151mm
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT


- Velcro-backed Abrasive Discs (pack of 6)

Recommended to be fitted to Dust Extraction System (see Section 10)

Available 240V Only

9036 £76

• 1/3rd Sheet Orbital Finishing Sander



Pad Size	93 x 185mm (3 5/8" x 7 1/4")
Abrasive Papers	93 x 228mm (3 5/8" x 9")
Orbit Diameter	2.3mm (3/32")
Orbits per minute	12,000 opm
Input Wattage	180w
Dimensions (l x w x h)	238 x 93 x 157mm
Net Weight	1.4kg (3lbs)

INCLUSIVE STANDARD EQUIPMENT.


- Abrasive Papers (pack of 6) • Punch Plate

Recommended to be fitted to Dust Extraction System (see Section 10)

Available 240V Only

9207SPB £212

• 180mm (7") Sander/Polisher




Abrasive Fibre Disc Diameter	180mm (7")
Wool Bonnet Diameter	180mm (7")
Spindle Size	M14 x 2
No Load Speeds	High 4,000rpm Low 2,000rpm
Input Wattage	600w
Dimensions (l x w x h)	400 x 83 x 122mm
Net Weight	3.4kg (7.48lbs)

INCLUSIVE STANDARD EQUIPMENT

- Abrasive Discs (pack of 10) • Rubber Backing Pad • Wool Bonnet • Lock Nut Wrench • Lock Nut • 17mm Wrench • Side Handle (Grp)

9045N £177

• 1/2 Sheet Orbital Finishing Sander




Pad Size	114 x 234mm (4 1/2" x 9 1/4")
Abrasive Papers	114 x 280mm (4 1/2" x 11")
Orbit Diameter	2.4mm (3/32")
Orbits per Minute	10,000 opm
Input Wattage	520w
Dimensions (l x w x h)	268 x 132 x 160mm
Net Weight	2.8kg (6.2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Dust Bag • Abrasive Papers (pack of 10)

9207SPC £246

• Electronic Sander/Polisher



Abrasive Fibre Disc Diameter	180mm (7")
Wool Bonnet Diameter	180mm (7")
Spindle Size	M14 x 2
No Load Speeds	1,500 - 2,800rpm
Input Wattage	810w
Dimensions (l x w x h)	400 x 83 x 142mm
Net Weight	3.5kg (7.7lbs)


INCLUSIVE STANDARD EQUIPMENT

- Abrasive Discs (pack of 10) • Rubber Backing Pad • Wool Bonnet • Lock Nut Wrench • Lock Nut • 17mm Wrench • Side Handle (Grp)

Available 240V Only

BO4550 £93

• Dustless Palm Sander




Pad Size	112 x 100mm (4 3/8" x 4")
Abrasive Sheet	114 x 140mm (4 1/2" x 5 1/2")
Orbit Diameter	1.5mm (1/16")
Orbits per Minute	14,000 opm
Input Wattage	160w
Dimensions (l x w x h)	115 x 112 x 130mm
Net Weight	0.95kg (2.1lbs)

INCLUSIVE STANDARD EQUIPMENT

- Abrasive Papers (pack of 10) • Dust Bag Assembly • Punch Plate

9741 £363

• Wheel Sander



Wheel Size	100 x 120mm (4" x 4 3/4")
No Load Speed	3,500rpm
Input Wattage	860w
Dimensions (l x w x h)	310 x 180 x 172mm
Net Weight	4.2kg (9.2lbs)


INCLUSIVE STANDARD EQUIPMENT

- Silt Paper Wheel • 2.6mm Hex Wrenches • Joint for connection to Dust Extraction • Steel Carrying Case

Recommended to be fitted to Dust Extraction System (see Section 10)

BO4560 £89

• Palm Sander



Pad Size	85 x 160mm (3 3/8" x 6 1/4")
Abrasive Sheet	85 x 160mm (3 3/8" x 6 1/4")
Orbit Diameter	1.5mm (1/16")
Orbits per Minute	14,000 opm
Input Wattage	160w
Dimensions (l x w x h)	176 x 92 x 127mm
Net Weight	0.9kg (2lbs)

INCLUSIVE STANDARD EQUIPMENT

- Self-adhesive Abrasive Papers (pack of 6)

Available 240V Only

402 £376

• 18 Litre Dry Vacuum



Maximum Airflow	3.1m³/min (109 cu ft/min)
Maximum Sealed Suction	1,700mm (68") (column of water)
Bin Capacity	18 litres (4.7 gallons)
No Load Speed	15,000 rpm
Input Wattage	1050w
Dimensions (l x w x h)	540 x 370 x 860mm
Net Weight	12kg (26.4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Nozzle Assembly • Hose • 2 Wrenches (10 & 19mm) • Brush • Straight Pipe • Bent Pipe • Corner Nozzle

404 £384

• 30 Litre Dry and 25 Litre Wet Vacuum




110 240	
Maximum Air Flow	in High 3.1m ³ /min (109 cu ft/min) in Low 2.3m ³ /min (81 cu ft/min)
Maximum Sealed Suction (column of water)	in High 1,800mm (71") in Low 1,150mm (45")
Capacity	Dry 30 litres (7.9 gallons) Wet 25 litres (6.6 gallons)
No Load Speeds	High 16,000rpm Low 13,000rpm
Input Wattage	1,050w

INCLUSIVE STANDARD EQUIPMENT

- Nozzle Assembly • Hose • 2 Wrenches
- Straight Pipe • Bent Pipe • Corner Nozzle

410 £265

• Dust Collector




110 240	
Dust Bag Capacity	200 litres (7 cu ft)
Peak Air Flow	8.7m ³ /min (307 cu ft/min) (with Hose and Dust Bag fitted)
Maximum Sealed Suction	510mm (20") (column of water)
No Load Speed	10,000rpm
Input Wattage	900w
Dimensions (l x w x h)	287 x 285 x 280mm
Net Weight	9.3kg (20.4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Dust Bag • 2.5m Hose

4014NV £160

• Blower with Dust Bag




V V V V V	
Max Peak Airflow	2.8m ³ /min (98cu ft/min)
Maximum Air Pressure	0 - 560mm (0" - 22") (column of water)
Maximum Sealed Suction (column of water)	300mm (12")
No Load Speeds	0 - 16,000rpm
Input Wattage	600w
Dimensions (l x w x h)	225 x 170 x 210mm (without nozzle)
Net Weight	1.75kg (3.8lbs)

INCLUSIVE STANDARD EQUIPMENT

- Nozzle • Dust Bag

UH4500 £138


• Dual Action Hedge Trimmer



V V V V V	
Blade Length	450mm (17 3/4")
Strokes per Minute	1,700 spm
Maximum Cutting Diameter	12mm (1/2")
Input Wattage	500w
Dimensions (l x w x h)	755 x 170 x 175mm (with blade fitted)
Net Weight	3.1kg (6.8lbs)
Available 240V Only	

UH6300 £149


• 630mm Dual Action Hedge Trimmer



V V V V V	
Blade Length	630mm (24 3/4")
Strokes per Minute	1,700 spm
Maximum Cutting Diameter	12mm (1/2")
Input Wattage	500w
Dimensions (l x w x h)	939 x 170 x 175mm (with blade fitted)
Net Weight	3.4kg (7.5lbs)
Available 240V Only	

5014NB £214

• 340mm Chain Saw



240	
Chain Length	340mm (13 3/8")
Chain Speed	400m/min (1,310ft/min)
Input Wattage	1,300w
Dimensions (l x w x h)	750 x 230 x 225mm (with blade & chain fitted)
Net Weight	6kg (13.2lbs)


INCLUSIVE STANDARD EQUIPMENT

- Chain Blade • Guide Bar and Cover
- 100cc Oil • 13mm Socket Wrench • File
- Screwdriver

Available 240V Only

5016NB £225

• 375mm Heavy Duty Chain Saw




110 240	
Chain Length	375mm (14")
Chain Speed	400m/min (1,310ft/min)
Input Wattage	1,300w
Dimensions (l x w x h)	795 x 230 x 225mm (with blade & chain fitted)
Net Weight	6.3kg (13.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- Chain Blade • Guide Bar and Cover
- 100cc Oil • 13mm Socket Wrench • File
- Screwdriver

G1300K £585

• 1100W Portable Generator




SPECIFICATION:	
AC Voltages and Currents	110v 9.2A 240v 4.6A
Frequency	50Hz
Rated Wattage Output	1,100w
Displacement	143cc
Engine Power	2.2hp
Fuel Tank Capacity	7 litres (1.53 gallons)
Dimensions (l x w x h)	540 x 375 x 450mm
Net Weight	38kg (83.6lbs)
240V + 110V Supply via 16A Socket	

INCLUSIVE STANDARD EQUIPMENT

- Battery charger lead (30330) • Spark Plug Spanner (30749)

G1900K £743

• 1600W Portable Generator




SPECIFICATION	
Voltages and Currents	110v 13.3A 240v 6.7A
Frequency	50Hz
Rated Wattage Output	1600w
Displacement	182cc
Engine Power	3.0hp
Fuel Tank Capacity	10 litres (2.19 gallons)
Dimensions (l x w x h)	570 x 375 x 480mm
Net Weight	45kg (99lbs)
240V + 110V Supply via 16A Socket	

INCLUSIVE STANDARD EQUIPMENT

- Battery charger lead (30330) • Spark Plug Spanner (30749)

G2800K £959


• 2400W Portable Generator



SPECIFICATION	
AC Voltages and Currents	110v 20A 240v 10A
Frequency	50Hz
Rated Wattage Output	2400w
Displacement	273cc
Engine Power	4.7hp
Fuel Tank Capacity	10 litres (2.19 gallons)
Dimensions (l x w x h)	645 x 420 x 520mm
Net Weight	52kg (114.5lbs)
240V Supply via 16A Socket 110V Supply via 32A Socket	


INCLUSIVE STANDARD EQUIPMENT

- Battery charger lead (30330) • Spark Plug Spanner (30749)



6092DWK £173

• 10mm Drill/Driver




Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (3/4")
Maximum Wood Screw	No 12 x 2"
No Load Speeds (Variable)	High 0 - 1,100rpm Low 0 - 400rpm
Dimensions (l x w x h)	247 x 58 x 262mm
Net Weight	1.6kg (3.5lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9100) • Battery Cartridge (9000) • Drill Chuck • Chuck Key • Philips (+) Bit • Steel Carrying Case

6093DW £192

• 10mm Drill / Screwdriver, with Torque




Maximum in Steel	10mm (3/8")
Maximum in Wood	18mm (11/16")
Max size Wood Screw	No 12 x 2"
Max size Machine Screw	M6
Max size Nut	M6
No Load, Variable Speeds	High 0 - 1,100rpm Low 0 - 400rpm
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Net Weight	1.7kg (3.7lbs)

INCLUSIVE STANDARD EQUIPMENT

- Fast 1 hr Charger (DC9700) 7.2V & 9.6V Dual Voltage • Battery Cartridge (9000) • Philips (+) Bit • Drill Chuck • Chuck Key • Steel Carrying Case

NHP1300S £100

• 13mm (1/2") Percussion Drill




Maximum in Wood	18mm (23/32")
Maximum in Steel	13mm (1/2")
Maximum in Masonry	13mm (1/2")
No Load, Variable Speeds	0 - 2,700rpm
Blows per Minute	0 - 29,700 bpm
Input Wattage	430W
Dimensions (l x w x h)	278 x 55 x 190mm
Net Weight	1.7kg (3.8lbs)

INCLUSIVE STANDARD EQUIPMENT

- Side Handle • 13mm Chuck (fitted) • Chuck Key • Chuck Key Holder • Steel Carrying Case

8400DW £186

• 10mm chuck, Percussion Drill




Max in Steel & Masonry	10mm (3/8")
Max size Wood Screw	No 7 x 1"
No Load Speed	900rpm
Blows Per Minute	10,000 bpm
Dimensions (l x w x h)	260 x 55 x 260mm
Net Weight	1.7kg (3.7lbs)
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9700) 7.2V & 9.6V Dual Voltage • Battery Cartridge (9000) • Drill Chuck • Chuck Key • Steel Carrying Case

N910 £70

• 115mm (4-1/2") Angle Grinder



Wheel Size (DPC and Cut-Off)	115mm (4 1/2")
Spindle Size	M14 x 2
No Load Speed	10,000rpm
Input Wattage	520W
Dimensions (l x w x h)	250 x 68 x 118mm
Net Weight	1.6kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Depressed Centre Wheel (Metal grinding) • Lock Nut Wrench 35 (Pin Spanner) • Open End Wrench • Inner Flange • Lock Nut • Grip (Side Handle) • Wheel Guard (fitted)

NB N910 is not recommended for brick raking



Note In Section 1 and The PRO Range Section, these symbols refer to the Battery Chargers supplied with Cordless Tools and not the tools themselves

6012DWK £125

• 10mm Drill/Driver




Maximum in Steel	10mm (3/8")
Maximum in Wood	15mm (5/8")
Maximum Wood Screw	No 8 x 1 1/2"
No Load Speeds	High 600rpm Low 250rpm
Dimensions (l x w x h)	235 x 56 x 212mm
Net Weight	1.2kg (2.6lbs)
Ni-Cad Battery Cartridge (7000)	7.2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC7100) • Battery Cartridge (7000) • Drill Chuck • Chuck Key • Philips (+) Bit • Steel Carrying Case

6071DWK £132

• 10mm Drill/Driver




Maximum in Steel	10mm (3/8")
Maximum in Wood	10mm (3/8")
Maximum Wood Screw	No 10 x 1 1/2"
No Load, Variable Speeds	0 - 600 rpm
Dimensions (l x w x h)	220 x 49 x 215mm
Net Weight	1.15kg (2.5lbs)
Ni-Cad Battery Cartridge (7000)	7.2v (6-Cell)
Charging Time	1 hour

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC7100) • Battery Cartridge (7000) • Drill Chuck • Chuck Key • Philips (+) Bit • Steel Carrying Case

6012HDW £158

• 10mm Drill/Driver with Torque




Maximum in Steel	10mm (3/8")
Maximum in Wood	15mm (5/8")
Maximum Wood Screw	No 10 x 2"
Maximum Machine Screw / Nut	6mm (1/4")
No Load Speeds	High 1,100 rpm Low 400 rpm
Dimensions (l x w x h)	261 x 56 x 257mm
Ni-Cad Battery Cartridge (9000)	9.6v (8-Cell)
Net Weight	1.6kg (3.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Fast 1hr Charger (DC9100) • Battery Cartridge (9000) • Drill Chuck • Chuck Key • Philips (+) Bit • Steel Carrying Case

9609NB £161

▪ 230mm (9") Grinder




Wheel Size (DPC and cut off)	230mm (9")
Spindle Size	M14 x 2
No Load Speed	6 200rpm
Input Wattage	1,800w
Dimensions (l x w x h)	410 x 110 x 180mm
Net Weight	5.3kg (11.6lbs)

INCLUSIVE STANDARD EQUIPMENT

- Lock Nut Wrench 35 (Pin Spanner) ▪ Side Handle ▪ Inner Flange (fitted) ▪ Lock Nut (fitted) ▪ Wheel Guard

1901 £112

▪ 82mm (3-1/4") Planer




Planing Width	82mm (3 1/4")
Planing Depth (per pass)	1mm (1/32")
Rebate Depth (max)	9mm (11/32")
No Load Speed	16,000rpm
Cutter Speed	32,000 cuts per minute
Input Wattage	580w
Dimensions (l x w x h)	290 x 158 x 160mm
Net Weight	2.5kg (5.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- Blade Adjustment Assembly ▪ Screwdriver (Philips) ▪ Socket Wrench ▪ Spare Flange Head Bolts ▪ TCT Reversible Mini Blades ▪ Blade Holding Plates ▪ Rebate Fence (Guide Rule)

3620 £147

▪ 10mm (3/8") Plunge Router




Chuck Size	3/8"
Collet Cone	1/4"
Maximum Plunge Capacity	0 - 35mm (1 3/8")
No Load Speed	24,000rpm
Input Wattage	860w
Dimensions (h x w x d)	253 x 210 x 110mm
Net Weight	2.4kg (5.28lbs)

INCLUSIVE STANDARD EQUIPMENT

- Straight Guide Assembly ▪ Wrenches (8mm, 13mm, 22mm) ▪ Collet Cones (1/4", 3/8") ▪ Plastic Carrying Case

4320 £96

▪ Variable Speed Jigsaw




Maximum Cut in Wood @ 90°	50mm (2")
Maximum Cut in Steel @ 90°	6mm (1/4")
Length of Stroke	18mm (11/16")
No Load, Variable Speeds	0 - 3200rpm
Input Wattage	310w
Dimensions (l x w x h)	160 x 68 x 175mm
Net Weight	1.3kg (2.9lbs)

INCLUSIVE STANDARD EQUIPMENT

- 3mm Hex Wrench ▪ Circle Cutting Guide Assembly ▪ Saw Fence (Guide Rule) ▪ Saw Fence Clamp ▪ Jig Saw Blade Set (3 pieces) Accepts MAKITA fitting JigSaw Blades

500 £106

▪ 140mm (5 1/2") Circular Saw




Maximum Cut @ 90°	45mm (1 3/4")
Maximum Cut @ 45°	29mm (1 1/8")
Blade Diameter	140mm (5 1/2")
Hole Diameter	16mm (5/8")
No Load Speed	4,000rpm
Input Wattage	550w
Dimensions (l x w x h)	240 x 190 x 157mm
Net Weight	2.5kg (5.5lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Saw Blade (18 teeth) ▪ Socket Wrench (Box Spanner) ▪ Screwdriver (Philips) ▪ Rip Fence (Guide Rule) ▪ Inner Flange ▪ Outer Flange ▪ Flange Head Bolt

LS0810 £235

▪ 210mm Mitre Saw




Blade Diameter	210mm (8 1/4")
Hole Diameter	25mm or 25.4mm (reversible Inner Flange)
Maximum Cutting	
@ 90°	55 x 130mm (2 5/32" x 5 1/8")
@ 45°	55 x 95mm (2 5/32" x 3 3/4")
No Load Speed	4,000rpm
Input Wattage	800w
Net Weight	5.6kg (12.4lbs)

INCLUSIVE STANDARD EQUIPMENT

- TCT Saw Blade (18 teeth) ▪ Socket Wrench ▪ Inner Flange (reversible) ▪ Outer Flange ▪ Flange Head Bolt ▪ Dust Bag ▪ Vice Assembly ▪ Holder Assembly

9901 £145

▪ 76mm (3") Belt Sander




Belt Size	76 x 533mm (3" x 21")
Belt Speed	380m/min (1,246 ft/min)
Input Wattage	740w
Dimensions (l x w x h)	328 x 135 x 150mm
Net Weight	3.5kg (7.7lbs)

INCLUSIVE STANDARD EQUIPMENT

- Dust Bag

9035 £60

▪ Finishing Sander




Pad Size	93 x 185mm (3 5/8" x 7 1/4")
Abrasive Papers	93 x 228mm (3 5/8" x 9")
Orbit Diameter	1.7mm (1/16")
Orbits per Minute	10,000 opm
Input Wattage	160w
Dimensions (l x w x h)	235 x 93 x 150mm
Net Weight	1.35kg (3.0lbs)

INCLUSIVE STANDARD EQUIPMENT

- Abrasive Papers - 6 pieces

BO4510 £75

▪ Palm Sander



Pad Size	110 x 100mm (4 3/8" x 4")
Abrasive Papers	114 x 140mm (4 1/2" x 5 1/2")
Orbit Diameter	1.5mm (1/16")
Orbits per Minute	12,000 opm
Input Wattage	180w
Dimensions (l x w x h)	115 x 110 x 126mm
Net Weight	1.1kg (2.4lbs)

INCLUSIVE STANDARD EQUIPMENT

- Abrasive Papers - 6 pieces

All prices are recommended trade prices, exclusive of VAT



Makita (UK) Limited., Michigan Drive, Tongwell, Milton Keynes, Bucks. MK15 8JD. Tel: (0908) 211678. Fax: (0908) 211400