

SONY.**CXB1501Q-Y****Quad 3-input AND/NAND Gate***T-43-22***Description**



The CXB1501Q-Y is an ultra high speed monolithic ECL IC, which contains four 3-input AND/NAND gates.

Features

- Typical AC characteristics $T_{pd}=540ps$
 $T_{TLH}=280ps$
 $T_{THL}=220ps$
- Internal pull down resistors on input pins to maintain logic LOW level with the pins left open
- ECL 100K compatible I/O levels
- Differential output

Pin Names

$D_{nA}-D_{nC}$	Data inputs
$Q_n, \overline{Q}_n$	Data outputs
V_{cc}	Circuit ground
V_{CCA}	Circuit ground for outputs
V_{EE}	Negative power supply

Pin Assignment**Logic Symbol**

SONY

CXB1501Q-Y

T-43-22

DC Characteristics

 $V_{EE} = -4.5 \pm 0.3V$, $V_{CC} = V_{CCA} = GND$, $V_{TT} = -2V$, $T_c = 0^\circ C$ to $+85^\circ C$

Item	Symbol	Test Condition	Min.	Typ.	Max.	Unit
Power supply current	I_{EE}		-179	-131	-91	mA

AC Characteristics

 $V_{EE} = -4.5 \pm 0.3V$, $V_{CC} = V_{CCA} = GND$, $V_{TT} = -2V$, $T_c = 0^\circ C$ to $+85^\circ C$, $R_T = 50\Omega$ to V_{TT}

Item	Symbol	Input	Output	Test Condition	Min.	Typ.	Max.	Unit
Propagation delay time	T_{PLH}	Dn	Qn		350	510	680	ps
	T_{PHL}				370	540	720	
Rise time	T_{TLH}			20% to 80%		280	390	
Fall time	T_{THL}					220	320	

Package Data


T-90-20

Package Outline

Unit: mm


24pin QFP (QFP-24M-S01)

24pin QFP (Metal) 0.3g




32pin QFP (QFP-32M-S01)

32pin QFP (Metal) 0.2g



24pin QFP (QFP-24M-L02)


24pin QFP (Metal) 0.3g



T-90-20

32pin QFP (QFP-32M-L02)


32pin QFP (Metal) 0.2g



SONY NAME	QFP-32M-L02
EIAJ NAME	XQFP032-M-0000-C
JEDEC CODE	


32pin QFP (QFP-32C-L01)

32pin QFP (Ceramic)



SONY NAME	QFP-32C-L01
EIAJ NAME	XQFP032-G-0000-A
JEDEC CODE	

16pin QFP



Package Data

Package Data	Page
1. 16 pin QFP	6-3
2. 24 pin QFP	6-3
3. 32 pin QFP	6-3
4. 24 pin QFP with formed lead	6-4
5. 32 pin QFP with formed lead	6-4

Package Data


T-90-20

Package Outline

Unit: mm


24pin QFP (QFP-24M-S01)

24pin QFP (Metal) 0.3g




32pin QFP (QFP-32M-S01)

32pin QFP (Metal) 0.2g



24pin QFP (QFP-24M-L02)


24pin QFP (Metal) 0.3g



T-90-20

32pin QFP (QFP-32M-L02)


32pin GFP (Metal) 0.2g



SONY NAME	QFP-32M-L02
EIAJ NAME	XQFP032-M-0000-C
JEDEC CODE	

32pin QFP (QFP-32C-L01)

32pin GFP (Ceramic)



SONY NAME	QFP-32C-L01
EIAJ NAME	XQFP032-G-0000-A
JEDEC CODE	

16pin QFP

