


[Home](#) > [Products](#) > [By Type](#) > [Relays](#) > [Product Feature Selector](#) > Product Details

OL-C-209H,000 Product Details



OL-C-209H,000
(1461384-4)

TE Internal Number: 1461384-4

Obsolete

[Contact Product Information Center](#)

Communications/Signal PC Board Relays

[Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

Product Highlights:

- OL Series
- DC Actuating System
- Input Voltage = 9 VDC
- Contact Arrangement = 2 Form A, DPST-NO, 2 N/O
- Contact Current Rating = .1 Amps.

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

[Add to My Part List](#) |
 [Request Sample](#) |
 [Find Similar Products](#) |
 [Buy Product](#)

Documentation & Additional Information

<p>Product Drawings:</p> <ul style="list-style-type: none"> • None Available <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files:</p> <ul style="list-style-type: none"> • None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Additional Product Images:</p> <ul style="list-style-type: none"> • Schematic • Wiring Diagram • PCB Layout (Bottom Surface) <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling
---	--

Product Features (Please use the Product Drawing for all design activity)

<p>Product Type Features:</p> <ul style="list-style-type: none"> • Termination Type = Through Hole <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Actuating System = DC • Input Voltage (VDC) = 9 • Contact Current Rating (Amps.) = 0.1 • Coil Resistance (?) = 400 • Coil Power, Nominal (mW) = 100 - 270 <p>Body Related Features:</p> <ul style="list-style-type: none"> • Series = OL <p>Contact Related Features:</p> <ul style="list-style-type: none"> • Mounting Options = PC Board • Enclosure = Dust Cover • FCC Part 68 Isolation = No • Approved Standards = None 	<p>Configuration Related Features:</p> <ul style="list-style-type: none"> • Contact Arrangement = 2 Form A, DPST-NO, 2 N/O • Coil Magnetic System = Monostable • Coil Suppression Diode = Without <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C • RoHS/ELV Compliance History = Converted to comply with RoHS directive <p>Other:</p> <ul style="list-style-type: none"> • Brand = OEG
--	--

Corporate Information

- [Who We Are](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)

Quick Links

- [Check Distributor Inventory](#)
- [Cross Reference](#)
- [Find Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat with Us](#)
- [Find a Phone Number](#)
- [Search Knowledge Base](#)
- [Manage Your Account](#)