



Part No.	Emitting Color + Material	λ_D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2 θ /2	Dimension
				Min.	Typ.		

L934FO/2ID	GaAsP/GaP	625	red diffused	8	25	60°	<p>T-1 (3mm) Bi-Level</p>
L934FO/2GD	GaP	568	green diffused	8	20	60°	
L934FO/2YD	GaAsP/GaP	588	yellow diffused	5	15	60°	
L934FO/2SRD	GaAlAs	640	red diffused	*100	*300	60°	

L934GE/2ID	GaAsP/GaP	625	red diffused	8	25	60°	<p>T-1 (3mm) Bi-Level</p>
L934GE/2GD	GaP	568	green diffused	8	20	60°	
L934GE/2YD	GaAsP/GaP	588	yellow diffused	5	15	60°	
L934GE/2SRD	GaAlAs	640	red diffused	*100	*300	60°	

L934GO/2ID	GaAsP/GaP	625	red diffused	8	25	60°	<p>T-1 (3mm) Bi-Level</p>
L934GO/2GD	GaP	568	green diffused	8	20	60°	
L934GO/2YD	GaAsP/GaP	588	yellow diffused	5	15	60°	
L934GO/2SRD	GaAlAs	640	red diffused	*100	*300	60°	

L934JQ/2ID	GaAsP/GaP	625	red diffused	8	25	60°	<p>T-1 (3mm) Bi-Level</p>
L934JQ/2GD	GaP	568	green diffused	8	20	60°	
L934JQ/2YD	GaAsP/GaP	588	yellow diffused	5	15	60°	
L934JQ/2SRD	GaAlAs	640	red diffused	*100	*300	60°	

NOTES :

1. All dimensions are in millimeters (inches)
2. Tolerance is $\pm 0.25\text{mm}(0.01\text{'})$ unless otherwise noted.