



TAI-SAW TECHNOLOGY CO., LTD.

No. 3, Industrial 2nd Rd., Ping-Chen Industrial District,
Taoyuan, 324, Taiwan, R.O.C.

TEL: 886-3-4690038 FAX: 886-3-4697532

E-mail: tstsales@mail.taisaw.com Web: www.taisaw.com

Approval Sheet For Product Specification

Issued Date: Nov, 21, 2006

Product Name: SAW Filter 1960 MHz SMD 3.0X3.0 mm

TST Parts No.: TA0614A

Customer Parts No.: _____

Company: _____
Division: _____
Approved by : _____
Date: _____

Checked by: _____ Bob Chau

Approval by: _____ Francis Chen

Date: _____ 11, 21, 2006



TAI-SAW TECHNOLOGY CO., LTD.

No. 3, Industrial 2nd Rd., Ping-Chen Industrial District,
Taoyuan, 324, Taiwan, R.O.C.

TEL: 886-3-4690038 FAX: 886-3-4697532

E-mail: tstsales@mail.taisaw.com Web: www.taisaw.com

SAW Filter 1960MHz

MODEL NO.:TA0614A

REV. NO.:1

A. MAXIMUM RATING:

1. Input Power Level: 10 dBm
2. DC Voltage : 3V
3. Operating Temperature: -20°C to +75°C
4. Storage Temperature: -40°C to +85°C


RoHS Compliant
Lead free
Lead-free soldering

B. ELECTRICAL CHARACTERISTICS:


Item	Unit	Min.	Type.	Max.	Note
Center Frequency Fc	MHz	-	1960	-	-
Insertion Loss (1927.5 ~ 1992.5 MHz) IL	dB	-	2.7	4	-
Amplitude Ripple (1927.5 ~ 1992.5 MHz)	dB	-	1.3	2.5	-
I/O Return Loss (1927.5 ~ 1992.5 MHz)	dB	7.4	10.5	-	-
Relative Attenuation (relative to 0 dB)					
D.C. ~ 1740 MHz	dB	20	31	-	-
1740 ~ 1801 MHz	dB	30	36	-	-
1801 ~ 1880 MHz	dB	20	41	-	-
2040 ~ 2120 MHz	dB	25	40	-	-
2120 ~ 2500 MHz	dB	31	38	-	-
3700 ~ 4000 MHz	dB	25	32	-	-

C. MEASUREMENT CIRCUIT:

HP Network analyzer




D.OUTLINE DRAWING:





- △ : Year Code (2006->6, ..., 2009->9)
- : Date Code (Follow the table from planner each year)

E. PCB Footprint:





F. Frequency Characteristics :





Reflection Functions :

S11




S22




G. PACKING:

1. REEL DIMENSION

(Reel Count : 7''=1000 ; 13''=3000)



2. TAPE DIMENSION



H. RECOMMENDED REFLOW PROFILE :

