



DIMENSIONS IN INCHES							
FIG.	A	B	C	D	E	F	G
1	1.24	1.38	0.62	0.62	1.15	0.50	0.40
2	0.92	1.30	0.46	0.46	1.07	0.50	0.40
3	0.92	1.05	0.46	0.46	0.81	0.50	0.40
4	0.79	1.04	0.39	0.39	0.81	0.50	0.40
5	2.00	1.50	1.00	1.00	1.31	1.00	0.50
6	1.75	1.50	0.88	0.88	1.30	1.10	0.50
7	1.20	1.50	0.60	0.60	1.00	1.00	0.40
8	1.62	1.00	0.75	0.87	0.85	0.50	0.40
9	3.00	1.50	1.50	1.50	1.31	1.00	0.50
10	1.00	1.00	0.50	0.50	0.64	0.50	0.50
11	2.04	1.04	1.02	1.02	0.70	0.50	0.42

MATERIAL -	TREATMENT -	DRAWN R. LYNCH	DATE 7/10/01
FINISH ATM STD. GRAY	MOD NO. P21X	CHECKED	DATE
<b>2-WAY POWER DIVIDER SMA TYPE</b>		APPROVED	DATE
		ADVANCED TECHNICAL MATERIALS, INC. 49 RIDER AVE., PATCHOGUE N.Y. 11772 TEL: (631) 289-0386 FAX: (631) 289-0363 <a href="http://www.atmmicrowave.com">http://www.atmmicrowave.com</a>	
UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		FRACTIONS ±1/64 DECIMALS ±.01 ANGLES ±1/2°	SHEET. <b>1/1</b>
PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT THE PRIOR WRITTEN CONSENT OF ATM, INC.		SCALE N.T.S. 	DWG. NO. <b>3203W</b> REV. <b>A</b>