

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0365630019](#)  
**Status:** **Active**  
**Overview:** [mlx](#)  
**Description:** 6.35mm (.250) Pitch MLX™ Power Connector Header, Vertical, without Plastic Polarizing Peg, 15 Circuits, Polyester 94V-0, Tin Lead (Pb/Sn) Plating, White

**Documents:**


[3D Model](#) [Product Specification PSX-42002-0001 \(PDF\)](#)  
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	PCB Headers
Series	<a href="#">36563</a>
Application	Wire-to-Board
Comments	Without Compliant / Polarization Peg
Overview	<a href="#">mlx</a>
Product Name	MLX™

**Physical**

Breakaway	No
Circuits (Loaded)	15
Circuits (maximum)	15
Color - Resin	White
Durability (mating cycles max)	50
First Mate / Last Break	No
Glow-Wire Compliant	No
Guide to Mating Part	Yes
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Brass
Material - Plating Mating	Tin-Lead
Material - Plating Termination	Nickel
Material - Resin	Polyester
Number of Rows	3
Orientation	Vertical
PC Tail Length (in)	0.170 In
PC Tail Length (mm)	4.30 mm
PCB Locator	No
PCB Retention	None
PCB Thickness Recommended (in)	0.062 In
PCB Thickness Recommended (mm)	1.57 mm
Packaging Type	Bag
Pitch - Mating Interface (in)	0.250 In
Pitch - Mating Interface (mm)	6.35 mm
Pitch - Term. Interface (in)	0.250 In
Pitch - Term. Interface (mm)	6.35 mm
Plating min: Mating (µin)	60
Plating min: Mating (µm)	15.25
Plating min: Termination (µin)	50
Plating min: Termination (µm)	1.27
Polarized to Mating Part	Yes
Polarized to PCB	No
Shrouded	Fully
Stackable	No
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-55°C to +105°C



**EU RoHS** **China RoHS**

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Halogen-Free**

**Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[36563Series](#)

**Mates With**

[42021](#) MLX™ Power Crimp Housing Plug.  
[42023](#) MLX Crimp Terminal. [42024](#) MLX Crimp Terminal

Termination Interface: Style

Through Hole

**Electrical**

Current - Maximum per Contact

9A

Voltage - Maximum

600V

**Material Info**

**Reference - Drawing Numbers**

Product Specification






















PSX-42002-0001

Sales Drawing

SD-36563-001


This document was generated on 05/24/2010

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**




### P.C. BOARD MOUNTING DIMENSIONS

#### 2 & 3 POSITION HEADER ASSEMBLIES



FOR THE POLARIZING PEG

#### 9 POSITION HEADER ASSEMBLY



FOR THE POLARIZING PEG

### NOTES:

- MATERIAL CODES:  
HOUSING :  
\*A\*= UNREINFORCED POLYESTER, 94V-0.  
COLOR: WHITE  
\*B\*= UNREINFORCED POLYESTER, 94V-0.  
COLOR: BRICK RED  
\*C\*= NYLON (PA66), UL94V-2  
COLOR: WHITE, TRANSLUCENT  
TERMINAL : BRASS, SOLID PIN
- FINISH:  
TIN-LEAD 60-100 MICROINCH, OVER NICKEL 50 MICROINCH (MIN) OVERALL
- TERMINAL LENGTH IS SUITABLE FOR .062/(1.57) THICK P.C BOARD
- DIMENSIONS ARE FOR REFERENCE ONLY UNLESS INDICATED OTHERWISE.
- HEADER ASSEMBLY HOUSINGS MATE WITH :  
- PLUG HOUSINGS, .084/(2.13) DIA. SERIES: (42021-\*\*) )
- CONTACTS ARE ON .250/(6.35) GRID CENTERLINE SPACING.

EC NO. I 2003-0020 DRWN: S.S 25/11/02 CHK: G.L 25/11/02 APPR: G.L 25/11/02	QUALITY SYMBOLS MAJOR = CRITICAL =	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 1.5 : 1	DESIGN UNITS <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH	DIMENSIONS: <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH <input type="checkbox"/> mm ONLY		SHT	REV	
		4 PLACES ±0.	±.	DRAWN BY & DATE S.S 28/09/01	THIRD ANGLE PROJECTION		TITLE: HEADER HOUSING ASSEMBLIES .084/(2.13) SERIES WITHOUT COMPLIANT/POLARIZING PEG		REVISE ON CAD ONLY	
A	DESCRIPTION	3 PLACES ±0.	±.010	CHECKED BY & DATE G.L 28/09/01	APPROVED BY & DATE G.L 28/09/01		MATERIAL NO. SD-36563-001		DRAWING NO. SD-36563-001	SHEET NO. 1 OF 2
		2 PLACES ±0.25	±.014	CAD FILENAME SD-36563-001.S01		SEE CHART		SIZE C		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR: ± 1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						

ITEM NO.	CIRCUIT SIZE	MATERIAL COLOR (SEE NOTE 1)
36563-0001	2	A
36563-0002		B
36563-0003		C
36563-0004	3	A
36563-0005		B
36563-0006		C
36563-0007	4	A
36563-0008		B
36563-0009		C
36563-0010	6	A
36563-0011		B
36563-0012		C
36563-0013	9	A
36563-0014		B
36563-0015		C
36563-0016	12	A
36563-0017		B
36563-0018		C
36563-0019	15	A
36563-0020		B
36563-0021		C

EC NO. I 2003-0020 DRWN: S.S 25/11/02 CHK: G.L 25/11/02 APPR: G.L 25/11/02	QUALITY SYMBOLS MAJOR  = CRITICAL  =	GENERAL TOLERANCES: (UNLESS SPECIFIED) mm      INCH		SCALE 1.5 : 1 <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH	DESIGN UNITS <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH	THIRD ANGLE PROJECTION <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH <input type="checkbox"/> mm ONLY	DIMENSIONS:	SHT	REV	
		4 PLACES ±0.      ±.	DRAWN BY & DATE S.S 28/09/01	TITLE: HEADER HOUSING ASSEMBLIES .084/(2.13) SERIES WITHOUT COMPLIANT/POLARIZING PEG			REVISION ON CAD ONLY			
		3 PLACES ±0.      ±. 010	CHECKED BY & DATE G.L 28/09/01	MOLEX INCORPORATED						
		2 PLACES ±0.25      ±. 014	APPROVED BY & DATE G.L 28/09/01	CAD FILENAME SD-36563-001.S02	MATERIAL NO. SEE CHART	DRAWING NO. SD-36563-001	SHEET NO. 2 OF 2			
1 PLACE ±0.36      ±.	ANGULAR: ± 1/2°	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.							SIZE	C
REV A	DESCRIPTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									