Data Sheet



Applications

Features

2)Low VF


3)High reliability


Construction

Silicon epitaxial

General rectification

## Schottky Barrier Diode **RB070MS-60**






## Absolute Maximum Ratings(Ta=25°C)


Parameter	Symbol	Limits	Unit	
Reverse voltage (repetitive)	V <sub>RM</sub>	60	V	
Reverse voltage (DC)	V <sub>R</sub>	60	V	
Average rectified forward current	lo	5	А	
Forward current surge peak (60Hz·1cyc)	I <sub>FSM</sub>	30	А	
Junction temperature	Tj	150	°C	
Storage temperature	Tstg	-55 to +150	°C	


(\*1)Mounting on epoxi board. 180°Half sine wave

## •Electrical Characteristics(Ta=25°C)

Parameter	Symbol	Min.	Тур.	Max.	Unit	Conditions
Forward voltage	V <sub>F</sub>	-	_	0.55	V	I <sub>F</sub> =5.0A
Reverse current	I <sub>R</sub>	-	-	300	μΑ	V <sub>R</sub> =60V







	or reproduction of this document, in part or in whole, is permitted without the ROHM Co.,Ltd.
	specified herein is subject to change for improvement without notice.
"Products")	t specified herein is for the purpose of introducing ROHM's products (hereinafte . If you wish to use any such Product, please be sure to refer to the specifications re obtained from ROHM upon request.
illustrate the	f application circuits, circuit constants and any other information contained herein e standard usage and operations of the Products. The peripheral conditions mus o account when designing circuits for mass production.
However, s	was taken in ensuring the accuracy of the information specified in this document hould you incur any damage arising from any inaccuracy or misprint of sucl ROHM shall bear no responsibility for such damage.
examples o implicitly, ar other partie	al information specified herein is intended only to show the typical functions of and f application circuits for the Products. ROHM does not grant you, explicitly o ny license to use or exercise intellectual property or other rights held by ROHM and s. ROHM shall bear no responsibility whatsoever for any dispute arising from the technical information.
equipment of	ts specified in this document are intended to be used with general-use electronic or devices (such as audio visual equipment, office-automation equipment, commu vices, electronic appliances and amusement devices).
The Product	ts specified in this document are not designed to be radiation tolerant.
	M always makes efforts to enhance the quality and reliability of its Products, a y fail or malfunction for a variety of reasons.
against the failure of an shall bear n	ure to implement in your equipment using the Products safety measures to guard possibility of physical injury, fire or any other damage caused in the event of the y Product, such as derating, redundancy, fire control and fail-safe designs. ROHN o responsibility whatsoever for your use of any Product outside of the prescribed t in accordance with the instruction manual.
system which may result i instrument, controller of of the Prod	ts are not designed or manufactured to be used with any equipment, device or ch requires an extremely high level of reliability the failure or malfunction of which n a direct threat to human life or create a risk of human injury (such as a medica transportation equipment, aerospace machinery, nuclear-reactor controller, fuel- r other safety device). ROHM shall bear no responsibility in any way for use of any ucts for the above special purposes. If a Product is intended to be used for any I purpose, please contact a ROHM sales representative before purchasing.
be controlle	d to export or ship overseas any Product or technology specified herein that may d under the Foreign Exchange and the Foreign Trade Law, you will be required to ense or permit under the Law.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/

