BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin



ATS Part#: ATS019019024-PF-6W

Description: 19.00 x 19.00 x 24.00 mm BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin



Heat Sink Type: Custom Pin Fin

Heat Sink Attachment: N/A Equivalent Part Number: N/A

*Image above is for illustration purpose only.

Features & Benefits

- · High efficiency pin fin design provides low pressure drop characteristics
- · Large surface area increases heat sink performance
- · Fabricated from extruded aluminum, which minimizes thermal resistance from the base to the fins, reduces weight and keeps costs low
- · Comes standard without interface material or with most common pressure sensitive thermal tapes as a custom option

Thermal Performance

AIR VELOCITY		@200 LFM 1.0 M/S	@300 LFM 1.5 M/S	@400 LFM 2.0 M/S	@500 LFM 2.5 M/S	@600 LFM 3.0 M/S	@700 LFM 3.5 M/S	@800 LFM 4.0 M/S
THERMAL RESISTANCE	Unducted Flow	5.89 °C/W	4.7 °C/W	4.1 °C/W	3.7 °C/W	3.5 °C/W	3.2 °C/W	3.1 °C/W
	Ducted Flow	4.1	3.5	3.2	2.9	2.8	2.6	2.5

Product Detail

Schematic Image	Dimension A	Dimension B	Dimension C	Dimension D	TIM	Finish
nin	19.00 mm	19.00 mm	24.00 mm	19 mm	N/A	BLACK-ANODIZED
*Image above is for illustration purpose only.	Dimension Dimension Thermal papplication ATS reserved performar ATS certification ATS certification	n D is fin tip to fin tip performance data are n. rves the right to update.	e provided for reference or change its prokens k assembly is RoHS	m of the base to the nce only. Actual perioducts without notice 6-6 and REACH comble.	ormano to impr	e may vary by

