

isc Silicon NPN Power Transistor

2SD1770

DESCRIPTION



- High Power Dissipation
- High Collector-Emitter Breakdown Voltage-  
:  $V_{(BR)CEO} = 150V(\text{Min.})$
- Complement to Type 2SB1190

APPLICATIONS

- Power amplifier applications.
- TV vertical deflection output applications.

ABSOLUTE MAXIMUM RATINGS( $T_a=25^\circ\text{C}$ )

SYMBOL	PARAMETER	VALUE	UNIT
$V_{CBO}$	Collector-Base Voltage	200	V
$V_{CEO}$	Collector-Emitter Voltage	150	V
$V_{EBO}$	Emitter-Base Voltage	6	V
$I_C$	Collector Current-Continuous	1	A
$I_{CM}$	Collector Current-Peak	2	A
$P_C$	Total Power Dissipation @ $T_C=25^\circ\text{C}$	25	W
	Total Power Dissipation @ $T_a=25^\circ\text{C}$	1.4	
$T_J$	Junction Temperature	150	$^\circ\text{C}$
$T_{stg}$	Storage Temperature Range	-55~150	$^\circ\text{C}$



**isc Silicon NPN Power Transistor**

**2SD1770**

**ELECTRICAL CHARACTERISTICS**

T<sub>C</sub>=25°C unless otherwise specified

SYMBOL	PARAMETER	CONDITIONS	MIN	TYP.	MAX	UNIT
V <sub>(BR)CEO</sub>	Collector-Emitter Breakdown Voltage	I <sub>C</sub> = 5mA; I <sub>B</sub> = 0	150			V
V <sub>(BR)EBO</sub>	Emitter-Base Breakdown Voltage	I <sub>E</sub> = 0.5mA; I <sub>C</sub> = 0	6			V
V <sub>CE(sat)</sub>	Collector-Emitter Saturation Voltage	I <sub>C</sub> = 0.5A; I <sub>B</sub> = 50mA			1.0	V
V <sub>BE(on)</sub>	Base-Emitter On Voltage	I <sub>C</sub> = 0.3A; V <sub>CE</sub> = 10V			1.0	V
I <sub>CBO</sub>	Collector Cutoff Current	V <sub>CB</sub> = 200V; I <sub>E</sub> = 0			50	μ A
I <sub>EBO</sub>	Emitter Cutoff Current	V <sub>EB</sub> = 4V; I <sub>C</sub> = 0			50	μ A
h <sub>FE-1</sub>	DC Current Gain	I <sub>C</sub> = 0.1A; V <sub>CE</sub> = 10V	60		240	
h <sub>FE-2</sub>	DC Current Gain	I <sub>C</sub> = 0.3A; V <sub>CE</sub> = 10V	50			
f <sub>T</sub>	Current-Gain—Bandwidth Product	I <sub>C</sub> = 0.1A; V <sub>CE</sub> = 10V		20		MHz
C <sub>OB</sub>	Output Capacitance	I <sub>E</sub> = 0; V <sub>CB</sub> = 10V; f <sub>test</sub> =1MHz		27		pF

◆ **h<sub>FE-1</sub> Classifications**

Q	P
60-140	100-240