

SSMA Female Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing

TECHNICAL DATA SHEET

Configuration Connector

Body Style

Connector Specification

Electrical Specifications Impedance, Ohms

Connector Interface Type

Cable Attachment Method (Shield/Contact)

PE44391 REV

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SSMA Female Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spac-

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all

© 2013 Pasternack Enterprises All Rights Reserved

specifications are nominal



Mechanical Specifications Temperature	
Operating Range, deg C	-65 to +165
Size Length, in [mm] Width/Dia., in [mm]	0.533 [13.54] 0.25 [6.35]
Height, in [mm] Weight, Ibs [g]	0.25 [6.35] 0.004 [1.81]
Connector Type Contact Material and Plating Contact Plating Specification Body Material and Plating Body Plating Specification Dielectric Type	SSMA Female Gold MIL-G-45204 Brass, Gold MIL-G-45204 Teflon
Compliance Certifications (visit www.Pasternack. RoHS Compliant	com for current document) Yes
Plotted and Other Data Notes:	Values at 25 °C, sea level

SSMA Female Connector Solder Attachment Thru Hole PCB, .200 inch x .067 inch Hole Spacing

SSMA Female

MIL-C-39012

Thru Hole

Solder

50

Straight

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451 Sales@Pasternack.com · Techsupport@Pasternack.com

ina PE44391





PE44391

MATERIALS BODY BRASS GOLD PLATED CONTACT GOLD PLATED INSULATOR PTFE			
		SQ. SQ. MDUNTING HOLES	
	PASTERMACK ENTERPANSES ESTABLISHED 1972 DWG TITLE DWG TITLE DWG TITLE PE44391 SIZE A FSCM NO. 53919 NOTES: 1. UNLESS OTHERWISE SPECIFIED A 2. ALL SPECIFICATIONS ARE SUBJEC	CAD F CAD F CAD F	PASTERNACK ENTERPRISES, INC. PRO BOX 16759, IRVINE, CA 92623 PHONE (949) 261-7451 WEB ADDRESS: www.pasternack.com E-MAIL ADDRESS: sales@pasternack.com COAXIAL & FIBER OPTICS SSMA FEMALE, P.C. MOUNT SSMA FEMALE, P.C. MOUNT ILE 100603 SCALE NA 127 ENSIONS ARE NOMINAL.