



FCIconnect.com

Copyright FCI

PRODUCT NUMBER

XXXXX-YYY HTLF

LEAD FREE OPTION
(SEE NOTES 1)


PACKAGING OPTIONS
(SEE NOTE 1)

HIGH TEMPERATURE PLASTIC
(SEE NOTE 1)


NO. OF
POSITIONS
(SEE NOTE 1)

PIN PLATING
(SEE SHEET 2)


BASE PART NO.




TOP VIEW



RECOMMENDED HOLE PATTERN




SIDE VIEW



END VIEW

⌀ .020/.51 (M) U (M) V (S)

NOTE 4



DETAIL P
TYP BOTH ENDS

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK					
ltr		ecn	no	dr	date	tolerances unless otherwise specified				title					
CG		V20790	GIP		04/23/02	angles		linear		.XX±.01/0.3		INCH/MM		BERGSTIK® II HEADER	
CH		V21800	TAB		12/16/02					.xxx±.005/0.13		scale 1:1		.100/2.54cc SR STRAIGHT	
CJ		M04-0234	MHT		12/29/04	0'±2"				.xxx±.0020/0.051					
CK		M05-0072	MHT	5/03/05	dr	T.BREWBAKER		01/05/95				dwg no		sheet 1 of 8	size
CL		M06-0039	MHT	1/18/06	engr	T.HANNA		01/05/95				68000		A3	
CM		M06-0268	MHT	7/17/06	chr	J.MURPHY		01/05/95							
CN		M06-0346	MHT	9/04/06	appd	T.HANNA		01/05/95				type Product Customer Drawing			
sheet		revision	CN	CN	CN	CN	CN	CN	CN	CN	CN	CN	CN	CN	CN
index		sheet	1	2	3	4	5	6	7	8					

PIN PLATING CODES:	
XXXXX-1YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-2YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-3YY	50u"/1.27u MIN Au OVER 50u"/1.27u MIN Ni
XXXXX-4YY	100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 14)
XXXXX-4YYHLF	
XXXXX-5YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-6YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-7YY	30u"/0.76u MIN Au OVER 50u"/1.27u MIN Ni
XXXXX-8YY	15u"/0.38u MIN Au OVER 50u"/1.27u MIN Ni
XXXXX-9YY	15u"/0.38u MIN GXT OVER 50u"/1.27u MIN Ni
XXXXX-0YY	30u"/0.76u MIN GXT OVER 50u"/1.27u MIN Ni

NOTES

1. PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMP. MATERIAL:

FOR HIGH-TEMPERATURE APPLICATIONS, SPECIFY AN "H" AT THE END OF THE PART NUMBER.

NUMBER OF POSITIONS :

ANY NUMBER OF POSITIONS FROM 1 THRU 36.
-X00H INDICATES BERGSTRIK PRODUCT. SEE PAGE 3 FOR SPECIAL GEOMETRY OF THIS CONTINUOUS STRIP PRODUCT.
AUTOMATED REELS WILL CONTAIN 36,000 PINS.
SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

PACKAGING :

NO INDICATOR IS STANDARD PACKAGING IN POLY BAGS.
EIGHT DIGIT PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
EIGHT DIGIT PART NUMBERS FOLLOWED BY A "C" ARE PACKAGED IN TUBES WITH PICKUP CAP APPLIED. (NOT TOOLED)

BERGSTRIK™ PART NUMBERS FOLLOWED BY A "B" ARE BULK PRICED.

LEAD FREE :

ADD "HLF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION, NOT AVAILABLE FOR -5YY,-5YYH, -6YY & -6YYH

2. BODY MATERIAL :
BERGSTIK: MANUFACTURER'S OPTION OF NYLON OR PCT, GLASS FIBER REINFORCED, FLAME RETARDANT PER UL-94V-0.
COLOR : BLACK
BERGSTRIK™: PRODUCED WITH HIGH TEMPERATURE LCP THERMOPLASTIC, FLAME RETARDANT PER UL-94V-0.
COLOR : BLACK
PART NUMBERS WITH "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.
PART NUMBERS WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR WAVE SOLDER PROCESS.
3. PIN MATERIAL : PHOS-BRONZE.
4. MEASURED WITH PART IN RESTRAINED CONDITION.
5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.
6. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.
7. PIN CANNOT PROTRUDE PAST EDGE OF HOUSING. MUST BE .005±.005/.13±.13 FROM END OF HOUSING HOLE.
8. MILITARY BERGSTIK HEADER
P/N XXXXX-YYY-MIL.
NOT AVAILABLE.
9. ±.010/0.25 TOL APPLIES TO ALL "G" TAILS EXCEPT INDICATED PARTS ON TABLE WHERE +.010/0.25 -.000/0.00 APPLIES.
10. INDICATED PART NUMBERS ARE PRODUCED AND SOLD IN THE TAIWAN/SINGAPORE AREAS. THESE ARE NOT AVAILABLE IN BERGSTRIK™ CONTINUOUS STRIP.
11. NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.
12. THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
13. PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.
14. "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS."

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK			
ltr ecn no dr date				tolerances unless otherwise specified						title			
CN				angles		linear		INCH/MM		BERGSTIK® II HEADER			
						.xxx±.005/0.13				.100/2.54cc SR STRAIGHT			
				0'±2'		.XXXX±.0020/0.051		scale 1:1					
				dr		T.BREWBAKER		01/05/95		dwg no			
				enrg		T.HANNA		01/05/95		sheet 2 of 8 size			
				chr		J.MURPHY		01/05/95		68000			
				appd		T.HANNA		01/05/95		A3			
										type Product Customer Drawing			
sheet index		revision sheet											

1

2 3





4

5

6

BERGSTRIPTM HEADER

REEL PACKING DIMENSIONS



mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101	projection INCH/MM	product family BERGSTIK			
ltr	ecn	no	dr	date	tolerances unless otherwise specified		scale 1:1	title BERGSTIK® II HEADER			
CN					angles	linear		.100/2.54cc SR STRAIGHT			
					0°±2'			dwg no			
					dr	T.BREWBAKER	01/05/95	sheet 3 of 8 size			
					enr	T.HANNA	01/05/95	68000			
					chr	J.MURPHY	01/05/95	A3			
					appd	T.HANNA	01/05/95	type Product Customer Drawing			
sheet index	revision sheet										



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH				BERGSTRIPTM	LF OPTION	
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			AVAILABLE		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING	NOTES			
55492-XYH	0.315	8.00	0.095	2.41	0.120	3.05	POLY BAGS	—	NO	NOTE 1,12	
60017-XYH	0.640	16.26	0.210	5.33	0.310	7.87	POLY BAGS	—	NO		
60018-XYH	0.660	16.76	0.250	6.35	0.310	7.87	POLY BAGS	—	NO		
63334-XYH	0.435	11.05	0.095	2.41	0.240	6.10	POLY BAGS	—	NO		
68000-XY	0.425	10.80	0.095	2.41	0.230	5.84	POLY BAGS	—	YES		
68001-XY	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS/TUBES	—	YES		
68002-XY	0.480	12.19	0.150	3.81	0.230	5.84	POLY BAGS	—	YES		
68003-XY	0.525	13.34	0.195	4.95	0.230	5.84	POLY BAGS	—	NO		
68004-XY	0.525	13.34	0.107	2.72	0.318	8.08	POLY BAGS	—	YES		
68024-XY	0.568	14.43	0.150	3.81	0.318	8.08	POLY BAGS	—	YES		
68031-XY	0.513	13.03	0.183	4.65	0.230	5.84	POLY BAGS	—	NO		
68032-XY	0.543	13.79	0.213	5.41	0.230	5.84	POLY BAGS	—	NO		
68033-XY	0.708	17.98	0.473	12.01	0.135	3.43	POLY BAGS	—	NO		
68415-XY	0.615	15.62	0.115	2.92	0.400	10.16	POLY BAGS	—	NO		
68416-XY	0.813	20.65	0.483	12.27	0.230	5.84	POLY BAGS	—	NO		
68418-XY	0.730	18.54	0.400	10.16	0.230	5.84	POLY BAGS	—	NO		
68422-XY	0.631	16.03	0.213	5.41	0.318	8.08	POLY BAGS	—	NO		
68443-XY	0.755	19.18	0.425	10.80	0.230	5.84	POLY BAGS	—	NO		
68456-XY	0.825	20.96	0.115	2.92	0.610	15.49	POLY BAGS	—	NO		
68457-XY	0.548	13.92	0.130	3.30	0.318	8.08	POLY BAGS	—	NO		
68465-XY	0.925	23.50	0.595	15.11	0.230	5.84	POLY BAGS	—	NO		
68466-XY	0.925	23.50	0.128	3.25	0.697	17.70	POLY BAGS	—	NO		
68472-XY	0.913	23.19	0.413	10.49	0.400	10.16	POLY BAGS	—	NO		
68479-XY	0.718	18.24	0.388	9.86	0.230	5.84	POLY BAGS	—	NO		
68483-XY	0.835	21.21	0.417	10.59	0.318	8.08	POLY BAGS	—	NO		
68487-XY	0.705	17.91	0.110	2.79	0.495	12.57	POLY BAGS	—	NO		
68489-XY	1.095	27.81	0.765	19.43	0.230	5.84	POLY BAGS	—	NO		
68490-XY	1.025	26.04	0.695	17.65	0.230	5.84	POLY BAGS	—	NO		
68497-XY	0.612	15.54	0.085	2.16	0.427	10.85	POLY BAGS	—	NO		
68603-XY	0.555	14.10	0.120	3.05	0.335	8.51	POLY BAGS	—	NO		
68604-XY	0.600	15.24	0.120	3.05	0.380	9.65	POLY BAGS	—	NO		NOTE 1,12

mat'l. code SEE NOTES 2 & 3		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK	
ltr ecn no dr date		tolerances unless otherwise specified		linear .XX±.01/0.3		INCH/MM		title BERGSTIK® II HEADER	
CN		angles 0°±2'		linear .xxx±.005/0.13		scale 1:1		.100/2.54cc SR STRAIGHT	
				.xxx±.0020/0.051				dwg no sheet 4 of 8 size	
		dr T.BREWBAKER 01/05/95		enr T.HANNA 01/05/95		FCI		68000 A3	
		chr J.MURPHY 01/05/95		appd T.HANNA 01/05/95				type Product Customer Drawing	
sheet index		revision sheet							



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH		PACKAGING	NOTES	BERGSTRIPTM AVAILABLE	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H				
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
68629-YYY	0.621	15.77	0.203	5.16	0.318	8.08	POLY BAGS	—	NO	NOTE 1,12
68630-YYY	0.603	15.32	0.273	6.93	0.230	5.84	POLY BAGS	—	NO	
68631-YYY	0.703	17.86	0.203	5.16	0.400	10.16	POLY BAGS	—	NO	
68632-YYY	0.743	18.87	0.413	10.49	0.230	5.84	POLY BAGS	—	NO	
68633-YYY	0.643	16.33	0.225	5.72	0.318	8.08	POLY BAGS	—	NO	
68634-YYY	1.013	25.73	0.683	17.35	0.230	5.84	POLY BAGS	—	NO	
68642-YYY	0.913	23.19	0.583	14.81	0.230	5.84	POLY BAGS	—	NO	
68652-YYY	1.470	37.34	0.670	17.02	0.700	17.78	POLY BAGS	—	NO	
68653-YYY	0.735	18.67	0.095	2.41	0.540	13.72	POLY BAGS	—	NO	
68654-YYY	1.050	26.67	0.670	17.02	0.280	7.11	POLY BAGS	—	NO	
68655-YYY	0.708	17.98	0.290	7.37	0.318	8.08	POLY BAGS	—	NO	
68656-YYY	1.113	28.27	0.613	15.57	0.400	10.16	POLY BAGS	—	NO	
68657-YYY	0.588	14.94	0.368	9.35	0.120	3.05	POLY BAGS	—	NO	
68658-YYY	0.820	20.83	0.130	3.30	0.590	14.99	POLY BAGS	—	NO	
68659-YYY	0.608	15.44	0.398	10.11	0.110	2.79	POLY BAGS	—	NO	
68686-YYY	1.016	25.81	0.458	11.63	0.458	11.63	POLY BAGS	—	NO	
68689-YYY	0.913	23.19	0.213	5.41	0.600	15.24	POLY BAGS	—	NO	
68705-YYY	0.395	10.03	0.095	2.41	0.200	5.08	POLY BAGS	—	NO	
68717-YYY	0.615	15.62	0.285	7.24	0.230	5.84	POLY BAGS	—	NO	
68730-YYY	0.555	14.10	0.225	5.72	0.230	5.84	POLY BAGS	—	NO	
68731-YYY	0.880	22.35	0.440	11.18	0.340	8.64	POLY BAGS	—	NO	
68735-YYY	1.016	25.81	0.520	13.21	0.396	10.06	POLY BAGS	—	NO	
68755-YYY	1.166	29.62	0.533	13.54	0.533	13.54	POLY BAGS	—	NO	
68760-YYY	0.803	20.40	0.353	8.97	0.350	8.89	POLY BAGS	—	NO	
68762-YYY	0.588	14.94	0.213	5.41	0.275	6.99	POLY BAGS	—	NO	
68771-YYY	0.470	11.94	0.100	2.54	0.270	6.86	POLY BAGS	—	NO	
68781-YYY	0.691	17.55	0.273	6.93	0.318	8.08	POLY BAGS	—	NO	

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK			
ltr ecn no dr date				tolerances unless otherwise specified		linear .XX±.01/0.3		INCH/MM		title BERGSTIK® II HEADER			
CN				angles		linear .XXX±.005/0.13		scale 1:1		.100/2.54cc SR STRAIGHT			
				0'±2'		.XXX±.0020/0.051				dwg no sheet 5 of 8 size			
				dr		T.BREWBAKER 01/05/95				68000 A3			
				enr		T.HANNA 01/05/95				type Product Customer Drawing			
				chr		J.MURPHY 01/05/95							
				appd		T.HANNA 01/05/95							
sheet index		revision sheet											



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH				BERGSTRIPTM	LF OPTION	
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			AVAILABLE		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING		NOTES		
68795-YYY	0.500	12.70	0.062	1.57	0.338	8.59	POLY BAGS		—	NO	NOTE 1,12
68796-YYY	0.633	16.08	0.423	10.74	0.110	2.79	POLY BAGS		—	NO	
68797-YYY	0.413	10.49	0.213	5.41	0.100	2.54	POLY BAGS		—	NO	
69148-YYY	0.442	11.43	0.000	0.00	0.350	8.89	POLY BAGS		—	NO	
69152-YYY	0.720	18.29	0.120	3.05	0.500	12.70	POLY BAGS/TUBES		—	NO	
69173-YYY	0.530	13.46	0.135	3.43	0.295	7.49	POLY BAGS		—	NO	
69188-YYY	0.751	19.08	0.333	8.46	0.318	8.08	POLY BAGS		—	NO	
69751-YYY	0.440	11.18	0.170	4.32	0.170	4.32	POLY BAGS		NOTE 10	NO	
71417-YYY	0.664	16.87	0.115	2.92	0.449	11.40	POLY BAGS		NOTE 10	NO	
72260-XXYH	0.930	23.62	0.090	2.29	0.740	18.80	POLY BAGS		—	NO	
72323-XXYH	1.200	30.48	0.100	2.54	1.000	25.40	POLY BAGS		—	NO	
72457-XXYH	1.100	27.94	0.090	2.29	0.910	23.11	POLY BAGS		—	NO	
73698-XXYH	1.100	27.94	0.120	3.05	0.880	22.35	POLY BAGS		—	NO	
74464-XXYH	1.028	26.11	0.610	15.49	0.318	8.08	POLY BAGS		—	NO	
78240-YYY	0.663	16.84	0.333	8.46	0.230	5.84	POLY BAGS		—	NO	
78287-YYY	0.678	17.22	0.120	3.05	0.458	11.63	POLY BAGS		—	NO	
78290-YYY	1.250	31.75	0.500	12.70	0.650	16.51	POLY BAGS		—	NO	
78511-YYY	0.538	13.67	0.120	3.05	0.318	8.08	POLY BAGS/TUBES		—	YES	
78595-YYY			NOT AVAILABLE						—	—	
78931-YYY			NOT AVAILABLE						—	—	
78958-YYY			NOT AVAILABLE						—	—	
78959-YYY			NOT AVAILABLE						—	—	
78977-YYY			NOT AVAILABLE						—	—	
78998-YYY	0.430	10.92	0.155	3.94	0.175	4.45	POLY BAGS		—	NO	
78999-YYY			NOT AVAILABLE						—	—	
79428-YYY	0.695	17.65	0.120	3.05	0.475	12.07	POLY BAGS		—	NO	
79849-YYY	0.620	15.75	0.120	3.05	0.400	10.16	POLY BAGS		—	NO	NOTE 1,12

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection INCH/MM		product family BERGSTIK			
ltr ecn no dr date				tolerances unless otherwise specified				title BERGSTIK® II HEADER					
CN				angles		linear		INCH/MM		.100/2.54cc SR STRAIGHT			
				0'±2'		.XX±.01/0.3 .XXX±.005/0.13 .XXXX±.0020/0.051		scale 1:1		sheet 6 of 8 size			
				dr		T.BREWBAKER 01/05/95		FCI		dwg no 68000 A3			
				enr		T.HANNA 01/05/95							
				chr		J.MURPHY 01/05/95							
				appd		T.HANNA 01/05/95							
sheet index		revision sheet											



FCIconnect.com

Copyright FCI

form: A3

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH		PACKAGING	NOTES	BERGSTRIPTM AVAILABLE	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H				
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
84918-XXYH	0.340	8.64	0.120	3.05	0.120	3.05	POLY BAGS	—	YES	NOTE 1,12 ↓
84921-XXYH	0.370	9.40	0.150	3.81	0.120	3.05	POLY BAGS	—	YES	
86506-XXX	0.440	11.18	0.120	3.05	0.220	5.59	POLY BAGS	—	YES	
86579-XXX	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS	NOTE 9	NO	
86634-XXX		NOT	AVAILABLE					—	—	
86635-XXX		NOT	AVAILABLE					—	—	
86636-XXX		NOT	AVAILABLE					—	—	
86637-XXX		NOT	AVAILABLE					—	—	
86638-XXX		NOT	AVAILABLE					—	—	
86793-XXX	0.900	22.86	0.100	2.54	0.700	17.78	POLY BAGS	NOTE 10	NO	
86899-XXX	1.020	25.91	0.120	3.05	0.800	20.32	POLY BAGS	—	NO	NOTE 1,12
87185-XXX	1.238	31.45	0.095	2.41	1.043	26.49	POLY BAGS	NOTE 10	NO	
87204-XXX	0.895	22.73	0.120	3.05	0.675	17.15	POLY BAGS	—	NO	
87241-XXX	1.000	25.40	0.120	3.05	0.780	19.81	POLY BAGS	—	NO	
87502-XXYH	1.130	28.70	0.110	2.79	0.920	23.37	POLY BAGS	—	NO	
87827-XXX	0.380	9.65	0.120	3.05	0.160	4.06	POLY BAGS	—	NO	
87916-XXX	1.058	26.87	0.128	3.25	0.830	21.08	POLY BAGS	—	NO	
88005-XXX	0.536	13.61	0.095	2.41	0.341	8.66	POLY BAGS	NOTE 10	NO	
88706-XXX	0.900	22.86	0.100	2.54	0.700	17.78	POLY BAGS	—	NO	
89232-XXX	0.325	8.26	0.000	0.00	0.230	5.84	POLY BAGS	NOTE 7	NO	

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK				
ltr	ecn	no	dr	date	tolerances unless otherwise specified					title				
CN					angles	linear	.XX±.01/0.3 .XXX±.005/0.13 .XXXX±.0020/0.051		INCH/MM		BERGSTIK® II HEADER			
					0'±2'				scale 1:1		.100/2.54cc SR STRAIGHT			
					dr	T.BREWBAKER	01/05/95			dwg no		sheet7 of 8		size
					engr	T.HANNA	01/05/95			68000				A3
					chr	J.MURPHY	01/05/95							
					appd	T.HANNA	01/05/95							
sheet index		revision sheet												



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH		PACKAGING	NOTES	BERGSTRIPTM AVAILABLE	LF OPTION	
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H					
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC					
90522-YYY	0.668	16.97	0.135	3.43	0.433	11.00	POLY BAGS	NOTE 10	NO	NOTE 1,12 ↓	
90547-YYY	0.508	12.90	0.095	2.41	0.313	7.95	POLY BAGS	NOTE 10	NO		
90719-YYY	0.384	9.75	0.106	2.69	0.178	4.52	POLY BAGS	—	NO		
90726-YYY	0.440	11.18	0.110	2.79	0.230	5.84	POLY BAGS	—	YES		
91276-YYY	1.225	31.12	0.225	5.72	0.900	22.86	POLY BAGS	—	NO		
92020-YYY	0.372	9.45	0.094	2.39	0.178	4.52	POLY BAGS	—	NO		
92418-YYY	0.572	14.53	0.118	3.00	0.354	8.99	POLY BAGS	—	NO		
93167-YYY	0.394	10.01	0.059	1.50	0.235	5.97	POLY BAGS	—	NO		
93287-XXYH	0.585	14.86	0.085	2.16	0.400	10.16	POLY BAGS	—	NO		
93944-YYY	0.941	23.90	0.130	3.30	0.711	18.06	POLY BAGS	—	NO		
93992-XXYH	0.415	10.54	0.085	2.16	0.230	5.84	POLY BAGS	—	NO		
94063-YYY	0.376	9.55	0.138	3.51	0.138	3.51	POLY BAGS	NOTE 10	NO		
94094-YYY	0.592	15.04	0.314	7.98	0.178	4.52	POLY BAGS	—	NO		
94544-YYY	0.550	13.97	0.130	3.30	0.330	8.38	POLY BAGS	NOTE 10	NO		
94611-XXYH	0.320	8.13	0.095	2.41	0.125	3.18	POLY BAGS	—	NO		
95017-XXYH	0.560	14.22	0.060	1.52	0.400	10.16	POLY BAGS	—	NO		
95103-YYY	1.064	27.03	0.433	11.00	0.531	13.49	POLY BAGS	NOTE 10	NO		
95104-YYY	0.370	9.40	0.126	3.20	0.144	3.66	POLY BAGS	NOTE 10	NO		
95648-XXYH	0.655	16.64	0.155	3.94	0.400	10.16	POLY BAGS	—	NO		
95655-YYY	1.164	29.57	0.095	2.41	0.969	24.61	POLY BAGS	NOTE 10	NO		
98001-XXYH	0.610	15.49	0.420	10.67	0.090	2.29	POLY BAGS	—	NO		
98136-XXYH	0.475	12.07	0.095	2.41	0.280	7.11	POLY BAGS	—	NO		
10004394-XXYH	0.290	7.37	0.095	2.41	0.095	2.41	POLY BAGS	—	NO	NOTE 1,12	

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK			
ltr ecn no dr date				tolerances unless otherwise specified						title			
CN				angles		linear		INCH/MM		BERGSTIK® II HEADER			
						.XX±.01/0.3				.100/2.54cc SR STRAIGHT			
				0'±2'		.XXX±.005/0.13		scale 1:1					
				dr		T.BREWBAKER		01/05/95		dwg no		sheet8 of 8 size	
				engr		T.HANNA		01/05/95		68000		A3	
				chr		J.MURPHY		01/05/95					
				appd		T.HANNA		01/05/95		type Product Customer Drawing			
sheet index		revision sheet											

form: A3