


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite au proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

A

B




A


B




1		2				3	4	
KEY	CONTACT PLATING (NOTE 9)	PIN SHAPE	MOUNTING STYLE SEE BELOW	LATCHES	DIM F TAIL LENGTH	DIM G TAIL PLATING LENGTH	TAIL PLATING	
−0XX/0XXLF	30u"/.76" Au OVER 50u"/1.27u Ni	RND	OPEN W/TAPE	STD	.105/2.67	.07/1.8	40u"1.02u TIN OVER 50u"/1.27u Ni	
−1XX/1XXLF	30u"/.76u GXT	RND						
−2XX/2XXLF	30u"/.76" Au OVER 50u"/1.27u Ni	RND						PCB MOUNT
−2XXA/2XXALF	30u"/.76" Au OVER 50u"/1.27u Ni	RND	PCB MOUNT	NO	.090/2.29			
−3XX/3XXLF	30u"/.76u GXT	SQ	PCB MOUNT	STD	.105/2.67			
−4XX/4XXLF	30u"/.76" Au OVER 50u"/1.27u Ni	SQ	RIVET					
−5XX/5XXLF	30u"/.76u GXT	SQ						
−6XX/6XXLF	30u"/.76u GXT	RND		LP				
−7XX/7XXLF	30u"/.76u GXT	RND	OPEN W/TAPE	STD	.195/4.95	.16/4.1		
−8XX/8XXLF	30u"/.76" Au OVER 50u"/1.27u Ni	RND	RIVET	LP	.105/2.67	.07/1.8		
−9XX/9XXLF	30u"/.76u GXT	RND	RIVET	NO	.105/2.67	.07/1.8		



PCB MOUNT
87061-2XX
87061-3XX




RIVET
87061-4XX
87061-5XX
87061-6XX
87061-8XX
87061-9XX



OPEN
87061-0XX
87061-1XX
87061-7XX

MOUNTING STYLES



RECOMMENDED HOLE PATTERN
SCALE 2:1

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	.00±.01/.0±.3	projection INCH/MM	scale 1:1	title HDR., QKE SEA-HORSE STACKED 4 WALL	product family QUICKIE	code NAN	sheet 2 of
M					.XXX ±.005/.00±.13						
					.XXX ±.0020/.000±.051						
				angles	0° ±2°	INCH/MM	scale 1:1	A	size 87061	sheet 2 of	code NAN
				dr	R.SEIPLE 4/3/90						
				enr	M.SMYK 4/3/90						
				chr	M.SMYK 4/3/90						
				appd	M.SMYK 4/3/90						
sheet index	revision sheet										

PRODUCT NUMBER	SIZE	DIM B	DIM C	DIM D	DIM E	OMIT PINS
87061-X05/X05LF	4X5	.400/10.16	.720/18.29	.860/21.84	1.260/32.00	
↑ -X07/X07LF	4X7	.600/15.24	.920/23.37	1.060/26.92	1.460/37.08	
-X08/X08LF	4X8	.700/17.78	1.020/25.91	1.160/29.46	1.560/39.62	
-X10/X10LF	4X10	.900/22.86	1.220/30.99	1.360/34.54	1.760/44.70	
-X12/X12LF	4X12	1.100/27.94	1.420/36.07	1.560/41.91	1.960/49.78	
-X13/X13LF	4X13	1.200/30.48	1.520/38.61	1.660/42.16	2.060/52.32	
-X15/X15LF	4X15	1.400/35.56	1.720/43.69	1.860/47.24	2.260/57.40	
-X17/X17LF	4X17	1.600/40.64	1.920/48.77	2.060/52.32	2.460/62.48	
-X20/X20LF	4X20	1.900/48.26	2.220/56.38	2.360/59.94	2.760/70.10	
-X21/X21LF	4X20	1.900/48.26	2.220/56.38	2.360/59.94	2.760/70.10	A-11,C-11
-X22/X22LF	4X22	2.100/53.34	2.420/61.47	2.560/65.02	2.960/75.18	
-X25/X25LF	4X25	2.400/60.96	2.720/69.09	2.860/72.64	3.260/82.80	
-X30/X30LF	4X30	2.900/73.66	3.220/81.79	3.360/85.34	3.760/95.50	
↓ -223/223LF	4X20	1.900/48.26	2.220/56.38	2.360/59.94	2.760/70.10	B-10,D-10
87061-331/331LF	4X20	1.900/48.26	2.220/56.38	2.360/59.94	2.760/70.10	

NOTE 4

NOTE 4



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

[illegible]

STATUS 22526

4
Printed: Apr 12, 2011

ACAD

PDM: Rev:M