

Pb THIS PRODUCT MANUFACTURED WITH LEAD-FREE PROCESSING

REVISION D

DO NOT SCALE FROM THIS PRINT

TABLE 3

END TO END	"B"
DV TO DV	.820 [20.82]

No OF PAIRS
-018, -036, -054
(NUMBER OF PAIRS)

LENGTH
-XX.XX (INCHES)
(03.75[95.3] MIN)
(SEE NOTE 8)
(SEE NOTE 9)


END OPTION
-F: SCREW OPTION FIRST END ONLY
-S: SCREW OPTION SECOND END ONLY
-B: SCREW OPTION BOTH ENDS
-N: NO CAP OPTION BOTH ENDS
(SEE SHEET 3, FIGURE 3 FOR DETAILS)
(LEAVE BLANK FOR STANDARD HOUSINGS)

WIRING OPTION
-1: PIN 1 TO PIN 1
-2: PIN 1 TO PIN 2
-3: PIN 1 TO PIN N-1
-4: PIN 1 TO PIN N
(SEE TABLE 6, SHEET 4)



FIRST END
-TTR: TERMINAL, TOP, RIGHT
-TTL: TERMINAL, TOP, LEFT
-TBR: TERMINAL, BOTTOM, RIGHT
-TBL: TERMINAL, BOTTOM, LEFT
-STR: SOCKET, TOP, RIGHT
-STL: SOCKET, TOP, LEFT
-SBR: SOCKET, BOTTOM, RIGHT
-SBL: SOCKET, BOTTOM, LEFT

SECOND END
-TTR: TERMINAL, TOP, RIGHT
-TTL: TERMINAL, TOP, LEFT
-TBR: TERMINAL, BOTTOM, RIGHT
-TBL: TERMINAL, BOTTOM, LEFT
-STR: SOCKET, TOP, RIGHT
-STL: SOCKET, TOP, LEFT
-SBR: SOCKET, BOTTOM, RIGHT
-SBL: SOCKET, BOTTOM, LEFT


FIG. 1
(EQRP-018-XX.XX-TTL-STR-X-X SHOWN)



HDRL-11
(SEE NOTE 5)
(TOP CABLE REMOVED FOR CLARITY)



ALL CABLE TERMINATIONS TO BE POTTED WITH UV EPOXY (SEE NOTE 10)



NOTES:

1. REPRESENTS A CRITICAL DIMENSION.
2. PARTS TO BE PROCESSED PER SAMTEC BOUNDARY DOCUMENTS GUIDELINES.
3. ALL ASSEMBLIES TO BE 100% ELECTRICALLY TESTED.
4. ALL ASSEMBLIES TO BE 100% HI-POT TESTED AT 300V.
5. LABEL TO BE CENTERED ON TOP CABLE AS SHOWN. LABEL TO CONTAIN:
LINE 1 - PART NUMBER "EQRP-XXX-XX.XX-XXX-XXX-X"
LINE 2 - SHOP ORDER NUMBER "XXXXXX"
LINE 3 - DATE CODE "XXXXX"
6. FOR PACKAGING REQUIREMENTS REFERENCE PACKAGING STANDARDS.
7. TIGHTEN STS-04 FASTENERS TO 1.4-1.7 IN-LBS (4 PLCS).
8. SUB-TTF LENGTH IS EQUAL TO EQRP LENGTH.
9. CABLE LENGTHS LONGER THAN 40.00 INCHES ARE NOT SUPPORTED BY S.I. TEST DATA.
10. ALL END OPTION, W/ OR W/OUT CAPS, MUST BE POTTED WITH UV EPOXY ON CABLE TERMINATIONS (SEE SHEET 3).



TABLE 2

# OF PAIRS	N	N-1
-018	36	35
-036	72	71
-054	108	107

TABLE 1

# OF PAIRS	"A"	EQD-XX-01	EQD-XX-02	SUB-TCF-3450F-XX-XX-XX-XX		SUB-EQRP-X-XXX-XX-XX-X (SEE TABLE 6)
				PART #	QTY	
-018	1.300 [33.02]	EQD-01-01	EQD-01-02	SUB-TTF-32100-09-01-XX.XX	2	SUB-EQRP-X-018-XX-XX-X
-036	2.276 [57.81]	EQD-02-01	EQD-02-02	SUB-TTF-32100-09-01-XX.XX	4	SUB-EQRP-X-036-XX-XX-X
-054	3.253 [82.63]	EQD-03-01	EQD-03-02	SUB-TTF-32100-09-01-XX.XX	6	SUB-EQRP-X-054-XX-XX-X

TOLERANCES DO NOT APPLY TO REFERENCE DIMENSIONS, UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
TOLERANCES ARE:
DECIMALS .XX: ±.01 [3]
.XXX: ±.005 [13]
.XXXX: ±.0020 [051]

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DO NOT SCALE DRAWING SHEET SCALE: 1:1

DESCRIPTION:
0.8MM Q-RATE TWINAX CABLE ASSEMBLY

DWG. NO.
EQRP-XXX-XX.XX-XXX-XXX-X-X

BY: J. Riley 08/10/09 SHEET 1 OF 4

FIRST END












FIG. 2
(SCREW DOWN OPTION SHOWN)
(ASSEMBLY THE SAME,
EXCEPT AS SHOWN)

TABLE 4

# OF PAIRS	"C"	"D"	EQD-XX-02-SDO
-018	1.540 [39.12]	1.840 [46.74]	EQD-01-02-SDO
-036	2.516 [63.91]	2.816 [71.53]	EQD-02-02-SDO
-054	3.492 [88.70]	3.792 [96.32]	EQD-03-02-SDO

TABLE 5

END OPTION	"E"
-TXX	.135 [3.43]
-SXX	.160 [4.08]

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:
0.8MM Q-RATE TWINAX CABLE ASSEMBLY

DWG. NO.
EQRP-XXX-XX.XX-XXX-XXX-X-X

BY: J. Riley 08/10/09 SHEET 2 OF 4

SECOND END





FIG. 3
(EQRP-018-XX.XX-TTL-STR-X-X SHOWN)
(ASSEMBLY THE SAME,
EXCEPT AS SHOWN)



# OF POSITIONS	"F"
-018	1.136 [28.85]
-036	2.113 [53.67]
-054	3.089 [78.46]

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322


DESCRIPTION:
0.8MM Q-RATE TWINAX CABLE ASSEMBLY
DWG. NO.
EQRP-XXX-XX.XX-XXX-XXX-X-X
BY: J. Riley 08/10/09 SHEET 3 OF 4

TABLE 6

FIRST END OPTION	FIRST END SUB-EQRP-X-XXX-XX-01	WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE #	SECOND END OPTION (SUB-EQRP-X-XXX-XX-XX)							
						-TTR	-TTL	-TBR	-TBL	-STR	-STL	-SBR	-SBL
-TTR	-T-XXX-01-01	1	1	1	T1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
		2	1	2	T1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
		3	1	N-1	T1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
		4	1	N	T1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
-TTL	-T-XXX-02-01	1	1	1	B20	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
		2	1	2	B20	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
		3	1	N-1	B20	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
		4	1	N	B20	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
-TBR	-T-XXX-01-01	1	1	1	B20	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
		2	1	2	B20	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
		3	1	N-1	B20	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
		4	1	N	B20	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
-TBL	-T-XXX-02-01	1	1	1	T1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
		2	1	2	T1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
		3	1	N-1	T1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
		4	1	N	T1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
-STR	-S-XXX-01-01	1	1	1	T20	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
		2	1	2	T20	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
		3	1	N-1	T20	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
		4	1	N	T20	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
-STL	-S-XXX-02-01	1	1	1	B1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
		2	1	2	B1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
		3	1	N-1	B1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
		4	1	N	B1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
-SBR	-S-XXX-01-01	1	1	1	B1	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A
		2	1	2	B1	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
		3	1	N-1	B1	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
		4	1	N	B1	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
-SBL	-S-XXX-02-01	1	1	1	T20	N/A	-T-XXX-01-01	-T-XXX-02-01	N/A	-S-XXX-02-02	N/A	N/A	-S-XXX-01-02
		2	1	2	T20	N/A	-T-XXX-01-02	-T-XXX-02-02	N/A	-S-XXX-02-01	N/A	N/A	-S-XXX-01-01
		3	1	N-1	T20	-T-XXX-02-02	N/A	N/A	-T-XXX-01-02	N/A	-S-XXX-01-01	-S-XXX-02-01	N/A
		4	1	N	T20	-T-XXX-02-01	N/A	N/A	-T-XXX-01-01	N/A	-S-XXX-01-02	-S-XXX-02-02	N/A

TABLE 7								
SIGNAL MAP								
POSITION	1	3	5	7	...	N-5	N-3	N-1
SIGNAL	S	S	S	S		S	S	S
SIGNAL	S	S	S	S		S	S	S
POSITION	2	4	6	8	...	N-4	N-2	N

(GROUND BLADE TIED TO COAX SHIELD)

<p>PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.</p>			
	<p>520 PARK EAST BLVD. NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322</p>		
	<p>DO NOT SCALE DRAWING</p>	<p>DESCRIPTION: 0.8MM Q-RATE TWINAX CABLE ASSEMBLY</p>	
	<p>DWG. NO. EQRP-XXX-XX.XX-XXX-XXX-X-X</p>		
<p>BY: J. Riley</p>		<p>08/10/09</p>	<p>SHEET 4 OF 4</p>