




Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire. Toute réimpression sans autorisation écrite du propriétaire est interdite. Toute réimpression sans autorisation écrite du propriétaire est interdite.



**BERG**  
ELECTRONICS

All rights strictly reserved. Reproduction or communication to third parties in any form or by any means without written authority from the proprietor. Any reprinting without written authority from the proprietor is prohibited. Any reprinting without written authority from the proprietor is prohibited.

PRODUCT NUMBER

94136



mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		<b>BERG</b> ELECTRONICS			
rev.	ecn no.	dr	date	linear	.0 ± 0.25	projection 	title	SIMM SOCKET 40' 1-ROW .050" P/L			
A	T40217	R	J09/05/94		.00 ± 0.15						
B	T50001	R	J01/23/95		.000± 0.10						
C	T60367	A	H09/06/96	angles	± 2'		product family	size	dwg no.		
D	T70113	A	H03/21/97	dr	H C CHANG					unit	code
				enrg	WAYNE YU					mm/inch	TWN
				chr	WAYNE YU	scale			sheet		
				appd	D K WANG	1.5 : 1		94136	1 OF 3		
sheet	revision	D	C	D							
index	sheet	1	2	3							

PDM Rev:D

STATUS: Released

Printed: Aug 31, 2002

6


Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.  
 propriété de c BERG ELECTRONICS.  
 droits de reproduction BERG ELECTRONICS by

BERG  
ELECTRONICS


All rights strictly reserved. Reproduction or issue to third parties in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, is not permitted without written authority from the proprietor.  
 Property of c BERG ELECTRONICS.  
 Copyright BERG ELECTRONICS by

PRODUCT NUMBER

94136



SOCKET PC BOARD LAYOUT  
(COMPONENT SIDE)



SIP MODULE BOARD LAYOUT

NOTE:

1. MATERIAL

HOUSING: LIQUID CRYSTAL POLYMER GLASS FILLED UL94V-0  
 RATED, COLOR BLACK OR NATURAL  
 TERMINAL : PHOSPHOR BRONZE.

2. PLATING

CONTACT: 150μ-in(3.81μm) MIN. TIN/LEAD.  
 SOLDER TAIL: 100μ-in(2.54μm) MIN. TIN/LEAD  
 UNDERPLATE: 50μ-in(1.27μm) MIN. NICKEL OVERALL.


3. BERG LOGO TO BE APPROXIMATELY LOCATED AS SHOWN ON PRINT.

4. IF P/N 94136-X0X ARE USED, POSITION S SHOULD BE  
 CONNECTED TO PIN #1 OF SIP MODULE BOARD.

5. IF P/N 94136-X1X ARE USED, POSITION T SHOULD BE  
 CONNECTED TO PIN #1 OF SIP MODULE BOARD.

6. PRODUCT P/N	DIA OF CENTRAL HOLE	MARK
94136-0XXX/1XXX	2.44±0.02mm	U
94136-5XXX/6XXX	2.49±0.02mm	C
94136-7XXX/8XXX	2.54±0.02mm	A

(EXCLUDE THOSE OF P/N'S WITHOUT CENTRAL PEG.)



DETAIL W

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn no.	dr	date	linear	.0 ± .25	projection	title	SIMM SOCKET 40' 1-ROW .050" P/L	
C				angles	.00 ± .15 .000 ± .010 ± 2'	unit	product family		
				dr	H C CHANG 12/05/93	mm/inch	size	code	
				engr	WAYNE YU 12/05/93	scale	dwg no.	TWN	
				chr	WAYNE YU 12/05/93	1 : 1	94136	sheet	
				appd	D K WANG 12/05/93			2 OF 3	
sheet	revision			index	sheet				

PDM: Rev:D

STATUS: Released

Printed: Aug 31, 2002

Tous droits réservés. Toute réimpression ou utilisation non autorisée sans la permission écrite de la BERG ELECTRONICS est formellement interdite.



All rights strictly reserved. Reproduction or use in any form without the written authority from the proprietor. Copyright BERG ELECTRONICS

PRODUCT NUMBER

94136

MASTER  
NO.  
94136

SERIES  
NO.  
XXXX

T : FOR THOMSON

K : KINKED ODD LEGS, UNLESS NO. 9,11,61,63

NO OF POS :  $\frac{3}{1 \times 72}$  (ALL WITH CENTRAL PEG)

NO OF POS :  $\frac{8}{1 \times 72}$  (ALL WITHOUT CENTRAL PEG)

POS OF  
POLARIZATION KEY :  $\frac{0}{J} \quad \frac{1}{K}$

COLOR OF HOUSING:  $\frac{0/5/7}{BLACK} \quad \frac{1/6/8}{NATURAL}$

PRODUCT PART NO	HOUSING COLOR	POS OF POL'N KEY	NO OF POS	A	B	C	D	E	F	F
94136 -003/008/503/508/703/708	BLACK	J	1X72	44.45	95.25	115.58	108.33	101.19	111.77	107.95
-013/018/513/518/713/718		K								
94136 -103/108/603/608/803/808	NATURAL	J	1X72	44.45	95.25	115.58	108.33	101.19	111.77	107.95
-113/118/613/618/813/818		K								
94136 -003K/008K/503K/508K/703K/708K	BLACK	J	1X72	44.45	95.25	115.58	108.33	101.19	111.77	107.95
-013K/018K/513K/518K/713K/718K		K								
94136 -103K/108K/603K/608K/803K/808K	NATURAL	J	1X72	44.45	95.25	115.58	108.33	101.19	111.77	107.95
-113K/118K/613K/618K/813K/818K		K								
94136 -003T/008T/503T/508T/703T/708T	BLACK	J	1X72	44.45	95.25	115.58	108.33	101.19	111.77	107.95
-013T/018T/513T/518T/713T/718T		K								
94136 -103T/108T/603T/608T/803T/808T	NATURAL	J	1X72	44.45	95.25	115.58	108.33	101.19	111.77	107.95
-113T/118T/613T/618T/813T/818T		K								

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS		
rev.	ecn no.	dr	date	linear	.0 ± 0.25	projection 	unit mm/inch	title SIMM SOCKET 40' 1-ROW .050" P/L		code TWN
D					.00 ± 0.15					
					.000± 0.10					
				angles	± 2'		scale 1 : 1	product family size dwg no. 94136		sheet 3 OF 3
				dr	H C CHANG 12/05/93					
				enqr	WAYNE YU 12/05/93					
				chr	WAYNE YU 12/05/93	scale 1 : 1	1 : 1	94136		3 OF 3
				appd	D K WANG 12/05/93					
sheet	revision									
index	sheet									