





PRODUCT NO
SEE TABLE



CUSTOMER COPY


REV	DESCRIPTION	REV'D BY	DATE
DT	ECR S80278	BS LOW	09DEC98
DU	ECR S90001	BS LOW	07JAN99
DV	ECR S90031	BS LOW	15MAR99
DW	ECR S90050	BS LOW	31MAR99
DX	ECR S90132	BS LOW	22JUL99
DY	ECR S90160	BS LOW	09SEP99
EA	ECR S90198	BS LOW	01NOV99
EB	ECR S00052	JPEH	27MAR00
EC	ECR S00087	JPEH	19MAY00
ED	ECR S00128	JPEH	07JUL00

GEN. TOLERANCES		DO NOT SCALE DWG.		
REFER TO NOTE 2				
		 		
				DESCRIPTION
				MINITEK II STR HEADER HTP
	NAME	DATE		
DRAWN	JPEH	07JUL00		
CHECKED	<i>Per</i>	<i>7/7/00</i>		PRODUCT NO. 88099
APPROVED	<i>2.07</i>	<i>10/1/00</i>		SCALE SHT <u>1</u> OF <u>8</u>

PRODUCT NO	POS	POL. POS	1 DIM X	2 DIM Y	DIM H	DIM W	PLATING	HSG MAT'L	COLOR	4
88099-001	2X3	3	4	6	4,0	3,0	0,2um MIN Au	PCT	BEIGE	REV
002	2X3	3	4	6	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	DT
003	2X25	5,6,26	48	50	4,0	3,0	0,76um MIN GXT	PCT	BEIGE	DU
004	2X14	1,2,3,4	26	28	4,0	2,5	0,76um MIN GXT	PCT	BEIGE	DV
005	2X7	7	12	14	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	DW
006	2X17	6	32	34	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	DX
007	2X20	5	38	40	4,0	3,0	0,76um MIN GXT	PCT	BEIGE	DY
008	2X8	-	14	16	5,1	1,4	0,38um MIN Au	PCT	BEIGE	EA
009	2X2	1	2	4	4,0	0,76	0,76um MIN GXT	PCT	BEIGE	EB
010	2X25	9,10,27	48	50	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	EC
011	2X25	5,6,26	48	50	3,7	2,0	0,38um MIN Au	PCT	BEIGE	ED
012	2X25	5,6,26	48	50	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	
013	2X22	-	42	44	2,0	3,0	0,76um MIN GXT	PCT	BEIGE	
014	2X25	-	48	50	4,0	2,7	0,76um MIN GXT	PCT	BEIGE	
015	2X3	5	4	6	4,0	3,0	0,76um MIN GXT	PCT	BEIGE	
016	2X3	3	4	6	4,0	3,0	0,76um MIN GXT	PCT	BEIGE	
017	2X25	5,6,26	48	50	4,0	1,5	0,2um MIN Au	PCT	BEIGE	
018	2X2	1	2	4	4,0	0,9	0,2um MIN Au	PCT	BEIGE	
019	2X25	-	48	50	4,0	1,5	0,76um MIN GXT	PCT	BEIGE	
020	2X16	9,10,15,16	30	32	4,0	3,0	0,76um MIN Au	PCT	BEIGE	
021	2X10	8	18	20	4,0	3,0	0,76um MIN GXT	PCT	BEIGE	
022	2X25	5,6,26	48	50	3,8	2,2	0,76um MIN Au	PCT	BEIGE	
023	2X2	-	2	4	4,0	2,3	0,38um MIN GXT	PCT	BEIGE	
024	2X16	9,10,15,16	30	32	2,2	3,2	0,76um MIN Au	PCT	BEIGE	
025	2X2	-	2	4	4,0	2,5	0,76um MIN Au	PCT	BEIGE	

GEN. TOLERANCES		DO NOT SCALE DWG. MM		 DESCRIPTION MINITEK II STR HEADER HTP
REFER TO NOTE 2		 		
	NAME	DATE		
DRAWN	JPEH	07JUL00		
CHECKED	<i>feh</i>	7/7/00		PRODUCT NO. 88099
APPROVED	<i>[Signature]</i>	10/7/00		SCALE SHT 2 OF 8

CUSTOMER COPY

1 2 3 4										
PRODUCT NO	POS	POL. POS	DIM X	DIM Y	DIM H	DIM W	PLATING	HSG MAT'L	COLOR	REV
88099-026	2X4	-	6	8	4,0	2,5	0,76um MIN Au	PCT	BEIGE	DT
027	2X6	-	10	12	4,0	2,5	0,76um MIN Au	PCT	BEIGE	DV
028	2X8	-	14	16	4,0	2,5	0,76um MIN Au	PCT	BEIGE	DW
029	2X25	5,6,26	48	50	4,0	1,5	0,76um MIN GXT	PCT	BEIGE	DX
030	2X10	-	18	20	5,5	3,2	0,38um MIN GXT	PCT	BEIGE	DY
031	2X15	10	28	30	2,0	2,0	0,38um MIN GXT	PCT	BEIGE	EA
032	2X19	-	36	38	3,4	9,6	0,38um MIN GXT	PCT	BEIGE	EB
033	2X8	-	14	16	3,4	9,6	0,38um MIN GXT	PCT	BEIGE	EC
034	2X5	-	8	10	2,54	7,59	0,38um MIN GXT	PCT	BEIGE	ED
035	2X2	1	2	4	4,0	2,5	0,76um MIN Au	PCT	BEIGE	
036	2X5	7	8	10	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	
037	2X7	-	12	14	4,7	3,1	0,76um MIN GXT	PCT	BEIGE	
038	2X13	-	24	26	4,0	9,5	0,38um MIN GXT	PCT	BLACK	
039	2X2	-	2	4	2,8	2,8	0,38um MIN GXT	PCT	BEIGE	
040	2X2	-	2	4	2,8	2,8	0,76um MIN GXT	PCT	BEIGE	
041	2X3	-	4	6	2,8	2,8	0,38um MIN GXT	PCT	BEIGE	
042	2X3	-	4	6	2,8	2,8	0,76um MIN GXT	PCT	BLACK	
043	2X10	-	18	20	5,8	2,8	0,38um MIN GXT	PCT	BEIGE	
044	2X10	-	18	20	5,8	2,8	0,76um MIN GXT	PCT	BEIGE	
045	2X10	8	18	20	5,8	2,8	0,38um MIN GXT	PCT	BEIGE	
046	2X10	8	18	20	5,8	2,8	0,76um MIN GXT	PCT	BEIGE	
047	2X3	5	4	6	4,0	2,5	0,76um MIN GXT	PCT	BEIGE	
048	2X15	-	28	30	3,5	10,9	0,38um MIN GXT	PCT	BEIGE	
049	2X22	-	42	44	4,0	1,5	0,76um MIN GXT	PCT	BEIGE	
050	2X13	-	24	26	4,0	14,8	0,38um MIN Au	PCT	BLACK	
NOTE ⑥										
A										A
B										B
CUSTOMER COPY										
1 2 3 4										
GEN. TOLERANCES										DO NOT SCALE DWG. MM
REFER TO NOTE 2										
										 
										DESCRIPTION
										MINITEK II STR HEADER HTP
DRAWN										NAME
JPEH										DATE
07 JUL 00										PRODUCT NO.
88099										SCALE
SHT 3 OF 8										
APPROVED										
1-13-00										
3										4

PRODUCT NO	POS	POL. POS	1 DIM X	DIM Y	DIM H	2 DIM W	PLATING	HSG MAT'L	COLOR	4
88099-051	2X10	-	18	20	4,0	14,8	0,38um MIN Au	PCT	BLACK	REV
052	2X6	-	10	12	5,5	3,2	0,38um MIN GXT	PCT	BEIGE	DT
053	2X4	5	6	8	4,0	3,0	0,76um MIN GXT	PCT	BEIGE	DU
054	2X17	1,2,33 & 34	32	34	4,0	2,5	0,38um MIN GXT	PCT	BEIGE	DV
055	2X7	-	12	14	3,4	6,0	0,38um MIN Au	PCT	BEIGE	DW
056	2X8	-	14	16	3,4	6,0	0,38um MIN Au	PCT	BEIGE	DX
057	2X3	-	4	6	6,0	2,5	0,38um MIN GXT	PCT	BLACK	DY
058	2X25	24,41	48	50	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	EA
059	2X6	-	10	12	6,2	3,0	0,38um MIN GXT	PCT	BEIGE	EB
060	2X12	-	22	24	10,32	4,08	0,76um MIN GXT	PCT	BEIGE	EC
061	2X10	3	18	20	4,0	2,3	0,38um MIN GXT	PCT	BEIGE	ED
062	2X5	4	8	10	4,0	2,3	0,38um MIN GXT	PCT	BEIGE	
063	2X12	-	22	24	3,6	9,6	0,38um MIN GXT	PCT	BEIGE	
064	2X22	20	42	44	4,0	3,3	0,38um MIN GXT	PCT	BEIGE	
065	2X25	10,27	48	50	4,0	2,6	0,38um MIN GXT	PCT	BEIGE	
066	2X20	-	38	40	4,0	13,6	0,38um MIN GXT	PCT	BEIGE	
067	2X7	3	12	14	4,0	2,3	0,38um MIN GXT	PCT	BLACK	
068	2X25	9,11,12,13,14,19,21,22,23,24,25,35,36,37,38,49	48	50	4,0	2,5	0,38um MIN GXT	PCT	BLACK	
069	2X5	2	8	10	4,0	3,0	0,38um MIN GXT	PCT	BLACK	
070	2X8	2	14	16	4,0	3,0	0,38um MIN GXT	PCT	BLACK	
071	2X17	2	32	34	4,0	3,0	0,38um MIN GXT	PCT	BLACK	
072	2X8	-	14	16	4,0	6,8	0,38um MIN GXT	PCT	BLACK	
073	2X6	-	10	12	4,0	8,1	0,76um MIN GXT	PCT	BLACK	
074	2X14	-	26	28	4,0	8,1	0,76um MIN GXT	PCT	BLACK	
075	2X6	-	10	12	4,0	1,5	0,38um MIN GXT	PCT	BEIGE	

GEN. TOLERANCES		DO NOT SCALE DWG MM		
REFER TO NOTE 2		 		
	NAME	DATE		DESCRIPTION MINITEK II STR HEADER HTP
DRAWN	JPEH	07JUL00		
CHECKED	<i>Per</i>	7/7/00		
APPROVED	<i>July</i>	7/7/00		PRODUCT NO. 88099 SCALE SHT 4 OF 8

CUSTOMER COPY

PRODUCT NO	POS	POL. POS	DIM X	DIM Y	DIM H	DIM W	PLATING	HSG MAT'L	COLOR
88099-076	2X6	9	10	12	4,0	3,0	0,38um MIN GXT	PCT	BLACK
077	2X10	-	18	20	7,82	3,81	0,2um MIN Au	PCT	BLACK
078	2X4	-	6	8	5,5	6,1	0,38um MIN Au	PCT	BEIGE
079	2X3	-	4	6	3,0	10,5	0,2um MIN Au	PCT	BLACK
080	2X4	-	6	8	7,5	2,9	0,76um MIN GXT	PCT	BLACK
081	2X13	-	24	26	5,5	3,1	0,38um MIN GXT	PCT	BLACK
082	2X8	-	14	16	4,7	6,0	0,38um MIN GXT	PCT	BEIGE
083	2X3	1,3,4,5	4	6	4,0	3,0	0,2um MIN Au	PCT	BEIGE
084	2X2	-	2	4	3,2	3,2	0,38um MIN GXT	PCT	BLACK
085	2X8	-	14	16	7,82	3,81	0,38um MIN GXT	PCT	BLACK
086	2X14	-	26	28	2,6	15,3	0,38um MIN GXT	PCT	BLACK
087	2X20	-	38	40	2,6	15,3	0,38um MIN GXT	PCT	BLACK
088	2X6	9	10	12	4,0	2,5	0,38um MIN GXT	PCT	BLACK
089	2X12	-	22	24	4,0	9,5	0,38um MIN GXT	PCT	BEIGE
090	2X23	-	44	46	10,5	3,0	0,38um MIN GXT	PCT	BLACK
091	2X10	-	18	20	4,0	9,5	0,38um MIN GXT	PCT	BEIGE
092	2X15	-	28	30	3,0	11,0	0,38um MIN GXT	PCT	BLACK
093	2X8	-	14	16	6,2	3,0	0,38um MIN GXT	PCT	BLACK
094	2X15	-	28	30	6,2	3,0	0,38um MIN GXT	PCT	BLACK
095	2X16	-	30	32	4,0	6,0	0,38um MIN GXT	PCT	BEIGE
096	2X3	1,3,4,5	4	6	6,3	2,5	0,38um MIN GXT	PCT	BLACK
097	2X25	2	48	50	4,0	3,0	0,76um MIN Au	PCT	BEIGE
098	2X14	-	26	28	4,0	8,4	0,38um MIN GXT	PCT	BLACK
099	2X25	-	48	50	4,0	8,4	0,38um MIN GXT	PCT	BLACK
100	2X2	-	2	4	3,7	6,1	0,38um MIN GXT	PCT	BLACK

A

B

GEN. TOLERANCES		DO NOT SCALE DWG.	
REFER TO NOTE 2			
	NAME	DATE	
DRAWN	JPEH	07 JUL 00	
CHECKED	<i>[Signature]</i>	7/7/00	
APPROVED	<i>[Signature]</i>	10/31/00	

DESCRIPTION

MINITEK II
STR HEADER HTP


CUSTOMER COPY

PRODUCT NO.	88099
SCALE	SHT 5 OF 8

B


4

PRODUCT NO	POS	POL. POS	DIM X	DIM Y	DIM H	DIM W	PLATING	HSG MAT'L	COLOR	REV
88099-101	2X4	-	6	8	3,7	11,1	0,38um MIN GXT	PCT	BLACK	DT
102	2X5	-	8	10	3,5	4,05	0,76um MIN GXT	PCT	BEIGE	DU
103	2X4	-	6	8	4,0	9,5	0,38um MIN GXT	PCT	BEIGE	DV
104	2X15	-	28	30	4,0	9,5	0,38um MIN GXT	PCT	BEIGE	DW
105	2X15	-	28	30	4,0	12,0	0,38um MIN GXT	PCT	BLACK	DX
106	2X13	-	24	26	4,0	8,0	0,38um MIN GXT	PCT	BEIGE	DY
107	2X18	-	34	36	4,0	8,0	0,38um MIN GXT	PCT	BEIGE	EA
108	2X6	-	10	12	2,8	5,0	0,38um MIN GXT	PCT	BEIGE	EB
109	2X6	-	10	12	2,8	5,0	0,38um MIN GXT	PCT	BLACK	EC
110	2X13	10	24	26	4,0	3,0	0,38um MIN GXT	PCT	BEIGE	ED
111	2X15	-	28	30	6,0	8,0	0,38um MIN GXT	PCT	BEIGE	
112	2X15	-	28	30	4,0	9,8	0,38um MIN GXT	PCT	BEIGE	
113	2X13	-	24	26	4,0	5,8	0,38um MIN GXT	PCT	BEIGE	
114	2X2	-	2	4	4,3	10,1	0,38um MIN GXT	PCT	BLACK	
115	2X2	-	2	4	5,3 ^{+0,2} _{-0,1}	6,1	0,38um MIN Au	PCT	BLACK	
116	2X14	-	26	28	2,0	10,9	0,38um MIN GXT	PCT	BEIGE	
117	2X25	-	48	50	4,0	9,5	0,38um MIN GXT	PCT	BEIGE	
118	2X2	-	2	4	5,3 ^{+0,2} _{-0,1}	6,1	0,76um MIN Au	PCT	BLACK	
119	2X6	-	10	12	5,5	3,2	0,38um MIN Au	PCT	BEIGE	
120	2X15	-	28	30	3,4	6,0	0,38um MIN Au	PCT	BEIGE	
121	2X22	-	42	44	4,0	12,0	0,38um MIN GXT	PCT	BLACK	
122	2X3	-	4	6	4,0	6,0	0,76um MIN Au	PCT	BEIGE	
123	2X10	-	18	20	4,0	4,0	0,76um MIN Au	PCT	BEIGE	
124	2X13	26	24	26	4,0	3,0	0,38um MIN Au	PCT	BEIGE	
125	2X13	-	24	26	4,0	8,1	0,76um MIN GXT	PCT	BEIGE	

GEN. TOLERANCES		DO NOT SCALE DWG. MM		
REFER TO NOTE 2				
		NAME	DATE	
DRAWN	JPEH	07JUL00		DESCRIPTION MINITEK II STR HEADER HTP
CHECKED	<i>peh</i>	7/7/00		
APPROVED	<i>2m</i>	10/1/00		
				PRODUCT NO. 88099
				SCALE SHT. 6 OF 8

CUSTOMER COPY

PRODUCT NO	POS	POL. POS	DIM X	DIM Y	DIM H	DIM W	PLATING	HSG MAT'L	COLOR	REV
88099-126	2X20	-	38	40	4,0	12,5	0,38um MIN GXT	PCT	BLACK	DT
127	2X15	-	28	30	5,0	11,0	0,38um MIN GXT	PCT	BLACK	DU
128	2X20	ALL ODD POS	38	40	4,0	3,0	0,2um MIN Au	PCT	BEIGE	DV
129	2X22	-	42	44	3,2	8,1	0,76um MIN Au	PCT	BLACK	DW
130	2X4	-	6	8	4,65	12,7	0,38um MIN Au	PCT	BEIGE	DX
131	2X7	-	12	14	3,7	6,1	0,76um MIN Au	PCT	BLACK	DY
132	2X22	-	42	44	5,0	11,0	0,38um MIN GXT	PCT	BLACK	EA
133	2X4	-	6	8	3,0	2,75	0,76um MIN Au	PCT	BLACK	EB
										EC
										ED

GEN. TOLERANCES		DO NOT SCALE DWG. MM		
REFER TO NOTE 2				
		NAME	DATE	
DRAWN	JPEH	07JUL00	DESCRIPTION MINITEK II STR HEADER HTP	
CHECKED	<i>pel</i>	7/7/00	PRODUCT NO. 88099	
APPROVED	<i>2000</i>	10/31/00	SCALE	SHT 7 OF 8

CUSTOMER COPY

PRODUCT NO
SEE TABLE

REV
DT
DU
DV
DW
DX
DY
EA
EB
EC
ED

NOTES

- 1 MATERIAL
BODY : GLASS FILLED MAT'L PER UL 94V-0
REFER TO TABLE FOR TYPE OF MAT'L
& COLOR.
PIN : PHOSPHOR BRONZE
- 2 GENERAL TOLERANCE $\pm 0,25$
- ③ POLARISED POSITION REFER TO TABLE.
- ④ DIM 1,0 $\pm 0,15$ MOLDED SIDE(S) ONLY.
IF SIDE(S) ARE BROKEN DIM 1,5 MAX APPLIES.
- ⑤ RECESS APPLIES TO MOLDED SIDE(S) ONLY.
- 6 STANDARED PACKAGING IN POLYTHENE BAG.
FOR TUBE PACKAGING, QUOTE P/N 88099-029T.

GEN. TOLERANCES		DO NOT SCALE DWG. MM			
REFER TO NOTE 2					
	NAME	DATE		DESCRIPTION MINITEK II STR HEADER HTP	
DRAWN	JPEH	07 JUL00			
CHECKED	<i>per</i>	7/7/00			
APPROVED	<i>per</i>	10/31/00			
				PRODUCT NO.	88099
				SCALE	SHT 8 OF 8

CUSTOMER COPY