

-
- Home
 - Part Number Search
 - Document Search
 - CAD Model Search
 - Text Search
 - Alternate/Lead Free Part Search
 - Multiple Part Comparison
 - Alphabetical Search
 - Brand Search
 - Industry Product Search
 - Product Type Search
 - Product Family Search
 - Competitor Cross Reference
 - Lead Free Solutions
 - Tool Search
 - Help/Glossary

High Speed Connectors

☐ 2mm Centerline Futurebus+ Connectors (Z-PACK 2mm FB)

☐ AMP
 ☐ 5223058-3
 ☐ Active
 ☐ Active
 ☐ RoHS Compliant
 ☐ RoHS Compliant

(Tyco Electronics P/N: 5223058-3)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
☐ General Info ☐ Sales Info	☐ Pricing	☐ Tooling
☐ Assembly Subcontractors	☐ Product Availability	

Searchable Features:	
Brand:	AMP
RoHS/ELV Compliance:	RoHS compliant, ELV compliant
Lead Free Solder Process:	Not relevant for lead free process
Module Type:	Signal
No. of Signal Positions:	90
Product Type:	Fixed-Board (Header)
Sequencing:	Yes
Sequencing Configuration Row A:	Mating Post Length 5mm, Termination Post Length 4.25mm
Sequencing Configuration Row B:	Mating Post Length 6.5mm, Termination Post Length 4.25mm
Sequencing Configuration Row C:	Mating Post Length 7.25mm, Termination Post Length 4.25mm
Sequencing Configuration Row D:	Mating Post Length 6.5mm, Termination Post Length 4.25mm

Other Properties:	
RoHS/ELV Compliance History:	Always was compliant
Centerline, Matrix (mm [in]):	2.00 x 2.00 [.079 x .079]
Make First / Break Last:	Yes
Pin Header Width (mm [in]):	18.00 [0.709]
Contact Material:	Phosphor Bronze
Contact Mating Area Plating:	Gold (30)
Housing Material:	Liquid Crystal Polymer (LCP)
Comment:	With sequenced contacts. Refer to customer drawing for specific loading patterns.

Sequencing Configuration Row E:	Mating Post Length 5mm, Termination Post Length 4.25mm
PCB Mount Angle:	Vertical
No. of Rows:	5
Post Type:	Press-Fit
Post Plating:	Tin

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International. Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)

i2 Technologies US, Inc.

HTML Pages converted to PDF Document

This document contain component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

