

NOTE:






1. MATERIAL:  
HOUSING: LIQUID CRYSTAL POLYMER, GLASS FILLED UL94V-0  
RATED, COLOR BLACK OR NATURAL.  
EJECTOR: LIQUID CRYSTAL POLYMER OR OTHER HIGH  
PERFORMANCE RESINS, GLASS FILLED UL94V-0  
RATED, COLOR BLACK OR NATURAL.  
TERMINAL: PHOSPHOR BRONZE.  
METAL CLIP: PHOSPHOR BRONZE.
2. BERG LOGO TO BE APPROXIMATELY LOCATED AS SHOWN ON PRINT.
3. PRODUCT SPECIFICATION: GES-12-066.
4. FOR 91159-XXXXP PARTS ONLY : BOTH SIDE SURFACE OF THE PLASTIC BODY  
ARE ALL FLAT, WITHOUT ANY MOLD CATCHING-UP MARK AS PRINT SPECIFIED.

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn no.	dr	date	linear	.0 ±0.38/.015	projection	title	product family	code
H	T80186	M	W05/08/98		.00 ±0.25/.010		DIMM, .050" 1-ROW, 168P	DIMM	TWN
B	T60206	R	J05/23/96		.000 ±0.15/.005		V/T ASS'Y METAL CLIP	size	sheet
C	T60263	A	H07/02/96	angles	± 2'			91159	1 OF 4
D	T60372	A	H09/11/96	dr	CATHY LIN 03/28/95	unit			
E	T60477	A	H12/06/96	enr	CATHY LIN 03/28/95	mm/inch			
F	T70070	A	H02/20/97	chr	WAYNE YU 03/28/95	scale			
G	T70154	A	H04/24/97	appd	JENN TSAO 03/28/95	1.5 : 1			
sheet	revision	H	G	H	G				
index	sheet	1	2	3	4				

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite de BERG ELECTRONICS.

BERG ELECTRONICS

All rights strictly reserved. Reproduction or communication to third parties in any form without written authority from the proprietor. Property of BERG ELECTRONICS. Copyright BERG ELECTRONICS.



KEY POS. #1	KEY POS. #2	DIM."A"	DESCRIPTION
TYPE "R"	TYPE "C"	42.18 1.661	FOR UNBUFFERED DRAM, SYNC DRAM, REGISTERED SDRAM, 3.3 VOLT.
TYPE "L"	TYPE "C"	44.18 1.739	FOR OPEN, 3.3 VOLT.
TYPE "C"	TYPE "C"	43.18 1.700	FOR STANDARD DRAM, BUFFERED, 3.3 VOLT.
TYPE "R"	TYPE "L"	41.18 1.621	FOR NON-STANDARD DRAM, 5.0 VOLT.
TYPE "L"	TYPE "L"	43.18 1.700	FOR SYNC DRAM, 5.0 VOLT.
TYPE "C"	TYPE "L"	42.18 1.661	FOR STANDARD DRAM, 5.0 VOLT.


mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS	
rev.	ecn	no.	dr	date	linear	.00 ±0.30/.012	projection	title	
G						.00 ±0.20/.008		DIMM .050" 1-ROW, 168P	
					angles	.000±0.10/.004		V/T ASS'Y METAL CLIP	
					dr	CATHY LIN 03/28/95	unit	product family	
					enr	CATHY LIN 03/28/95	mm/inch	size	
					chr	WAYNE YU 03/28/95	scale	dwg no.	
					appd	JENN TSAO 03/28/95	2 : 1	91159	
sheet		revision		index		sheet		code	
								TWN	
								sheet	
								2 OF 4	



PROD. NO.	DIM."A"	DIM."B"	DIM."C"	DIM."D"	HOUSING COLOR	RESIN	EJECTOR COLOR	RESIN	STYLE	MARKING #2	MARKING #1
91159-1100*	42.18 1.661	2.54 .100	2.39 .094	4.0 .157	BLACK	LCP	IVORY	LCP	FOR STANDARD DRAM, 5 VOLT.	STD	5.0
91159-1101*					IVORY		BLACK				
91159-1102*					IVORY		IVORY				
91159-1103*					BLACK		NATURAL				
91159-1110*	BLACK	IVORY	LCP								
91159-1111*	IVORY	BLACK									
91159-1112*	IVORY	IVORY									
91159-1113*					BLACK		NATURAL	NYLON			
91159-2100*	43.18 1.700	2.54 .100	2.39 .094		BLACK		IVORY	LCP	FOR SYNC DRAM, 5 VOLT.	SYNC	5.0
91159-2101*					IVORY		BLACK				
91159-2102*					IVORY		IVORY				
91159-2103*					BLACK		NATURAL				
91159-2110*	3.30 .130	3.15 .124	BLACK		IVORY		LCP				
91159-2111*			IVORY		BLACK						
91159-2112*			IVORY		IVORY						
91159-2113*			BLACK		NATURAL			NYLON			
91159-3100*	41.18 1.621	2.54 .100	2.39 .094		BLACK		IVORY	LCP	FOR NON-STANDARD DRAM, 5 VOLT.	NONE	5.0
91159-3101*					IVORY		BLACK				
91159-3102*					IVORY		IVORY				
91159-3103*					BLACK		NATURAL				
91159-3110*	3.30 .130	3.15 .124	BLACK		IVORY		LCP				
91159-3111*			IVORY		BLACK						
91159-3112*			IVORY		IVORY						
91159-3113*			BLACK		NATURAL			NYLON			
91159-4100*	43.18 1.700	2.54 .100	2.39 .094		BLACK		IVORY	LCP	FOR STANDARD DRAM, BUFFERED, 3.3 VOLT.	STD	3.3
91159-4101*					IVORY		BLACK				
91159-4102*					IVORY		IVORY				
91159-4103*					BLACK		NATURAL				
91159-4110*	3.30 .130	3.15 .124	BLACK		IVORY		LCP				
91159-4111*			IVORY		BLACK						
91159-4112*			IVORY		IVORY						
91159-4113*			BLACK		NATURAL			NYLON			
91159-5100*	44.18 1.739	2.54 .100	2.39 .094		BLACK		IVORY	LCP	FOR OPEN, 3.3 VOLT.	NO MARKING	3.3
91159-5101*					IVORY		BLACK				
91159-5102*					IVORY		IVORY				
91159-5103*					BLACK		NATURAL				
91159-5110*	3.30 .130	3.15 .124	BLACK		IVORY		LCP				
91159-5111*			IVORY		BLACK						
91159-5112*			IVORY		IVORY						
91159-5113*			BLACK		NATURAL			NYLON			
91159-6100*	42.18 1.661	2.54 .100	2.39 .094		BLACK		IVORY	LCP	FOR UNBUFFERED DRAM, SYNC DRAM, REGISTERED SDRAM, 3.3 VOLT.	NONE	3.3
91159-6101*					IVORY		BLACK				
91159-6102*					IVORY		IVORY				
91159-6103*					BLACK		NATURAL				
91159-6110*	3.30 .130	3.15 .124	BLACK		IVORY		LCP				
91159-6111*			IVORY	BLACK							
91159-6112*			IVORY	IVORY							
91159-6113*			BLACK	NATURAL	NYLON						

REMARK: 1. PROD. NO. MARK "\*" SEE ABOVE PART NO. PLATING CODE DESCRIPTION.

2. SEE DESCRIPTION UNDER PLATING FOR THE MARK "\*" IN THE COLUMN OF TERMINAL PART NO.

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		<b>BERG</b> ELECTRONICS				
rev.	ecn no.	dr	date	linear	.0 ±0.38/.015	projection	title	product family	code			
G					.00 ±0.25/.010						DIMM .050" 1-ROW, 168P V/T ASS'Y	TWN
				angles	± 2°							
				dr	CATHY LIN 03/28/95	unit		A3	91159			
				enr	CATHY LIN 03/28/95	mm/inch				4 OF 4		
				chr	WAYNE YU 03/28/95	scale						
				appd	JENN TSAO 03/28/95	1 : 1						
sheet	revision											
index	sheet											