

PRODUCT NUMBER

10063544-XXX HT


PACKAGE OPTION SEE NOTE 1

HIGH TEMPERATURE PLASTIC
SEE NOTE 1


NO. OF
POSITIONS
SEE NOTE 1

PIN PLATING
SEE SHEET 2


BASE PART NO.



TOP VIEW



SIDE VIEW



END VIEW

$\phi .020/0.51$ (M) U (M) V (S)

NOTE 4

$.025 \pm .001$
 0.64 ± 0.03
TYP

$.013$ MAX TYP
0.33


25° ± 5° TYP
4 SIDES

DETAIL P
TYP BOTH ENDS

mat'l. code				surface	tolerance	projection	product family
				ISO 1302	ISO 406 ISO 1101		BERGSTIK
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
A	M05-0247	MHT		11/23/05	angles	.XX ± .01/0.3	BERGSTIK® II HDR. D/R
B	M06-0107	MHT		3/07/06	linear	.XXX ± .005/0.13	.100 CTR.
C	M06-0134	MHT		4/06/06	0' ± 2'	.XXX ± .0020/0.051	
D	M06-0243	MHT		6/30/06	dr	M.HERNANDEZ 11/04/05	dwg no
					enr	S.FIERRO 11/04/05	sheet 1 of 2 size
					chr	S.FIERRO 11/04/05	10063544 A3
					appd	S.FIERRO 11/04/05	type Product Customer Drawing
sheet	revision	D	D				
index	sheet	1	2				

PRODUCT NUMBER	CUSTOMER P/N
10063544-X14HT	09R43641Z02
10063544-X26HT	09R43641Z01

PIN PLATING CODES:	WIRE CODES:
10063544-4YYH	120u"/3.05u MIN 93/7 SnPb OVER 50u"/1.27u MIN Ni



DOUBLE ROW
RECOMMENDED HOLE PATTERN

NOTES

1. PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMP. MATERIAL:

FOR HIGH-TEMPERATURE APPLICATIONS, SPECIFY AN "H" AT THE END OF THE PART NUMBER.

NUMBER OF POSITION:

ANY NUMBER OF POSITIONS FROM 4 (2X2) THRU 72 (2X36).

PACKAGING:

PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

2. BODY MATERIAL:

MANUFACTURER'S OPTION OF NYLON OR PCT, GLASS FIBER REINFORCED, FLAME RETARDANT PER UL-94V-0. COLOR: BLACK.

3. PIN MATERIAL: BRASS

4. MEASURED WITH PART IN RESTRAINED CONDITION.

5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.

6. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.

mat'l. code				surface	tolerance	projection	product family
				ISO 1302 ✓	ISO 406 ISO 1101	INCH/MM	BERGSTIK
ltr	ecn	no	dr	tolerances unless otherwise specified		scale 1:1	title
D				angles	linear .XX±.01/0.3 .XXX±.005/0.13		BERGSTIK® II HDR. D/R
				0°±2°	.XXXX±.0020/0.051		.100 CTR.
			dr	M.HERNANDEZ	11/04/05	FCI	dwg no
			enr	S.FIERRO	11/04/05		sheet 2 of 2
			chr	S.FIERRO	11/04/05		size
			app	S.FIERRO	11/04/05		A3
sheet	revision						type
index	sheet						Product Customer Drawing