





Tous droits strictement reserves. Reproduction ou communication o des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
 Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.



PRODUCT NO.
87318-XYX

NO. OF POSITIONS
SEE TABLE
PIN PLATING
BASE PART NO.



mot'l. code				tolerances unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS		
ltr	ecn no	dr	date	linear	.XX±.01/.XX±.3		projection	title		
A	V70443	SAR	6/4/97		.XXX±.005/.XX±.13			INCH/MM	FRICION LATCH HEADER	
B	V71186	HTB	9/16/97		.XXXX±.0020/.XXX±.051				DOUBLE ROW, R/A, RET.	
C	V71470	HTB	10/9/97	angles	0° ± 2°		product family HEADERS			
				dr	S.ROYER	6/4/97	scale 1:1	code -		
				enrg	L. FYE	6/4/97		size dwg no		
				chr	L. FYE	6/4/97		A 87318		
				appd	L. FYE	6/4/97		sheet 1 of 2		
sheet index	revision sheet	C	C					cage code 22526		
		1	2							

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.



PRODUCT NO.	NO OF POS	DIM K	DIM L	DASH NO.	OVERPLATING	UNDERPLATING
87318-X06	2 X 3	.300/7.62	.200/5.08	-1YY	30u"/0.76u MIN Au	50u"/1.27u MIN Ni
-X08	2 X 4	.400/10.16	.300/7.62	-2YY	15u"/0.38u MIN Au	50u"/1.27u MIN Ni
-X10	2 X 5	.500/12.70	.400/10.16	-3YY	50u"/1.27u MIN Au	50u"/1.27u MIN Ni
-X12	2 X 6	.600/15.24	.500/12.70	-4YY	120u"/3.05u MIN 93/7 SnPb	50u"/1.27u MIN Ni
-X14	2 X 7	.700/17.78	.600/15.24	-5YY	15u"/0.38u GXT™	50u"/1.27u MIN Ni
-X16	2 X 8	.800/20.32	.700/17.78	-6YY	30u"/0.76u GXT™	50u"/1.27u MIN Ni
-X18	2 X 9	.900/22.86	.800/20.32			
-X20	2 X 10	1.000/25.40	.900/22.86			
-X22	2 X 11	1.100/27.94	1.000/25.40			
-X24	2 X 12	1.200/30.48	1.100/27.94			
-X26	2 X 13	1.300/33.02	1.200/30.48			
-X28	2 X 14	1.400/35.56	1.300/33.02			
87318-X30	2 X 15	1.500/38.10	1.400/35.56			

NOTES:

- MOLDING MAT'L: GLASS REINFORCED PCT, COLOR: BLACK
 FLAME RETARDANT PER UL 94V-0.
 MAXIMUM OPERATING TEMPERATURE: 130° C.
- PIN MATERIAL: 3/4 HD PHOS. BRZ.
- PIN PLATING: SEE PLATING TABLE.
- NO SLOTS ON 2 X 5 POSITION OR SMALLER PRODUCT. THE CENTER KEY SLOT WILL BE ON ALL HEADERS REGARDLESS OF SIZE.
- TWO NON-CRITICAL SIDES OF PIN TIP NOT PLATED, BOTH ENDS.
- (1) PAIR OF RETENTION LEGS PER PART LOCATED AT MANUFACTURER'S OPTION.
- COMPANY LOGO MAY APPEAR IN THIS AREA.

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		BERG ELECTRONICS			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection		title			
C					.XXX±.005/.XX±.13			FRICION LATCH HEADER		DOUBLE ROW, R/A, RET.	
				angles	.XXX±.0020/.XXX±.051	INCH/MM		product family			
				dr	0° ± 2'			HEADERS		code	
				enr	S. ROYER 6/4/97	scale	1:1	size			
				chr	L. FYE 6/4/97			A		87318	
				appd	L. FYE 6/4/97			sheet		2 of	
sheet index	revision sheet							cage code		22526	