





PRODUCT NO
SEE TABLE




rev	ecn no	dr	date
A	S80046	BSL	1998-02-17
B	S90136	BSL	1999-07-28
C	S10-0207	AK	2010-03-01
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface - ✓ ISO 1302	tolerance std ISO 406 ISO 1101	projection ⊕	MM / INCH
			TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	BS LOW	1999-07-28	ANGULAR	LINEAR	X.X/.XX	±0.3/.01
Eng	BS LOW	1999-07-28			X.XX/.XXX	±0.13/.005
Chr	KH LEE	2010-03-01	0° ±2°		X.XXX/.XXXX	±0.051/.0020
Appr	JOEY NG	2010-03-01	Product family		LPVCC	Spec ref -
			LOW PROFILE VCC SMT 2.3			Rev. C
			BOTTOM ENTRY ASSY			
			catalog no			

CONFIDENTIAL

A	PRODUCT NO	POSITIONS	1		2	3	4
			DIM. A	DIM. B			
	61671-X04	2 X 2	2.00 / .079	3.92 / .154			
	-X06	2 X 3	4.00 / .158	5.92 / .233			
	-X08	2 X 4	6.00 / .236	7.92 / .312			
	-X10	2 X 5	8.00 / .315	9.92 / .391			
	-X12	2 X 6	10.00 / .394	11.92 / .469			
	-X14	2 X 7	12.00 / .472	13.92 / .548			
	-X16	2 X 8	14.00 / .551	15.92 / .627			
	-X18	2 X 9	16.00 / .630	17.92 / .706			
	-X20	2 X 10	18.00 / .709	19.92 / .784			
	-X22	2 X 11	20.00 / .787	21.92 / .863			
B	-X24	2 X 12	22.00 / .866	23.92 / .942			
	-X26	2 X 13	24.00 / .945	25.92 / 1.020			
	-X28	2 X 14	26.00 / 1.024	27.92 / 1.099			
	-X30	2 X 15	28.00 / 1.102	29.92 / 1.178			
	-X32	2 X 16	30.00 / 1.181	31.92 / 1.257			
	-X34	2 X 17	32.00 / 1.260	33.92 / 1.335			
	-X36	2 X 18	34.00 / 1.339	35.92 / 1.414			
	-X38	2 X 19	36.00 / 1.417	37.92 / 1.493			
	-X40	2 X 20	38.00 / 1.496	39.92 / 1.572			
	-X42	2 X 21	40.00 / 1.575	41.92 / 1.650			
C	-X44	2 X 22	42.00 / 1.654	43.92 / 1.729			
	-X46	2 X 23	44.00 / 1.732	45.92 / 1.808			
	-X48	2 X 24	46.00 / 1.811	47.92 / 1.887			
	-X50	2 X 25	48.00 / 1.890	49.92 / 1.965			

PLATING OPTIONS	
6	= 0.76µm/30µ" PdNi WITH 0.076µm/3µ" Au FLASH (POST PLATED)
5	= 0.38µm/15µ" PdNi WITH 0.076µm/3µ" Au FLASH (POST PLATED)



RECOMMENDED PAD LAYOUT




FIG. 1
SEE NOTE 5(b)

CONFIDENTIAL											
www.fciconnect.com				surface		-	tolerance std		projection		MM / INCH
				ISO 1302		✓	ISO 406 ISO 1101				
				TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	BS LOW	1999-07-28	ANGULAR	LINEAR	X.X/.XX		±0.3/.01		size	A3	Scale 10:1
Eng	BS LOW	1999-07-28			X.XX/.XXX		±0.13/.005				
Chr	KH LEE	2010-03-01			0°	±2°	X.XXX/.XXXX				
Appr	JOEY NG	2010-03-01	Product family					LPVCC		Spec ref -	
			title LOW PROFILE VCC SMT 2.3 BOTTOM ENTRY ASSY					dwg no 61671			Rev. C
catalog no			-					CUSTOMER		sheet 2 of 3	

NOTES:

1. HOUSING MATERIAL : HIGH TEMP PLASTIC (LCP BLACK).
2. TERMINAL MATERIAL : PHOSPHOR BRONZE
3. TERMINAL RETENTION 0.5 Kg/1.1 Lbs.

4. PRODUCT DESCRIPTION CODE:



5. PACKAGING

- (a) XXXXX-XXX --- STD PACKAGING IN TUBE.
- (b) XXXXX-XXXTR --- TAPE AND REEL (CONDUCTIVE)
PACKAGING WITH PICK-UP CAP (SEE FIG 1).
- (c) XXXXX-XXXTRN --- TAPE AND REEL (CONDUCTIVE)
PACKAGING WITHOUT PICK-UP CAP.





6. "V" CUT OPTIONAL - MANUFACTURING PROCESS OPTION.

7. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

CONFIDENTIAL

www.fciconnect.com			surface - 		tolerance std ISO 1302 ISO 406 ISO 1101		projection 	MM / INCH 			
TOLERANCES UNLESS OTHERWISE SPECIFIED											
Dr	BS LOW	1999-07-28	ANGULAR	LINEAR	X.X/.XX	±0.3/.01	size	Scale			
Eng	BS LOW	1999-07-28			X.XX/.XXX	±0.13/.005	A3	10:1			
Chr	KH LEE	2010-03-01	0°	±2°	X.XXX/.XXXX	±0.051/.0020	ECN	S10-0207			
Appr	JOEY NG	2010-03-01	Product family				LPVCC	Spec ref	-		
		title				LOW PROFILE VCC SMT 2.3			dwg no	61671	Rev. C
		BOTTOM ENTRY ASSY									
		catalog no				-			CUSTOMER		sheet 3 of 3