

www DataSheet4II com

# SPECIFICATION FOR APPROVAL

<ul><li>( ) Preliminary Specification</li><li>( • ) Final Specification</li></ul>		
Title	15.0" XC	GA TFT LCD
BUYER	SUPPLI	ER LG.Philips LCD CO., Ltd.
MODEL	*MODE	EL LM150X05
	SUFFI	IX F3
		obtain standard approval, the above model name without suffix
SIGNATURE [	ATE APP	ROVED BY DATE
	Paul Le	ee / G.Manager
	REV	/IEWED BY
	S. G. Ho	ong / Manager
	PRE	PARED BY
	J. Y. L	_ee / Engineer
Please return 1 copy for your confirm your signature and comments.		roduct Engineering Dept. LG. Philips LCD Co., Ltd



www.DataSheet4U.com

NO.	ITEM	Page
-	COVER	1
-	CONTENTS	2
-	RECORD OF REVISIONS	3
1	GENERAL DESCRIPTION	4
2	ABSOLUTE MAXIMUM RATINGS	5
3	ELECTRICAL SPECIFICATIONS	6
3-1	ELECTRICAL CHARACTREISTICS	6
3-2	INTERFACE CONNECTIONS	8
3-3	SIGNAL TIMING SPECIFICATIONS	10
3-4	SIGNAL TIMING WAVEFORMS	11
3-5	COLOR INPUT DATA REFERENECE	12
3-6	POWER SEQUENCE	13
3-7	POWER DIP CONDITION	14
4	OPTICAL SPECIFICATIONS	15
5	MECHANICAL CHARACTERISTICS	19
6	RELIABILITY	22
7	INTERNATIONAL STANDARDS	23
7-1	SAFETY	23
7-2	EMC	23
8	PACKING	24
8-1	DESIGNATION OF LOT MARK	24
8-2	PACKING FORM	24
9	PRECAUTIONS	25



www.DataSheet4II.com

## **RECORDS OF REVISIONS**

Revision No	Date	Page	DESCRIPTION
0.0 1.0 1.1	Date  Aug. 20, 2001 Oct. 10, 2001 Oct. 18, 2001	Page	DESCRIPTION  First Draft Second Draft (Fixed values) Final Draft




#### 1. General Description

www.DataSheet4I.Lcom

The LM150X05-F3 is a Color Active Matrix Liquid Crystal Display with an integral Cold Cathode Fluorescent Lamp(CCFL) backlight system. The matrix employs a-Si Thin Film Transistor as the active element. It is a transmissive type display operating in the normally white mode. This TFT-LCD has a 15.0 inches diagonally measured active display area with XGA resolution(768 vertical by 1024 horizontal pixel array). Each pixel is divided into Red, Green and Blue sub-pixels or dots which are arranged in vertical stripes. Gray scale or the brightness of the sub-pixel color is determined with a 6-bit gray scale signal for each dot, thus, presenting a palette of more than 262,144 colors.

The LM150X05-F3 has been designed to apply the 1-port TTL (1-pixel 1-clock) interface method.

The LM150X05-F3 LCD is intended to support applications where high brightness, wide viewing angle, high color saturation, and high color depth are very important. In combination with the vertical arrangement of the sub-pixels, the LM150X05-F3 characteristics provide an excellent flat panel display for office automation products such as monitors.



[figure 1] Block diagram

#### **General Features**

Active screen size	15.0 inches(304.1 x 228.1) diagonal
Outline Dimension	331.3(H)  imes 257.9(V)  imes 11.0(D) mm (Typ)
Pixel Pitch	0.297 mm x 0.297mm
Pixel format	1024 horiz. By 768 vert. Pixels RGB stripes arrangement
Color depth	6-bit, 262,144 colors
Luminance, white	250 cd/m <sup>2</sup> (Typ.)
Power Consumption	Total 9.3 Watt(Typ.)
Weight	1050g (Typ)
Display operating mode	Transmissive mode, normally white
Surface treatments	Hard coating(3H) Anti-glare treatment of the front polarizer



## 2. Absolute Maximum Ratings


www.DataSheet4U.com

The following are maximum values which, if exceeded, may cause operation or damage to the unit.

Table 1. ABSOLUTE MAXIMUM RATINGS

Parameter	symbol	Va	lues	Units	Notes
raiailletei	Syllibol	Min.	Max.	Ullits	Notes
Power Input Voltage	$V_{CC}$	-0.3	3.6	Vdc	At 25 ± 2°C
Signal Input Voltage	V	-0.3	3.6	V	
Operating Temperature	T <sub>OP</sub>	0	50	°C	1
Storage Temperature	T <sub>ST</sub>	-20	60	°C	1
Operating Ambient Humidity	H <sub>OP</sub>	10	90	%RH	1
Storage Humidity	H <sub>ST</sub>	10	90	%RH	1

Note: 1. Temperature and relative humidity range are shown in the [figure 2] Wet bulb temperature should be 40 °C Max, and no condensation of water.



[ figure 2 ] Temperature and relative humidity



### 3. Electrical Specifications

www.DataSheet4U.com

#### 3-1. Electrical Characteristics

The LM150X05-F3 requires two power inputs. One is employed to power the LCD electronics and to drive the TFT array and liquid crystal. Another which powers the CCFL, is typically generated by an inverter. The inverter is an external unit to the LCD.

Table 2. ELECTRICAL CHARACTERISTICS

Dorometer	Symbol		Values		Units	Notes
Parameter	Symbol	Min.	Тур.	Max.	Units	Notes
MODULE :						
Signal Input Voltage	$V_{l}$	3.0	3.3	3.6	V	
Power Supply Input Voltage	$V_{CC}$	3.15	3.3	3.45	V	
Permissive power input ripple	$V_{RF}$	-	-	0.1	$V_{PP}$	
Power Supply Input Current	I <sub>CC</sub>	-	0.48	0.65	Α	1 1
Power Consumption	$P_{CC}$	-	1.6	2.4	Watts	
LAMP:						
Operating Voltage	$V_{BL}$	460	480	590	$V_{RMS}$	2
Operating Current	I <sub>BL</sub>	3.0	8.0	9.0	mA	
Established Starting Voltage	V <sub>BS</sub>					3
at 25 °C	50	-	-	850	$V_{RMS}$	
at 0 °C		-	-	1100	V <sub>RMS</sub>	
Operating Frequency	f <sub>BL</sub>	45	60	80	kHz	4
Discharge Stabilization Time	T <sub>s</sub>			3	Minutes	5
Power Consumption	$P_{BL}$	-	7.7	8.5	Watts	6
Life Time		30,000	-	-	Hrs	7

Note. The design of the inverter must have specifications for the lamp in LCD Assembly.

The performance of the Lamp in LCM, for example life time or brightness, is extremely influenced by the characteristics of the DC-AC Inverter. So all the parameters of an inverter should be carefully designed so as not to produce too much leakage current from high-voltage output of the inverter. When you design or order the inverter, please make sure unwanted lighting caused by the mismatch of the lamp and the inverter(no lighting,flicker,etc) never occurs. When you confirm it,the LCD Assembly should be operated in the same condition as installed in your instrument.

**Note.** Do not attach a conducting tape to lamp connecting wire.. If the lamp wire attach to conducting tape, TFT-LCD Module have a low luminance and the inverter has abnormal action because leakage current occurs between lamp wire and conducting tape.

- 1. The specified current and power consumption are under the V<sub>CC</sub>=3.3V, 25°C, f<sub>V</sub>(frame frequency) =60Hz condition whereas mosaic(black & white) pattern shown in the [ figure 3 ] is displayed.
- 2. The variance of the voltage is  $\pm 10\%$ .
- 3. The voltage above  $V_{BS}$  should be applied to the lamps for more than 1second for start-up. Otherwise, the lamps may not be turned on.

Ver. 1.1 Oct. 18, 2001 6/26




- 4. The output of the inverter must have symmetrical (negative and positive) voltage waveform and neet 4U.com symmetrical current waveform. (Unsymmetrical ratio is less than 10%) Please do not use the inverter which has unsymmetrical voltage and unsymmetrical current and spike wave.


  Lamp frequency may produce interference with horizontal synchronous frequency and as a result this may cause beat on the display. Therefore lamp frequency shall be as away as possible from the horizontal synchronous frequency and from its harmonics in order to prevent interference.
- Let's define the brightness of the lamp after being lighted for 5 minutes as 100%.
   T<sub>s</sub> is the time required for the brightness of the center of the lamp to be not less than 95%.
   The used lamp current is the lamp typical current.
- 6. The lamp power consumption shown above does not include loss of external inverter. The used lamp current is the lamp typical current.
- 7. The life time is determined as the time at which brightness of lamp is 50% compared to that of initial value at the typical lamp current on condition of continuous operating at 25  $\pm 2^{\circ}$ C.
- 9. Requirements for a system inverter design, which is intended to have a better display performance, a better power efficiency and a more reliable lamp.

It shall help increase the lamp lifetime and reduce its leakage current.

- a. The unbalance rate of the inverter waveform should be 10% below;
- b. The distortion rate of the waveform should be within  $\sqrt{2 \pm 10\%}$ ;
- c. The ideal sine wave form shall be symmetric in positive and negative polarities.



- \* Asymmetry rate =  $|I_p I_{-p}|/I_{rms}$  \* 100%
- \* Distortion rate =  $I_p$  (or  $I_{-p}$ ) /  $I_{rms}$
- 10. Inverter open voltage must be more than lamp starting voltage.



[ figure 3 ] mosaic pattern for Power Consumption measurement



#### 3-2. Interface Connections

www.DataSheet4U.com

This LCM has three interface connections, a 41 pin connector is used for the module electronics and, two three pin connectors are used for the integral back light system.

The interface pin configuration for the connector is shown in the table below.


LCD Connector: DF9B-41P-1V(Hirose Electric Co.,Ltd.)
Mating Connector: DF9B-41S-1V(Hirose Electric Co.,Ltd.)

Table 3. MODULE CONNECTOR PIN CONFIGURATION

Pin	Symbol	Description	Pin	Symbol	Description
1	GND	GND	21	G2	GREEN data signal
2	CLK	Clock signal for sampling data signal	22	GND	GND
3	GND	GND	23	G3	GREEN data signal
4	HSYNC	Horizontal synchronous signal	24	G4	GREEN data signal
5	VSYNC	Vertical synchronous signal	25	G5	GREEN data signal(MSB)
6	GND	GND	26	GND	GND
7	GND	GND	27	GND	GND
8	GND	GND	28	GND	GND
9	R0	RED data signal(LSB)	29	В0	BLUE data signal(LSB)
10	R1	RED data signal		B1	BLUE data signal
11	R2	RED data signal	31	B2	BLUE data signal
12	GND	GND	32	GND	GND
13	R3	RED data signal	33	В3	BLUE data signal
14	R4	RED data signal	34	B4	BLUE data signal
15	R5	RED data signal(MSB)	35	B5	BLUE data signal(MSB)
16	GND	GND	36	GND	GND
17	GND	GND	37	DE	Data enable signal
18	GND	GND	38	$V_{CC}$	+3.3V power supply
19	G0	GREEN data signal(LSB)	39	$V_{CC}$	+3.3V power supply
20	G1	GREEN data signal	40	$V_{CC}$	+3.3V power supply
			41	Vcc	+3.3V power supply



www.DataSheet4II.com



[figure 4] Rear View of LCM for User connector

The backlight interface connector is a model BHR-03VS-1, manufactured by JST. The mating connector part number is SM02(8.0)B-BHS-1-TB or equivalent.


The pin configuration for the connector is shown in the table below.

**Table 4. BACKLIGHT CONNECTOR PIN CONFIGURATION** 

Pin	Symbol	Description	Notes
1	HV	Power supply for lamp (High voltage side)	1
2	NC	No Connect	
3	LV	Power supply for lamp (Low voltage side)	

Notes: 1. The high voltage side terminal is colored pink.

2. Lamp wire length is 130mm.(see the page 20 for detail)



[ figure 5 ] Backlight connector view

Ver. 1.1 Oct. 18, 2001 www.DataSheet4U.com 9/26



## 3-3. Signal Timing Specifications

www.DataSheet4U.com

This is the signal timing required at the input of the User connector. All of the interface signal timing should be satisfied with the following specifications for it's proper operation.

**Table 5. TIMING TABLE** 

	Parameter	Symbol	Min.	Тур.	Max.	Unit	Notes
Delk	Period	t <sub>CLK</sub>	12.5	15.4	20	ns	
Benk	Frequency	$f_{CLK}$	50	65	80	MHz	
	Horizontal Valid	t <sub>HV</sub>	1024	1024	1024		
	Horizontal Blank	t <sub>HB</sub>	40	328	-	t <sub>CLK</sub>	1
DE	Horizontal Period	t <sub>HP</sub>	1064	1352	-		$t_{\rm HV}^+$ $t_{\rm HB}$
(Data Enable)	Vertical frequency	$f_V$	50	60	75	Hz	
	Vertical Valid	t <sub>VV</sub>	768	768	768		
	Vertical Blank	$t_{ m VB}$	4	38	-	t <sub>HP</sub>	2
	Vertical Period	t <sub>VP</sub>	772	806	-		$t_{\rm VV}$ + $t_{\rm VB}$
	Set up time	t <sub>SI</sub>	3	-	-		
	Hold time	t <sub>HI</sub>	3	-	-	ns	For Delk
Data	Set up time	t <sub>SD</sub>	3	-	-	113	1 of Delk
Data	Hold time	t <sub>HD</sub>	3	-	-		

Note: DE only Mode needs DE signal, Data and Dclk.

<sup>1.</sup>  $t_{HB}$  (Horizontal Blank) is fixed by  $f_V$ ,  $t_{VB}$ ,  $f_{CLK}$ . If  $f_V$  = 50Hz,  $t_{VB}$  = 4,  $f_{CLK}$ = 80MHz, then  $t_{HB}$ =1048 is the Max. value.


<sup>2.</sup>  $t_{VB}$  (Vertical Blank) is fixed by  $f_V$ ,  $t_{HB}$ ,  $f_{CLK}$ . If  $f_V$  = 50Hz,  $t_{HB}$  = 40,  $f_{CLK}$ = 80MHz, then  $t_{VB}$ =732 is the Max. value.

<sup>\*</sup>  $t_{HB}$  and  $t_{VB}$  should be keep those Min. values at all case for normal display.



## 3-4. Signal Timing Waveforms

www.DataSheet4U.con



[ figure 6 ] Signal Timing Waveforms



## 3-5. Color Input Data Reference

www.DataSheet4U.com

The brightness of each primary color(red,green and blue) is based on the 6-bit gray scale data input for the color; the higher the binary input, the brighter the color. The table below provides a reference for color versus data input.


**Table 6. COLOR DATA REFERENCE** 

	Color								Inpu	ut Co	lor E	Data							
			Red MSB LSB					Green					Blue MSB LSB						
		RO5 RE5	RO4 RE4	RO3 RE3	RO2 RE2	RO1 RE1	RO0	GO5 GE5	GO4	GO3 GE3	GO2 GE2	GO1 GE1	GO0 GE0	BO5 BE5	BO4 BE4	BO3 BE3	BO2 BE2	BO1 BE1	BO0 BE0
Basic Colors	Black Red(63) Green(63) Blue(63) Cyan Magenta Yellow White	0 1 0 0 0 1 1 1	0 1 0 0 0 1 1	0 1 0 0 0 1 1 1	0 1 0 0 0 1 1 1	0 1 0 0 0 1 1	0 1 0 0 0 1 1 1	0 0 1 0 1 0 1	0 0 1 0 1 0 1	0 0 1 0 1 0 1	0 0 1 0 1 0 1	0 0 1 0 1 0 1	0 0 1 0 1 0 1	0 0 0 1 1 1 0	0 0 0 1 1 1 0	0 0 0 1 1 1 0	0 0 0 1 1 1 0	0 0 0 1 1 1 0	0 0 0 1 1 1 0
Red	Red(00) Dark Red(01) Red(02) : Red(61) Red(62) Red(63) Bright	0 0 0 : 1 1	0 0 0 : 1 1	0 0 0 : 1 1	0 0 0 : 1 1	0 0 1 : 0 1 1	0 1 0 : 1 0	0 0 0 : 0 0											
Green	Green(00)Dark Green(01) Green(02) : Green(61) Green(62) Green(63)Bright	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 1 1	0 0 0 : 1 1 1	0 0 0 : 1 1 1	0 0 0 : 1 1 1	0 0 1 : 0 1 1	0 1 0 : 1 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0
Blue	Blue(00) Dark Blue(01) Blue(02) : Blue(61) Blue(62) Blue(63) Bright	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 0 0	0 0 0 : 1 1	0 0 0 : 1 1 1	0 0 0 : 1 1	0 0 0 : 1 1	0 0 1 : 0 1	0 1 0 : 1 0



### 3-6. Power Sequence

www.DataSheet4U.com



[figure 7] Power Sequence

Table 7. POWER SEQUENCE TIME DELAY

Doromotor		Values								
Parameter	Min.	Units								
T <sub>1</sub>	-	-	10	ms						
T <sub>2</sub>	0	-	50	ms						
$T_3^-$	200	-	-	ms						
$T_4$	200	-	-	ms						
T <sub>5</sub>	0	-	50	ms						
$T_6$	-	-	10	ms						
$T_7$	500	-	-	ms						

Notes: 1. Please avoid floating state of interface signal at invalid period.


- 2. When the interface signal is invalid, be sure to pull down the power supply for LCD  $V_{CC}$  to 0V.
- 3. Lamp power must be turn on after power supply for LCD and interface signal are valid.

Ver. 1.1 Oct. 18, 2001 www.DataSheet4U.com



## 3-7. V<sub>CC</sub> Power Dip Condition

www.DataSheet4U.com



[ figure 8 ] Power Dip condition

1) Dip condition

$$2.3V\!\leq\!V_{CC}\!<\,3.0V$$
 ,  $\,t_{d}\!\leq\!20ms$ 

2) 
$$V_{CC}$$
 < 2.3V

 $V_{\text{CC}}$ -dip conditions should also follow the Power On/Off conditions for supply voltage.




### 4. Optical Specification

www.DataSheet4I.Lcom

Optical characteristics are determined after the unit has been 'ON' and stable for approximately 30 minutes in a dark environment at 25 °C. The values specified are at an approximate distance 50cm from the LCD surface at a viewing angle of  $\Phi$  and  $\theta$  equal to 0 °.

[ Figure 9 ] presents additional information concerning the measurement equipment and method.



[Figure 9] Optical Characteristic Measurement Equipment and Method

			\/-I			
Parameter	Symbol		Values	T	Units	Notes
1 0.10.1.10.0.1		Min.	Тур.	Max.		
Contrast Ratio	CR	200	300	-		1
Surface Luminance, white	$L_WH$	200	250	-	cd/m <sup>2</sup>	2
Luminance Uniformity	$\delta$ WHITE	-	-	30	%	3
Response Time Rise Time Decay Time	Tr Tr <sub>R</sub> Tr <sub>D</sub>	<u>.</u>	30 10 20	50 15 35	ms	4
CIE Color Coordinates Red Green Blue White	XR YR XG YG XB YB XW YW	0.596 0.317 0.278 0.558 0.116 0.089 0.283 0.299	0.626 0.347 0.308 0.588 0.146 0.119 0.313 0.329	0.656 0.377 0.338 0.618 0.176 0.149 0.343 0.359		
Viewing Angle x axis, right(φ=0°) x axis, left (φ=180°) y axis, up (φ=90°) y axis, down (φ=270°)	θr θl θu θd	55 55 40 40	60 60 45 45	- - - -	degree	5
Gray Scale(Gamma)	X	-	2.5	-		6
Crosstalk				2.0	%	7



www.DataSheet4U.com

Notes: 1. Contrast Ratio(CR) is defined mathematically as:

- Surface luminance is the center point across the LCD surface 50cm from the surface with all pixels displaying white. For more information, see [ Figure 10 ].
   When I<sub>RI</sub> =8mA, L<sub>WH</sub>=200cd/m<sup>2</sup>(Min.) 250cd/m<sup>2</sup>(Typ.)
- 3. The variation in surface luminance ,  $\delta$  WHITE is determined by measuring L<sub>ON</sub> at each test position 1 through 5, and then dividing the maximum L<sub>ON</sub> of 5 points luminance by minimum L<sub>ON</sub> of 5 points luminance. For more information, see [ Figure 10 ].

$$\delta_{\text{WHITE}} = \frac{\text{Maximum}(L_{\text{ON1}}, L_{\text{ON2}}, \dots, L_{\text{ON5}}) \div \text{Minimum}(L_{\text{ON1}}, L_{\text{ON2}}, \dots, L_{\text{ON5}})}{\text{Average}(L_{\text{ON1}}, L_{\text{ON2}}, \dots, L_{\text{ON5}})} \times 100\%$$

- 4. Response time is the time required for the display to transition from to black(Rise Time,  $Tr_R$ ) and from black to white(Decay Time,  $Tr_D$ ). For additional information, see [ Figure 11 ].
- 5. Viewing angle is the angle at which the contrast ratio is greater than 10. The angles are determined for the horizontal or x axis and the vertical or y axis with respect to the z axis which is normal to the LCD surface. For more information, see [ Figure 12 ].
- 6. Gray scale specification

Table 9. GRAY SCALE

Gray Level	Luminance(%) (Typ.)
L0 [0 IRE]	0.24
L7	0.67
L15 [ 25 IRE]	3.16
L23	8.48
L31 [ 50IRE]	16.9
L39	29.0
L47 [ 75 IRE]	46.3
L55	69.6
L63 [ 100 IRE]	100

7. Crosstalk is defined as:

$$(\, \left|\, L_{\rm A[or\,B,C,D]2}\, -\, L_{\rm A[or\,B,C,D]1}\, \right| /\, L_{\rm A[or\,B,C,D]1}\, )\, \times 100(\%)$$


For more information, see [ Figure 13 ].



#### [ Figure 10 ] Luminance measuring point

<measuring point for luminance variation>

<measuring point for surface luminance>




V: 228.1 mm

@ H,V: Active Area

#### [ Figure 11 ] Response Time

The response time is defined as the following figure and shall be measured by switching the input signal for "black" and "white".







### [ Figure 12 ] Viewing angle


<dimension of viewing angle range>

www.DataSheet4U.com




### [ Figure 13 ] Crosstalk





Pattern 2 Background: Gray31[50 IRE], Rectangular: Gray63[100 IRE]





### 5. Mechanical Characteristics

www.DataSheet4U.com

The contents provide general mechanical characteristics for the model LM150X05-F3. In addition, the figures in the next page are detailed mechanical drawing of the LCD.


Table 10. MECHANICAL CHARACTERISTICS

	Horizontal	331.3±0.5 m		
Outside dimensions	Vertical	257.9 ± 0.5 mm		
	Depth	11.0 ± 0.5 mm		
Bezel area	Horizontal	308.2±0.5 mm		
Dezei area	Vertical	$232.2\pm0.5~\text{mm}$		
Active display area	Horizontal	304.128 mm		
Active display area	Vertical	228.096 mm		
Weight	1050g(Typ	.)		
Surface Treatment	Hard coating 3H. Anti-glare, LR coating treatment of the front polarize			



## [Figure 14] LM150X05 Front View


www.DataSheet4U.com





## [Figure 15] LM150X05 Rear View

www.DataSheet4U.com





### 6. Reliability

www.DataSheet4U.com

**Table 11. ENVIRONMENT TEST CONDITION** 

No.	Test Item	Conditions					
1	High temperature storage test	Ta= 60°C 240h					
2	Low temperature storage test	Ta= -20°C 240h					
3	High temperature operation test	Ta= 50°C 50%RH 240h					
4	Low temperature operation test	Ta= 0°C 240h					
5	Vibration test (non-operating)	Wave form : Random Vibration level : 1.0G Bandwidth : 10-500Hz Duration : X,Y,Z, 20 mins One time each direction					
6	Shock test (non-operating)	Shock level : 120G   Waveform : half sine wave, 2ms   Direction : $\pm X$ , $\pm Y$ , $\pm Z$ One time, each direction					
7	Altitude operating storage / shipment	0 - 10,000 feet( 3,048m) 0 - 40,000 feet(12,192m)					

#### { Result Evaluation Criteria }

There should be no change which might affect the practical display function when the display quality test is conducted under normal operating condition.



#### 7. International Standards

www.DataSheet4U.com

#### 7-1. Safety

- a) UL 1950 Third Edition, Underwriters Laboratories, Inc. Jan. 28, 1995.

  Standard for Safety of Information Technology Equipment Including Electrical Business Equipment.
- b) CAN/CSA C22.2 No. 950-95 Third Edition, Canadian Standards Association, Jan. 28, 1995. Standard for Safety of Information Technology Equipment Including Electrical Business Equipment.
- c) EN 60950: 1992+A1: 1993+A2: 1993+A3: 1995+A4: 1997+A11: 1997
  IEC 950: 1991+A1: 1992+A2: 1993+A3: 1995+A4: 1996
  European Committee for Electrotechnical Standardization(CENELEC)
  EUROPEAN STANDARD for Safety of Information Technology Equipment Including Electrical Business Equipment.

#### 7-2. EMC

- a) ANSI C63.4 "Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electrical Equipment in the Range of 9kHZ to 40GHz. "American National Standards Institute(ANSI), 1992
- b) C.I.S.P.R "Limits and Methods of Measurement of Radio Interface Characteristics of Information Technology Equipment." International Special Committee on Radio Interference
- c) EN 55022 "Limits and Methods of Measurement of Radio Interface Characteristics of Information Technology Equipment." European Committee for Electrotechnical Standardization (CENELEC), 1998



### 8. Packing

#### www.DataSheet4U.com

### 8-1. Designation of Lot Mark

#### a) Lot Mark

А	В	С	D	Е	F	G	Н	I	J	K	L	М
---	---	---	---	---	---	---	---	---	---	---	---	---

A,B,C : SIZE D : YEAR E : MONTH

F,G: PANEL CODE H: ASSEMBLY CODE I,J,K,L,M: SERIAL NO.

#### Note:

#### 1. YEAR

YEAR	97	98	99	2000	2001	2002	2003	2004	2005	2006	2007
Mark	7	8	9	0	1	2	3	4	5	6	7

#### 2. MONTH

MONTH	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
Mark	1	2	3	4	5	6	7	8	9	Α	В	С

#### 3. Serial No.

Serial No.	1 ~ 99999	100000 ~
Mark	00001 ~ 99999	A0001 ~ A9999,, Z9999

#### b) Location of Lot Mark

Serial NO. is printed on the label. The label is attached to the backside of the LCD module. This is subject to change without prior notice.

## 8-2. Packing Form

a) Package quantity in one box: 8 pcs

b) Box Size: 344mm X 315mm X 410mm.



#### 9. PRECAUTIONS

www.DataSheet4U.com

Please pay attention to the following when you use this TFT LCD module.

#### 9-1. MOUNTING PRECAUTIONS

- (1) You must mount a module using holes arranged in four corners or four sides.
- (2) You should consider the mounting structure so that uneven force(ex. Twisted stress) is not applied to the module.
  - And the case on which a module is mounted should have sufficient strength so that external force is not transmitted directly to the module.
- (3) Please attach a transparent protective plate to the surface in order to protect the polarizer.

  Transparent protective plate should have sufficient strength in order to the resist external force.
- (4) You should adopt radiation structure to satisfy the temperature specification.
- (5) Acetic acid type and chlorine type materials for the cover case are not describe because the former generates corrosive gas of attacking the polarizer at high temperature and the latter causes circuit break by electro-chemical reaction.
- (6) Do not touch, push or rub the exposed polarizers with glass, tweezers or anything harder than HB pencil lead. And please do not rub with dust clothes with chemical treatment. Do not touch the surface of polarizer for bare hand or greasy cloth.(Some cosmetics are determined to the polarizer.)
- (7) When the surface becomes dusty, please wipe gently with absorbent cotton or other soft materials like chamois soaks with petroleum benzene. Normal-hexane is recommended for cleaning the adhesives used to attach front / rear polarizers. Do not use acetone, toluene and alcohol because they cause chemical damage to the polarizer.
- (8) Wipe off saliva or water drops as soon as possible. Their long time contact with polarizer causes deformations and color fading.
- (9) Do not open the case because inside circuits do not have sufficient strength.

#### 9-2. OPERATING PRECAUTIONS

- (1) The spike noise causes the mis-operation of circuits. It should be lower than following voltage: V=±200mV(Over and under shoot voltage)
- (2) Response time depends on the temperature. (In lower temperature, it becomes longer.)
- (3) Brightness depends on the temperature. (In lower temperature, it becomes lower.)

  And in lower temperature, response time(required time that brightness is stable after turned on) becomes longer.
- (4) Be careful for condensation at sudden temperature change. Condensation makes damage to polarizer or electrical contacted parts. And after fading condensation, smear or spot will occur.
- (5) When fixed patterns are displayed for a long time, remnant image is likely to occur.
- (6) Module has high frequency circuits. Sufficient suppression to the electromagnetic interference shall be done by system manufacturers. Grounding and shielding methods may be important to minimized the interference.



www.DataSheet4U.com

#### 9-3. ELECTROSTATIC DISCHARGE CONTROL

Since a module is composed of electronic circuits, it is not strong to electrostatic discharge. Make certain that treatment persons are connected to ground through wrist band etc. And don't touch interface pin directly.

#### 9-4. PRECAUTIONS FOR STRONG LIGHT EXPOSURE

Strong light exposure causes degradation of polarizer and color filter.

#### 9-5. STORAGE

When storing modules as spares for a long time, the following precautions are necessary.

- (1) Store them in a dark place. Do not expose the module to sunlight or fluorescent light. Keep the temperature between 5°C and 35°C at normal humidity.
- (2) The polarizer surface should not come in contact with any other object.

  It is recommended that they be stored in the container in which they were shipped.

#### 9-6. HANDLING PRECAUTIONS FOR PROTECTION FILM

- (1) The protection film is attached to the bezel with a small masking tape. When the protection film is peeled off, static electricity is generated between the film and polarizer. This should be peeled off slowly and carefully by people who are electrically grounded and with well ion-blown equipment or in such a condition, etc.
- (2) When the module with protection film attached is stored for a long time, sometimes there remains a very small amount of glue still on the Bezel after the protection film is peeled off.
- (3) You can remove the glue easily. When the glue remains on the Bezel or its vestige is recognized, please wipe them off with absorbent cotton waste or other soft material like chamois soaked with normal-hexane.