


SAW Bandpass Filter 201167B



1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters
 Base : Fe(SPCC), Au plating over Ni plated
 Cap : Cu & Cr Alloy, Ni Plated
 Termination : Kovar, Au Plated

Pin Configuration	
1	Input
5	Output
2, 4	Ground
3, 6	Case ground

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	201167B	
		Rev. Date	2004-05-31	
		Rev.	NM3004-CS03	1/5

SAW Bandpass Filter 201167B



3. Specifications

Fo = 70.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	69.97	70.0	70.04
Insertion Loss	dB	-	23.0	25.0
1dB Bandwidth	MHz	-	12.7	-
3dB Bandwidth	MHz	12.9	13.0	13.1
40dB Bandwidth	MHz	-	13.9	14.0
Amplitude Ripple (Fo +/- 6.2 MHz)	dB	-	0.8	1.0
Group Delay Variation (Fo +/- 6.2 MHz)	nsec	-	50	100
Absolute Delay	usec	-	3.11	3.2
Relative Attenuation				
at 30.0 ~ 62.9 MHz	dB	45.0	50.0	-
at 62.9 ~ 63.1 MHz	dB	27.0	30.0	-
at 76.9 ~ 77.1 MHz	dB	27.0	30.0	-
at 77.1 ~ 100 MHz	dB	45.0	50.0	-
Temperature Coefficient of Frequency	ppm/°C	-	-72	-

Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


 Integrated Technology Future	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	201167B	
		Rev. Date	2004-05-31	
		Rev.	NM3004-CS03	2/5

SAW Bandpass Filter 201167B



4. Matching Schematic

(Actual matching values may vary due to PCB layout and parasitics)



5. Marking Configuration

ITF¹⁾04A001²⁾
201167B³⁾



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

	ITF Co., Ltd. 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	201167B	
		Rev. Date	2004-05-31	
		Rev.	NM3004-CS03	3/5

SAW Bandpass Filter 201167B







6. Typical Performance (at +25°C)



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No.	201167B	
Rev. Date	2004-05-31	
Rev.	NM3004-CS03	4/5

SAW Bandpass Filter 201167B



ITF Co., Ltd.
 102-901, Bucheon Technopark 364,
 Samjeong-Dong, Ojeong-Gu, Bucheon-City,
 Gyeonggi-Do, Korea 421-809

Part No. 201167B

Rev. Date 2004-05-31

Rev. NM3004-CS03 5/5