


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	—		A1	PART NUMBER CHANGED TO TYCO ELECTRONICS	24JAN2001	ACK	GF
			B1	MAT.-COLOUR CHANGE FROM BLUE TO NATURE	30.10.07	M.S	MS

CROSS REFERENCE LIST / UEBERSETZUNGSLISTE

TE - PN	OLD PART NUMBER	SEE SHEET		TE - PN	OLD PART NUMBER	SEE SHEET
1 393 546 - 1	C42315-A1347-A101	2		1 - 1 393 546 - 1	C42315-A1347-A112	2
1 393 546 - 2	C42315-A1347-A102	2		1 - 1 393 546 - 2	C42315-A1347-A116	2
1 393 546 - 3	C42315-A1347-A103	2		1 - 1 393 546 - 3	C42315-A1347-A124	2
1 393 546 - 4	C42315-A1347-A104	2		1 - 1 393 546 - 4	C42315-A1347-A201	3
1 393 546 - 5	C42315-A1347-A105	2		1 - 1 393 546 - 5	C42315-A1347-A202	3
1 393 546 - 6	C42315-A1347-A106	2		1 - 1 393 546 - 6	C42315-A1347-A203	3
1 393 546 - 7	C42315-A1347-A107	2		1 - 1 393 546 - 7	C42315-A1347-A204	3
1 393 546 - 8	C42315-A1347-A108	2		1 - 1 393 546 - 8	C42315-A1347-A205	3
1 393 546 - 9	C42315-A1347-A109	2		1 - 1 393 546 - 9	C42315-A1347-A208	3
1 - 1 393 546 - 0	C42315-A1347-A110	2		2 - 1 393 546 - 0	C42315-A1347-A212	3

ERSETZT EC-ZEICHNUNG C42315-A1347-A1***-27 BL. 1 UND 2
UND C42315-A1347-A2***-27 BL. 1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 24JAN2001 G.ACKERMANN	tyco Electronics tyco Electronics AMP GmbH D - 67346 Speyer	
DIMENSIONS: mm		CHK - M.SCHLEIHAUF	NAME	
		APVD - G.FELDMER	DIPFIX - SCHALTER DIPFIX - SWITCH	
MATERIAL -		PRODUCT SPEC -	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
FINISH -		APPLICATION SPEC -	A3 00779 C=1393546-1 -	
		WEIGHT -	CUSTOMER DRAWING SCALE 1:1 SHEET 1 OF 3 REV B1	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2000

© COPYRIGHT 2000

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

A1

-

-


SEE SHEET 1

-

-

-


View A



1) Beim Kleinmaß 5,08 müssen die
Schalter spiegelbildlich montiert werden
In the case of dim. 5,08 the switches
have to be mounted rear side to rear side


2) ausgeliefert in ausgehaktm Zustand
delivered in unlocked condition

Sollbruchstellen, einzelne
Schalter abtrennbar
Predetermined breaking point,
single switches could be broken off



Rasterlochung und
Packungsdichte

Mounting holes and
possible package density



Schaltschema
(Beispiel: 4 Umschalter)




ERSETZT EC-ZEICHNUNG C42315-A1347-A2***-27 BL.1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm



MATERIAL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±°

FINISH

-

DWN

G. ACKERMANN

CHK

M. SCHLEIHAUF

APVD

G. FELDMEIER

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

tyco
Electronics

tyco Electronics AMP GmbH

D - 67346 Speyer

NAME

DIPFIX - SCHALTER
DIPFIX - SWITCH

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1393546-1

REV

B1

SCALE 5:1, 2:1

SHEET

3

OF 3