SOURCE CONTROL DRAWING OFFICIAL SPECIFICATION

Item :	5.0V HCMOS/TTLCOMPATIBLE SMD CRYSTAL CLOCK OSCILLATOR		
Customer's P/N:			
ABRACON P/N :	ASL Series		

Customer's Approval of			
Specifications and Terms & Conditions of Sale			
Please sign and return this copy as a certification			
of your approval.			
Approved by:			
Date :			

PROPRIETARY NOTICE

These documents, and the contained information herein, are proprietary and are not to be reproduced, used or disclosed to others for manufacture or for any other purpose, except as specifically authorized, in writing, by ABRACON Corporation.

ABRACON CORPORATION

Headquarters
30332 Esperanza, Rancho Santa Margarita
California, The USA.

Tel: 949-546-8000 Fax: 949-546-8001

		REVISION HISTORY		
REV.	ECO	DESCRIPTION	DATE	APP'D
J	1663	Revised to new format. Updated Solderability temperature. Added Power down option.	9/25/2007	AM

NOTE: The information contained in this Source Control Drawing is subject to Abracon's standard Terms and Conditions of Sale. The full text can be found at http://www.abracon.com/Support/terms.pdf.

ABRACON CORPORATION			TITLE	5.0V HCMOS/TTLCO	MP	ASL Series ATIBLE SMD CRYSTAL CLOCK OSCILL	ATOR	
PREP.	DATE	ENGR.	DATE	SCALE			DRAWING NO.	REV.
AM	9/25/2007	HU	9/25/2007	None				
CKD	DATE	APP'D	DATE	PAGE	OF		400687	J
СВ	9/25/2007	JE	9/26/2007		1	9		



Drawing No.: 400687 Rev. J Page 2 of 9

1.0 SCOPE

This specification describes a 5.0V HCMOS/TTL COMPATIBLE SMD CRYSTAL CLOCK OSCILLATOR.

2.0 ELECTRICAL SPECIFICATIONS

ABRACON P/N ASL Series

Frequency range: 1.000 ~ 125.000 MHz

Operating temperature: -10° C to + 70° C (See Options)

Storage temperature: - 55° C to +125° C

Overall frequency stability: ± 100 ppm max. (see options)

Supply voltage (Vdd): 5.0 V ± 10%
Input current: See Table 1

Symmetry at 1/2Vdd: 40/60 % max. (see options)

Rise and fall time (Tr/Tf): See Table 1

Output load: 10TTL or 50 pF (1MHz to 70MHz)

10TTL or 15 pF (70.001MHz to 125MHz)

Output voltage: VOH = 0.9 * Vdd min.

VOL = 0.4 *Vdc max.

Start-up time: 10ms max.

Tristate function : "1" (VIH ≥ 2.2 V) or open: Oscillation

"0" (VIL < 0.8 V) : Hi Z


Aging at 25°C/year: ±5ppm max.
Period jitter one sigma: ±25ps max.

Period jitter absolute: ± 100ps max.
Power down curent (B option): 10µA max.

Table 1

Freq.	ldd max.	Tr/Tf max.	
(MHz)	(mA)	(nSec)	
1.0 ~ 34.99	25	10	
35.0 ~ 60.0	40	5	
60.01~100.0	60	5	
100.01 ~ 125	80	2.5	

2.1 OPTIONS AND PART IDENTIFICATION (Left blank if standard)



3.0 SPECIAL REQUIREMENT


This product is RoHS compliant and Pb free.

NOTE: The information contained in this Source Control Drawing is subject to Abracon's standard Terms and Conditions of Sale. The full text can be found at http://www.abracon.com/Support/terms.pdf.



Drawing No.: 400687 Rev. J Page 3 of 9

4.0 Marking



Frequency MHz
Frequency Stability option
Symmetry option


Traceability code Last digit of year (7 for 2007) Month (A to L)


Month	Code
January	Α
February	В
March	С
April	D
May	E
June	F
July	G
August	Н
September	I
October	J
November	K
December	L

4.1 Marking Method : Laser Marking

Drawing No.: 400687 Rev. J Page 4 of 9

5.0 Outline dimensions






Recommended land pattern

Bottom view

PIN	FUNCTION
1	Tristate Enable/Disable
2	GND/Case
3	Output
4	Vdd

Note: Recommend using an approximately 0.01uF bypass capacitor between PIN 2 and 4.



Dimension: Inches (mm)

TOLERANCES:

UNLESS OTHERWISE SPECIFIED: .X: $\pm 0.1 (0.25)$.XX: $\pm 0.01 (0.025)$.XXX: $\pm 0.005 (0.013)$

NOTE: The information contained in this Source Control Drawing is subject to Abracon's standard Terms and Conditions of Sale. The full text can be found at http://www.abracon.com/Support/terms.pdf.




Drawing No.: 400687 Rev. J Page 5 of 9

6.0 Reliability Test

No.	Test Items	Test Conditions
1	Temperature Cycling:	The component shall remain within the electrical specification (± 5 ppm max) after 3 cycles of high and low temperature testing (-40°C to +85°C) for 2 hours max.
2	Thermal Shock:	The component shall remain within the electrical specification after exposure at extreme temperature -40°C to +85°C for 5 minutes for 3 cycles.
3	Vibration:	The component shall remain within the electrical specification after loaded vibration at 10Hz to 55Hz, amplitude 1.5mm, within 1 minute for 2 hours minimum on each axis (X,Y,Z).
4	Drop Test:	The component shall remain within the electrical specifications after a natural drop (3X) on a hard wooden board at 75 cm.
5	Humidity: The component shall remain within the electrical specifications after being kept at a condition of ambient temperature +85°C, 85% RH for 96 hours minimum.	
6	Fine Leak Test:	Expose samples to 60PSIG Helium gas for 2 hours. Max leak rate 2X10-8atmcc/s.
7	Gross Leak Test:	Submerge samples in 100% De-ionized water or Perfluorocarbon at 85°C for at least 1 minute. Check for bubbles.
8	Solderability:	Solderability of terminals shall be kept at more than 95% after dipped in solder flux at 260°C ± 5°C for 5 seconds.

6.1 Reflow Profile






Drawing No. : 400687


Rev. J

Page 6 of 9

7.0 PACKING







Dimension: mm

TOLERANCES:

UNLESS OTHERWISE SPECIFIED: $.X: \pm 0.25$ $.XX: \pm 0.025$ $.XXX: \pm 0.013$

Drawing No.: 400687 Rev. J Page 7 of 9

8.0 Note

- (1) The parts are manufactured in accordance with this specification. If other conditions and specifications which are required for this specification, please contact ABRACON for more information.
- (2) ABRACON will supply the parts in accordance with this specification unless we receive a written request to modify prior to an order placement.
- (3) In no case shall ABRACON be liable for any product failure from in appropriate handling or operation of the item beyond the scope of this specification.
- (4) When changing your production process, please notify ABRACON immediately.
- (5) If you intend to use the product for listed application which may possibly cause to loss of life or assets, please notify ABRACON in advance. (For example, Medical, Aerospace, Aeronautic equipment, Safety control equipment as well as safety related.)
- (6) All specifications and Marking will be subject to change without notice.



Drawing No.: 400687 Rev. J Page 8 of 9

9.0 Terms and Conditions of Sale

PLEASE NOTE: Claims for pricing errors, shortages and defective products must be reported within 10 days from receipt of goods. Returned products will not be accepted after 30 days from the invoice date, and may be subject to restocking fees in accordance with Abracon Corporation's return policy. NO CREDIT WILL BE GIVEN FOR PRODUCTS RETURNED WITHOUT PRIOR AUTHORIZATION.

Please also note that IN NO EVENT SHALL ABRACON'S TOTAL LIABILITY FOR ANY AND ALL LOSSES AND DAMAGES ARISING OUT OF ANY CAUSE (INCLUDING, BUT NOT LIMITED TO, CONTRACT, NEGLIGENCE, STRICT LIABILITY OR OTHER TORT) EXCEED THE PURCHASE COST OF THE PRODUCTS. IN NO EVENT SHALL ABRACON BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES.

Placing an order with ABRACON constitutes an acknowledgement that you have read and agree to the "Terms and Conditions of Sale."

- 1. Prices: ABRACON (AB) reserves the right to increase the price of products by written notice to the Buyer at least thirty days prior to the date of shipment of the products. When quantity price discounts are quoted by AB, the discounts are computed separately for each type of product to be sold and are based upon the quantity of each type and each size ordered at any one time. If any order is reduced or cancelled by the Buyer with AB's consent, the prices shall be adjusted to the higher prices, if applicable, for the uncancelled quantity. Unless otherwise agreed, AB reserves the right to ship and bill ten percent more or less than the exact quantity specified.
- 2. Taxes: Unless otherwise specified in the quotation, the prices shown do no include any taxes, import, or export duties, tariffs, or customs charges.

 The Buyer agrees to pay AB the amount of any federal, state, county, municipal, or other taxes, duties, tariffs, or custom charges levied by any jurisdiction, foreign or domestic, which AB is required to pay on account of the ownership at the place of installation or during transit of the material or equipment which is the subject of this contract, or an account of the transportation, sale, or use of the material or equipment.
- 3. Payment Terms: Unless otherwise stated in a separate agreement or in AB's quotation, payment terms are thirty days net from the date of invoice, subject to approval from AB of amount and terms of credit. AB reserves the right to require payment in advance or C.O.D. and otherwise modified credit terms. When partial shipments are made, payments therefore shall become due in accordance with the above terms upon submission of invoices. If, at the request of the Buyer, shipment is postponed for more than thirty days, payment will become due thirty days after notice to the Buyer that products are ready for shipment. These terms apply to partial as well as complete shipments on the debt at the lesser of 18% per year, or the maximum then permitted by California law, from the due date until the Buyer pays the debt in full.
- 4. Shipment: All shipments will be made F.O.B. AB's shipping point. In the absence of specific instructions, AB will select the carrier. Title to the material shall pass to the Buyer upon delivery thereof by AB to the carrier or delivery service. Thereupon the Buyer shall be responsible therefore. Products held for the Buyer, or stored for the Buyer, shall be at the risk and expense of the Buyer. Claims against AB for shortages must be made in writing within ten days after the arrival of the shipment. AB is not required to notify the Buyer of the shipment.
 - 5. Delivery: Shipping dates are approximate.
- 6. Packing: Unless otherwise specified, prices quoted herein include normal AB packaging. If special packaging is required by the Buyer, an additional charge will be made.
- 7. Inspection: Unless the Buyer notifies AB in writing within ten days from the date of receipt of any products that says the products are rejected, they will be deemed to have been accepted by the Buyer. In order for the notice of rejection to be effective, it must also specify the reasons why the products are being rejected. Any rejected products must be returned to AB within thirty days of rejection or the rejection shall be void and of no effect. Notwithstanding the preceding sentence, no returned goods will be accepted for credit unless written permission is first obtained from AB.
- 8. Limitation of Liability: AB shall not be liable for any loss, damage, cost of repairs, or incidental or consequential damages of any kind whether or not based upon express or implied warranty, negligence, or strict liability arising out of or in connection with the design, manufacture, sale, use, repair, or delivery of the product, or the engineering designs supplied to the Buyer. Without limiting the generality of the foregoing: if conditions arise which prevent compliance with delivery schedules, AB shall not be liable for any damage or penalty for delay in delivery, or for failure to give notice of delay, and such delay shall not constitute grounds for cancellation or price adjustment: in addition, AB shall not be liable for delay in delivery without regard to the cause of the delay, and delivery dates shall be deemed extended for a period equal to such delay.
- 9. Fair Labor Standards Act: AB certifies that products furnished hereunder have been or will be produced in compliance with the Fair Labor Standards Act, as amended and regulations and orders of the U.S. Department of Labor issued thereunder, AB agrees that this statement may be considered as the written assurance contemplated by the October 26, 1949 amendment to said Act.
- 10. Modifications: Unless otherwise provided, AB reserves the right to modify the specifications of products ordered by the Buyer providing that the modifications do not materially affect the performance.
- 11. Termination: In the event of the complete or partial termination or cancellation of this order for the convenience of the Government, settlement shall be made by negotiations in accordance with the Termination Clause for Subcontractors set forth in Armed Services Procurement Regulation 8-706. If the Buyer attempts to terminate or cancel this order, entirely or partially, other than for the convenience of the Government, it shall constitute a material breach of contract unless consent to said termination is obtained by the Buyer from AB in writing. In any event, the prices of all items delivered, and all items which have been furnished but not yet delivered, will be adjusted upward to the applicable price for the lesser quantities thereby purchased. AB may terminate or cancel this order in whole or in part at any time prior to the completion of performance by written notice to the Buyer without incurring any liability to the Buyer for breach of contract or otherwise.



Drawing No.: 400687 Rev. J Page 9 of 9

12. Indemnity and Waiver of Subrogation: Buyer agrees to indemnify and hold AB harmless from any cost, liability or expense, including attorney's fees, which arises from or relates to any third party claim for personal injury (or death), property damages, or other loss allegedly based upon defective design, material, or workmanship of any product sold or furnished by AB, or allegedly based on any breach by AB of any of its contractual or other obligations. The Buyer represents that any liability insurance policies which the Buyer may have shall provide that subrogation rights against supplies such as AB are waived.

- 13. Governing Law: The terms of this agreement and all rights and obligations under it shall be governed by the laws of the State of California.
- 14. Errors: AB reserves the right to correct clerical or stenographic errors or omissions.
- 15. Entire Contract: The provisions of the Agreement and any accompanying documents constitute all the terms and conditions agreed upon by the parties and replace and supercede any inconsistent provisions on the face and the reverse side of the Purchase Order, Invoice, and Packing Slip. No modifications of this Agreement shall be valid unless in writing and duly signed by a person authorized by AB. The provisions of this Agreement shall not be modified by any usage of trade, or any course of prior dealing or acquiescence in the course of performance.
- 16. Disputes: Disputes between AB and the Buyer shall be resolved in accordance with the laws of the State of California without resort to said state's Conflict of Law rules. Pending final resolution of a dispute, AB shall proceed diligently with the performance of an order in accordance with AB's decision.