




MARKETING SALES DRAWING

DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING
DIMENSIONS IN METRIC - []

This drawing is the property of Tusonix, Inc., and may not be used, reproduced, published or disclosed to others without expressed authorization by Tusonix Inc.



Electrical Testing
per Tusonix standard
test plans and Mil-Std-202
Test Methods.



OPERATING INFORMATION

STYLE NO.	2461-001
VALUE	1000 pF
VALUE TOL.	+100% -0%
TEMP. COEF.	Y5U
RATING	200VDC@+85°C
OPERATING RANGE	-55°C,+125°C
DWV	600 VDC
I.R. MIN @ 100VDC	10 GΩ
TO TUSONIX SPEC. UNLESS STATED OTHERWISE.	

NOTES:

1. TUSONIX STANDARD PART NUMBER: 2461-001-Y5U0-102P.
TUSONIX RoHS COMPLIANT PART NUMBER:
2461-001-Y5U0-102P LF.
CUSTOMER MUST SPECIFY STANDARD OR RoHS PART NUMBER WHEN ORDERING.
2. LEAD FINISH: STANDARD PART #: 60/40 SOLDER PLATED. RoHS PART #: SILVER PLATED.
3. ELECTRODE FINISH: STANDARD PART #: 60/40 SOLDER PLATED. RoHS PART #: MATTE TIN PLATED.
4. PART MARKING: STANDARD PART: NO MARKING. RoHS PART: MARKING ON PACKAGING ONLY.

X-2015 Rev-0 REVISION RECORD Original Release C.O. 20060309-2-01	0	--TOLERANCES-- Unless Otherwise Specified DECIMAL ± .015 [38] ANGLES ±	Title SHOULDER FEED-THRU		
	TUSONIX TUCSON, ARIZONA		Drawn S.M. 03-09-06	Scale 4 X	
	A		Approved B.Mc. 03-09-06		
	2461-001-Y5U0-102P				